

Hit Summary Sheet
SW-846

SDG No.: Q1984 **Order ID:** Q1984
Client: Nobis Group **Project ID:** Raymark Superfund Site

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
Client ID : OU4-PCS-TC-33-050725									
Q1984-02	OU4-PCS-TC-33-050725	Water	Arsenic	2.55	JD	0.45	1.25	5.00	ug/L
Q1984-02	OU4-PCS-TC-33-050725	Water	Barium	93.4	D	1.05	6.25	50.0	ug/L
Q1984-02	OU4-PCS-TC-33-050725	Water	Chromium	2.95	JD	1.05	3.75	10.0	ug/L
Q1984-02	OU4-PCS-TC-33-050725	Water	Copper	15.6	D	1.50	7.50	10.0	ug/L
Q1984-02	OU4-PCS-TC-33-050725	Water	Nickel	81.0	D	1.35	3.75	5.00	ug/L
Q1984-02	OU4-PCS-TC-33-050725	Water	Mercury	0.27		0.076	0.16	0.20	ug/L
Q1984-02	OU4-PCS-TC-33-050725	Water	Vanadium	270	D	0.39	1.25	25.0	ug/L
Q1984-02	OU4-PCS-TC-33-050725	Water	Zinc	546	D	6.25	7.50	25.0	ug/L
Client ID : OU4-PCS-TC-34-050725									
Q1984-04	OU4-PCS-TC-34-050725	Water	Arsenic	1.90	JD	0.45	1.25	5.00	ug/L
Q1984-04	OU4-PCS-TC-34-050725	Water	Barium	100	D	1.05	6.25	50.0	ug/L
Q1984-04	OU4-PCS-TC-34-050725	Water	Chromium	2.40	JD	1.05	3.75	10.0	ug/L
Q1984-04	OU4-PCS-TC-34-050725	Water	Copper	16.4	D	1.50	7.50	10.0	ug/L
Q1984-04	OU4-PCS-TC-34-050725	Water	Nickel	75.9	D	1.35	3.75	5.00	ug/L
Q1984-04	OU4-PCS-TC-34-050725	Water	Vanadium	184	D	0.39	1.25	25.0	ug/L
Q1984-04	OU4-PCS-TC-34-050725	Water	Zinc	543	D	6.25	7.50	25.0	ug/L
Client ID : OU4-PCS-TC-35-050725									
Q1984-06	OU4-PCS-TC-35-050725	Water	Arsenic	1.80	JD	0.45	1.25	5.00	ug/L
Q1984-06	OU4-PCS-TC-35-050725	Water	Barium	99.6	D	1.05	6.25	50.0	ug/L
Q1984-06	OU4-PCS-TC-35-050725	Water	Chromium	2.30	JD	1.05	3.75	10.0	ug/L
Q1984-06	OU4-PCS-TC-35-050725	Water	Copper	17.3	D	1.50	7.50	10.0	ug/L
Q1984-06	OU4-PCS-TC-35-050725	Water	Nickel	77.6	D	1.35	3.75	5.00	ug/L
Q1984-06	OU4-PCS-TC-35-050725	Water	Vanadium	136	D	0.39	1.25	25.0	ug/L
Q1984-06	OU4-PCS-TC-35-050725	Water	Zinc	532	D	6.25	7.50	25.0	ug/L
Client ID : OU4-TS-24-050725									
Q1984-08	OU4-TS-24-050725	Water	Arsenic	25.3	D	0.45	1.25	5.00	ug/L
Q1984-08	OU4-TS-24-050725	Water	Barium	120	D	1.05	6.25	50.0	ug/L
Q1984-08	OU4-TS-24-050725	Water	Beryllium	12.4	D	1.60	3.75	5.00	ug/L
Q1984-08	OU4-TS-24-050725	Water	Cadmium	9.35	D	1.70	2.50	5.00	ug/L
Q1984-08	OU4-TS-24-050725	Water	Chromium	37.3	D	1.05	3.75	10.0	ug/L
Q1984-08	OU4-TS-24-050725	Water	Copper	171	D	1.50	7.50	10.0	ug/L
Q1984-08	OU4-TS-24-050725	Water	Lead	31.3	D	1.05	3.75	5.00	ug/L
Q1984-08	OU4-TS-24-050725	Water	Nickel	203	D	1.35	3.75	5.00	ug/L
Q1984-08	OU4-TS-24-050725	Water	Thallium	0.80	JD	0.30	2.50	5.00	ug/L
Q1984-08	OU4-TS-24-050725	Water	Vanadium	59.8	D	0.39	1.25	25.0	ug/L

Hit Summary Sheet

SW-846

SDG No.: Q1984

Client: Nobis Group

Order ID: Q1984

Project ID: Raymark Superfund Site

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
Q1984-08	OU4-TS-24-050725	Water	Zinc	2040	D	6.25	7.50	25.0	ug/L
Client ID : OU4-TS-25-050725									
Q1984-10	OU4-TS-25-050725	Water	Arsenic	26.3	D	0.45	1.25	5.00	ug/L
Q1984-10	OU4-TS-25-050725	Water	Barium	118	D	1.05	6.25	50.0	ug/L
Q1984-10	OU4-TS-25-050725	Water	Beryllium	8.85	D	1.60	3.75	5.00	ug/L
Q1984-10	OU4-TS-25-050725	Water	Cadmium	7.05	D	1.70	2.50	5.00	ug/L
Q1984-10	OU4-TS-25-050725	Water	Chromium	21.4	D	1.05	3.75	10.0	ug/L
Q1984-10	OU4-TS-25-050725	Water	Copper	78.1	D	1.50	7.50	10.0	ug/L
Q1984-10	OU4-TS-25-050725	Water	Lead	21.3	D	1.05	3.75	5.00	ug/L
Q1984-10	OU4-TS-25-050725	Water	Nickel	136	D	1.35	3.75	5.00	ug/L
Q1984-10	OU4-TS-25-050725	Water	Thallium	0.60	JD	0.30	2.50	5.00	ug/L
Q1984-10	OU4-TS-25-050725	Water	Vanadium	43.5	D	0.39	1.25	25.0	ug/L
Q1984-10	OU4-TS-25-050725	Water	Zinc	1850	D	6.25	7.50	25.0	ug/L
Client ID : OU4-TS-26-050725									
Q1984-12	OU4-TS-26-050725	Water	Arsenic	17.2	D	0.45	1.25	5.00	ug/L
Q1984-12	OU4-TS-26-050725	Water	Barium	114	D	1.05	6.25	50.0	ug/L
Q1984-12	OU4-TS-26-050725	Water	Beryllium	9.80	D	1.60	3.75	5.00	ug/L
Q1984-12	OU4-TS-26-050725	Water	Cadmium	8.00	D	1.70	2.50	5.00	ug/L
Q1984-12	OU4-TS-26-050725	Water	Chromium	15.8	D	1.05	3.75	10.0	ug/L
Q1984-12	OU4-TS-26-050725	Water	Copper	79.5	D	1.50	7.50	10.0	ug/L
Q1984-12	OU4-TS-26-050725	Water	Lead	17.7	D	1.05	3.75	5.00	ug/L
Q1984-12	OU4-TS-26-050725	Water	Nickel	149	D	1.35	3.75	5.00	ug/L
Q1984-12	OU4-TS-26-050725	Water	Thallium	0.70	JD	0.30	2.50	5.00	ug/L
Q1984-12	OU4-TS-26-050725	Water	Vanadium	24.6	JD	0.39	1.25	25.0	ug/L
Q1984-12	OU4-TS-26-050725	Water	Zinc	2430	D	6.25	7.50	25.0	ug/L
Client ID : OU4-TS-27-050725									
Q1984-14	OU4-TS-27-050725	Water	Arsenic	21.2	D	0.45	1.25	5.00	ug/L
Q1984-14	OU4-TS-27-050725	Water	Barium	124	D	1.05	6.25	50.0	ug/L
Q1984-14	OU4-TS-27-050725	Water	Beryllium	8.70	D	1.60	3.75	5.00	ug/L
Q1984-14	OU4-TS-27-050725	Water	Cadmium	8.20	D	1.70	2.50	5.00	ug/L
Q1984-14	OU4-TS-27-050725	Water	Chromium	14.8	D	1.05	3.75	10.0	ug/L
Q1984-14	OU4-TS-27-050725	Water	Copper	63.8	D	1.50	7.50	10.0	ug/L
Q1984-14	OU4-TS-27-050725	Water	Lead	18.2	D	1.05	3.75	5.00	ug/L
Q1984-14	OU4-TS-27-050725	Water	Nickel	147	D	1.35	3.75	5.00	ug/L
Q1984-14	OU4-TS-27-050725	Water	Thallium	0.75	JD	0.30	2.50	5.00	ug/L
Q1984-14	OU4-TS-27-050725	Water	Vanadium	27.1	D	0.39	1.25	25.0	ug/L
Q1984-14	OU4-TS-27-050725	Water	Zinc	1990	D	6.25	7.50	25.0	ug/L
Client ID : OU4-TS-28-050725									

Hit Summary Sheet
SW-846

SDG No.: Q1984

Order ID: Q1984

Client: Nobis Group

Project ID: Raymark Superfund Site

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
Q1984-16	OU4-TS-28-050725	Water	Arsenic	24.5	D	0.45	1.25	5.00	ug/L
Q1984-16	OU4-TS-28-050725	Water	Barium	114	D	1.05	6.25	50.0	ug/L
Q1984-16	OU4-TS-28-050725	Water	Beryllium	13.6	D	1.60	3.75	5.00	ug/L
Q1984-16	OU4-TS-28-050725	Water	Cadmium	9.85	D	1.70	2.50	5.00	ug/L
Q1984-16	OU4-TS-28-050725	Water	Chromium	41.9	D	1.05	3.75	10.0	ug/L
Q1984-16	OU4-TS-28-050725	Water	Copper	298	D	1.50	7.50	10.0	ug/L
Q1984-16	OU4-TS-28-050725	Water	Lead	35.6	D	1.05	3.75	5.00	ug/L
Q1984-16	OU4-TS-28-050725	Water	Nickel	234	D	1.35	3.75	5.00	ug/L
Q1984-16	OU4-TS-28-050725	Water	Thallium	0.85	JD	0.30	2.50	5.00	ug/L
Q1984-16	OU4-TS-28-050725	Water	Vanadium	69.1	D	0.39	1.25	25.0	ug/L
Q1984-16	OU4-TS-28-050725	Water	Zinc	1810	D	6.25	7.50	25.0	ug/L