

Hit Summary Sheet SW-846

SDG No.: Q1984 **Order ID:** Q1984
Client: Nobis Group **Project ID:** Raymark Superfund Site

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
Client ID : OU4-PCS-TC-33-050725									
Q1984-02	OU4-PCS-TC-33-050725	Water	Arsenic	2.55	JD	0.45	1.25	5.00	ug/L
Q1984-02	OU4-PCS-TC-33-050725	Water	Barium	93.4	D	1.05	6.25	50.0	ug/L
Q1984-02	OU4-PCS-TC-33-050725	Water	Chromium	2.95	JD	1.05	3.75	10.0	ug/L
Q1984-02	OU4-PCS-TC-33-050725	Water	Copper	15.6	D	1.50	7.50	10.0	ug/L
Q1984-02	OU4-PCS-TC-33-050725	Water	Nickel	81.0	D	1.35	3.75	5.00	ug/L
Q1984-02	OU4-PCS-TC-33-050725	Water	Mercury	0.27		0.076	0.16	0.20	ug/L
Q1984-02	OU4-PCS-TC-33-050725	Water	Vanadium	270	D	0.39	1.25	25.0	ug/L
Q1984-02	OU4-PCS-TC-33-050725	Water	Zinc	546	D	6.25	7.50	25.0	ug/L
Client ID : OU4-PCS-TC-34-050725									
Q1984-04	OU4-PCS-TC-34-050725	Water	Arsenic	1.90	JD	0.45	1.25	5.00	ug/L
Q1984-04	OU4-PCS-TC-34-050725	Water	Barium	100	D	1.05	6.25	50.0	ug/L
Q1984-04	OU4-PCS-TC-34-050725	Water	Chromium	2.40	JD	1.05	3.75	10.0	ug/L
Q1984-04	OU4-PCS-TC-34-050725	Water	Copper	16.4	D	1.50	7.50	10.0	ug/L
Q1984-04	OU4-PCS-TC-34-050725	Water	Nickel	75.9	D	1.35	3.75	5.00	ug/L
Q1984-04	OU4-PCS-TC-34-050725	Water	Vanadium	184	D	0.39	1.25	25.0	ug/L
Q1984-04	OU4-PCS-TC-34-050725	Water	Zinc	543	D	6.25	7.50	25.0	ug/L
Client ID : OU4-PCS-TC-35-050725									
Q1984-06	OU4-PCS-TC-35-050725	Water	Arsenic	1.80	JD	0.45	1.25	5.00	ug/L
Q1984-06	OU4-PCS-TC-35-050725	Water	Barium	99.6	D	1.05	6.25	50.0	ug/L
Q1984-06	OU4-PCS-TC-35-050725	Water	Chromium	2.30	JD	1.05	3.75	10.0	ug/L
Q1984-06	OU4-PCS-TC-35-050725	Water	Copper	17.3	D	1.50	7.50	10.0	ug/L
Q1984-06	OU4-PCS-TC-35-050725	Water	Nickel	77.6	D	1.35	3.75	5.00	ug/L
Q1984-06	OU4-PCS-TC-35-050725	Water	Vanadium	136	D	0.39	1.25	25.0	ug/L
Q1984-06	OU4-PCS-TC-35-050725	Water	Zinc	532	D	6.25	7.50	25.0	ug/L
Client ID : OU4-TS-24-050725									
Q1984-08	OU4-TS-24-050725	Water	Arsenic	25.3	D	0.45	1.25	5.00	ug/L
Q1984-08	OU4-TS-24-050725	Water	Barium	120	D	1.05	6.25	50.0	ug/L
Q1984-08	OU4-TS-24-050725	Water	Beryllium	12.4	D	1.60	3.75	5.00	ug/L
Q1984-08	OU4-TS-24-050725	Water	Cadmium	9.35	D	1.70	2.50	5.00	ug/L
Q1984-08	OU4-TS-24-050725	Water	Chromium	37.3	D	1.05	3.75	10.0	ug/L
Q1984-08	OU4-TS-24-050725	Water	Copper	171	D	1.50	7.50	10.0	ug/L
Q1984-08	OU4-TS-24-050725	Water	Lead	31.3	D	1.05	3.75	5.00	ug/L
Q1984-08	OU4-TS-24-050725	Water	Nickel	203	D	1.35	3.75	5.00	ug/L
Q1984-08	OU4-TS-24-050725	Water	Thallium	0.80	JD	0.30	2.50	5.00	ug/L
Q1984-08	OU4-TS-24-050725	Water	Vanadium	59.8	D	0.39	1.25	25.0	ug/L



- A
- B**
- C
- D

Order ID: Q1984

Project ID: Raymark Superfund Site

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
Q1984-08	OU4-TS-24-050725	Water	Zinc	2040	D	6.25	7.50	25.0	ug/L
Client ID : OU4-TS-25-050725									
Q1984-10	OU4-TS-25-050725	Water	Arsenic	26.3	D	0.45	1.25	5.00	ug/L
Q1984-10	OU4-TS-25-050725	Water	Barium	118	D	1.05	6.25	50.0	ug/L
Q1984-10	OU4-TS-25-050725	Water	Beryllium	8.85	D	1.60	3.75	5.00	ug/L
Q1984-10	OU4-TS-25-050725	Water	Cadmium	7.05	D	1.70	2.50	5.00	ug/L
Q1984-10	OU4-TS-25-050725	Water	Chromium	21.4	D	1.05	3.75	10.0	ug/L
Q1984-10	OU4-TS-25-050725	Water	Copper	78.1	D	1.50	7.50	10.0	ug/L
Q1984-10	OU4-TS-25-050725	Water	Lead	21.3	D	1.05	3.75	5.00	ug/L
Q1984-10	OU4-TS-25-050725	Water	Nickel	136	D	1.35	3.75	5.00	ug/L
Q1984-10	OU4-TS-25-050725	Water	Thallium	0.60	JD	0.30	2.50	5.00	ug/L
Q1984-10	OU4-TS-25-050725	Water	Vanadium	43.5	D	0.39	1.25	25.0	ug/L
Q1984-10	OU4-TS-25-050725	Water	Zinc	1850	D	6.25	7.50	25.0	ug/L
Client ID : OU4-TS-26-050725									
Q1984-12	OU4-TS-26-050725	Water	Arsenic	17.2	D	0.45	1.25	5.00	ug/L
Q1984-12	OU4-TS-26-050725	Water	Barium	114	D	1.05	6.25	50.0	ug/L
Q1984-12	OU4-TS-26-050725	Water	Beryllium	9.80	D	1.60	3.75	5.00	ug/L
Q1984-12	OU4-TS-26-050725	Water	Cadmium	8.00	D	1.70	2.50	5.00	ug/L
Q1984-12	OU4-TS-26-050725	Water	Chromium	15.8	D	1.05	3.75	10.0	ug/L
Q1984-12	OU4-TS-26-050725	Water	Copper	79.5	D	1.50	7.50	10.0	ug/L
Q1984-12	OU4-TS-26-050725	Water	Lead	17.7	D	1.05	3.75	5.00	ug/L
Q1984-12	OU4-TS-26-050725	Water	Nickel	149	D	1.35	3.75	5.00	ug/L
Q1984-12	OU4-TS-26-050725	Water	Thallium	0.70	JD	0.30	2.50	5.00	ug/L
Q1984-12	OU4-TS-26-050725	Water	Vanadium	24.6	JD	0.39	1.25	25.0	ug/L
Q1984-12	OU4-TS-26-050725	Water	Zinc	2430	D	6.25	7.50	25.0	ug/L
Client ID : OU4-TS-27-050725									
Q1984-14	OU4-TS-27-050725	Water	Arsenic	21.2	D	0.45	1.25	5.00	ug/L
Q1984-14	OU4-TS-27-050725	Water	Barium	124	D	1.05	6.25	50.0	ug/L
Q1984-14	OU4-TS-27-050725	Water	Beryllium	8.70	D	1.60	3.75	5.00	ug/L
Q1984-14	OU4-TS-27-050725	Water	Cadmium	8.20	D	1.70	2.50	5.00	ug/L
Q1984-14	OU4-TS-27-050725	Water	Chromium	14.8	D	1.05	3.75	10.0	ug/L
Q1984-14	OU4-TS-27-050725	Water	Copper	63.8	D	1.50	7.50	10.0	ug/L
Q1984-14	OU4-TS-27-050725	Water	Lead	18.2	D	1.05	3.75	5.00	ug/L
Q1984-14	OU4-TS-27-050725	Water	Nickel	147	D	1.35	3.75	5.00	ug/L
Q1984-14	OU4-TS-27-050725	Water	Thallium	0.75	JD	0.30	2.50	5.00	ug/L
Q1984-14	OU4-TS-27-050725	Water	Vanadium	27.1	D	0.39	1.25	25.0	ug/L
Q1984-14	OU4-TS-27-050725	Water	Zinc	1990	D	6.25	7.50	25.0	ug/L
Client ID : OU4-TS-28-050725									

Hit Summary Sheet
SW-846

SDG No.: Q1984

Order ID: Q1984

Client: Nobis Group

Project ID: Raymark Superfund Site

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
Q1984-16	OU4-TS-28-050725	Water	Arsenic	24.5	D	0.45	1.25	5.00	ug/L
Q1984-16	OU4-TS-28-050725	Water	Barium	114	D	1.05	6.25	50.0	ug/L
Q1984-16	OU4-TS-28-050725	Water	Beryllium	13.6	D	1.60	3.75	5.00	ug/L
Q1984-16	OU4-TS-28-050725	Water	Cadmium	9.85	D	1.70	2.50	5.00	ug/L
Q1984-16	OU4-TS-28-050725	Water	Chromium	41.9	D	1.05	3.75	10.0	ug/L
Q1984-16	OU4-TS-28-050725	Water	Copper	298	D	1.50	7.50	10.0	ug/L
Q1984-16	OU4-TS-28-050725	Water	Lead	35.6	D	1.05	3.75	5.00	ug/L
Q1984-16	OU4-TS-28-050725	Water	Nickel	234	D	1.35	3.75	5.00	ug/L
Q1984-16	OU4-TS-28-050725	Water	Thallium	0.85	JD	0.30	2.50	5.00	ug/L
Q1984-16	OU4-TS-28-050725	Water	Vanadium	69.1	D	0.39	1.25	25.0	ug/L
Q1984-16	OU4-TS-28-050725	Water	Zinc	1810	D	6.25	7.50	25.0	ug/L



SAMPLE DATA

A

B

C

D

Report of Analysis

Client:	Nobis Group	Date Collected:	05/07/25
Project:	Raymark Superfund Site	Date Received:	05/08/25
Client Sample ID:	OU4-PCS-TC-33-050725	SDG No.:	Q1984
Lab Sample ID:	Q1984-02	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-36-0	Antimony	1.25	UD	5	0.55	1.25	10.0	ug/L	05/12/25 12:05	05/21/25 15:40	6020B	3010A
7440-38-2	Arsenic	2.55	JDN	5	0.45	1.25	5.00	ug/L	05/12/25 12:05	05/21/25 15:40	6020B	3010A
7440-39-3	Barium	93.4	D	5	1.05	6.25	50.0	ug/L	05/12/25 12:05	05/21/25 15:40	6020B	3010A
7440-41-7	Beryllium	3.75	UD	5	1.60	3.75	5.00	ug/L	05/12/25 12:05	05/21/25 15:40	6020B	3010A
7440-43-9	Cadmium	2.50	UD	5	1.70	2.50	5.00	ug/L	05/12/25 12:05	05/21/25 15:40	6020B	3010A
7440-47-3	Chromium	2.95	JD	5	1.05	3.75	10.0	ug/L	05/12/25 12:05	05/21/25 15:40	6020B	3010A
7440-50-8	Copper	15.6	D	5	1.50	7.50	10.0	ug/L	05/12/25 12:05	05/21/25 15:40	6020B	3010A
7439-92-1	Lead	3.75	UD	5	1.05	3.75	5.00	ug/L	05/12/25 12:05	05/21/25 15:40	6020B	3010A
7439-97-6	Mercury	0.27	N	1	0.076	0.16	0.20	ug/L	05/13/25 14:20	05/14/25 12:08	7470A	
7440-02-0	Nickel	81.0	D	5	1.35	3.75	5.00	ug/L	05/12/25 12:05	05/21/25 15:40	6020B	3010A
7782-49-2	Selenium	22.5	UD	5	14.5	22.5	25.0	ug/L	05/12/25 12:05	05/21/25 15:40	6020B	3010A
7440-22-4	Silver	2.50	UDN	5	0.30	2.50	5.00	ug/L	05/12/25 12:05	05/21/25 15:40	6020B	3010A
7440-28-0	Thallium	2.50	UD	5	0.30	2.50	5.00	ug/L	05/12/25 12:05	05/21/25 15:40	6020B	3010A
7440-62-2	Vanadium	270	D	5	0.39	1.25	25.0	ug/L	05/12/25 12:05	05/21/25 15:40	6020B	3010A
7440-66-6	Zinc	546	D	5	6.25	7.50	25.0	ug/L	05/12/25 12:05	05/21/25 15:40	6020B	3010A

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	SPLP Mercury			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Nobis Group	Date Collected:	05/07/25
Project:	Raymark Superfund Site	Date Received:	05/08/25
Client Sample ID:	OU4-PCS-TC-34-050725	SDG No.:	Q1984
Lab Sample ID:	Q1984-04	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-36-0	Antimony	1.25	UD	5	0.55	1.25	10.0	ug/L	05/12/25 12:05	05/21/25 15:43	6020B	3010A
7440-38-2	Arsenic	1.90	JDN	5	0.45	1.25	5.00	ug/L	05/12/25 12:05	05/21/25 15:43	6020B	3010A
7440-39-3	Barium	100	D	5	1.05	6.25	50.0	ug/L	05/12/25 12:05	05/21/25 15:43	6020B	3010A
7440-41-7	Beryllium	3.75	UD	5	1.60	3.75	5.00	ug/L	05/12/25 12:05	05/21/25 15:43	6020B	3010A
7440-43-9	Cadmium	2.50	UD	5	1.70	2.50	5.00	ug/L	05/12/25 12:05	05/21/25 15:43	6020B	3010A
7440-47-3	Chromium	2.40	JD	5	1.05	3.75	10.0	ug/L	05/12/25 12:05	05/21/25 15:43	6020B	3010A
7440-50-8	Copper	16.4	D	5	1.50	7.50	10.0	ug/L	05/12/25 12:05	05/21/25 15:43	6020B	3010A
7439-92-1	Lead	3.75	UD	5	1.05	3.75	5.00	ug/L	05/12/25 12:05	05/21/25 15:43	6020B	3010A
7439-97-6	Mercury	0.16	UN	1	0.076	0.16	0.20	ug/L	05/13/25 14:20	05/14/25 12:10	7470A	
7440-02-0	Nickel	75.9	D	5	1.35	3.75	5.00	ug/L	05/12/25 12:05	05/21/25 15:43	6020B	3010A
7782-49-2	Selenium	22.5	UD	5	14.5	22.5	25.0	ug/L	05/12/25 12:05	05/21/25 15:43	6020B	3010A
7440-22-4	Silver	2.50	UDN	5	0.30	2.50	5.00	ug/L	05/12/25 12:05	05/21/25 15:43	6020B	3010A
7440-28-0	Thallium	2.50	UD	5	0.30	2.50	5.00	ug/L	05/12/25 12:05	05/21/25 15:43	6020B	3010A
7440-62-2	Vanadium	184	D	5	0.39	1.25	25.0	ug/L	05/12/25 12:05	05/21/25 15:43	6020B	3010A
7440-66-6	Zinc	543	D	5	6.25	7.50	25.0	ug/L	05/12/25 12:05	05/21/25 15:43	6020B	3010A

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	SPLP Mercury			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Nobis Group	Date Collected:	05/07/25
Project:	Raymark Superfund Site	Date Received:	05/08/25
Client Sample ID:	OU4-PCS-TC-35-050725	SDG No.:	Q1984
Lab Sample ID:	Q1984-06	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-36-0	Antimony	1.25	UD	5	0.55	1.25	10.0	ug/L	05/12/25 12:05	05/21/25 15:46	6020B	3010A
7440-38-2	Arsenic	1.80	JDN	5	0.45	1.25	5.00	ug/L	05/12/25 12:05	05/21/25 15:46	6020B	3010A
7440-39-3	Barium	99.6	D	5	1.05	6.25	50.0	ug/L	05/12/25 12:05	05/21/25 15:46	6020B	3010A
7440-41-7	Beryllium	3.75	UD	5	1.60	3.75	5.00	ug/L	05/12/25 12:05	05/21/25 15:46	6020B	3010A
7440-43-9	Cadmium	2.50	UD	5	1.70	2.50	5.00	ug/L	05/12/25 12:05	05/21/25 15:46	6020B	3010A
7440-47-3	Chromium	2.30	JD	5	1.05	3.75	10.0	ug/L	05/12/25 12:05	05/21/25 15:46	6020B	3010A
7440-50-8	Copper	17.3	D	5	1.50	7.50	10.0	ug/L	05/12/25 12:05	05/21/25 15:46	6020B	3010A
7439-92-1	Lead	3.75	UD	5	1.05	3.75	5.00	ug/L	05/12/25 12:05	05/21/25 15:46	6020B	3010A
7439-97-6	Mercury	0.16	UN	1	0.076	0.16	0.20	ug/L	05/13/25 14:20	05/14/25 12:12	7470A	
7440-02-0	Nickel	77.6	D	5	1.35	3.75	5.00	ug/L	05/12/25 12:05	05/21/25 15:46	6020B	3010A
7782-49-2	Selenium	22.5	UD	5	14.5	22.5	25.0	ug/L	05/12/25 12:05	05/21/25 15:46	6020B	3010A
7440-22-4	Silver	2.50	UDN	5	0.30	2.50	5.00	ug/L	05/12/25 12:05	05/21/25 15:46	6020B	3010A
7440-28-0	Thallium	2.50	UD	5	0.30	2.50	5.00	ug/L	05/12/25 12:05	05/21/25 15:46	6020B	3010A
7440-62-2	Vanadium	136	D	5	0.39	1.25	25.0	ug/L	05/12/25 12:05	05/21/25 15:46	6020B	3010A
7440-66-6	Zinc	532	D	5	6.25	7.50	25.0	ug/L	05/12/25 12:05	05/21/25 15:46	6020B	3010A

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	SPLP Mercury			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Nobis Group	Date Collected:	05/07/25
Project:	Raymark Superfund Site	Date Received:	05/08/25
Client Sample ID:	OU4-TS-24-050725	SDG No.:	Q1984
Lab Sample ID:	Q1984-08	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-36-0	Antimony	1.25	UD	5	0.55	1.25	10.0	ug/L	05/12/25 12:05	05/21/25 15:50	6020B	3010A
7440-38-2	Arsenic	25.3	DN	5	0.45	1.25	5.00	ug/L	05/12/25 12:05	05/21/25 15:50	6020B	3010A
7440-39-3	Barium	120	D	5	1.05	6.25	50.0	ug/L	05/12/25 12:05	05/21/25 15:50	6020B	3010A
7440-41-7	Beryllium	12.4	D	5	1.60	3.75	5.00	ug/L	05/12/25 12:05	05/21/25 15:50	6020B	3010A
7440-43-9	Cadmium	9.35	D	5	1.70	2.50	5.00	ug/L	05/12/25 12:05	05/21/25 15:50	6020B	3010A
7440-47-3	Chromium	37.3	D	5	1.05	3.75	10.0	ug/L	05/12/25 12:05	05/21/25 15:50	6020B	3010A
7440-50-8	Copper	171	D	5	1.50	7.50	10.0	ug/L	05/12/25 12:05	05/21/25 15:50	6020B	3010A
7439-92-1	Lead	31.3	D	5	1.05	3.75	5.00	ug/L	05/12/25 12:05	05/21/25 15:50	6020B	3010A
7439-97-6	Mercury	0.16	UN	1	0.076	0.16	0.20	ug/L	05/13/25 14:20	05/14/25 12:15	7470A	
7440-02-0	Nickel	203	D	5	1.35	3.75	5.00	ug/L	05/12/25 12:05	05/21/25 15:50	6020B	3010A
7782-49-2	Selenium	22.5	UD	5	14.5	22.5	25.0	ug/L	05/12/25 12:05	05/21/25 15:50	6020B	3010A
7440-22-4	Silver	2.50	UDN	5	0.30	2.50	5.00	ug/L	05/12/25 12:05	05/21/25 15:50	6020B	3010A
7440-28-0	Thallium	0.80	JD	5	0.30	2.50	5.00	ug/L	05/12/25 12:05	05/21/25 15:50	6020B	3010A
7440-62-2	Vanadium	59.8	D	5	0.39	1.25	25.0	ug/L	05/12/25 12:05	05/21/25 15:50	6020B	3010A
7440-66-6	Zinc	2040	D	5	6.25	7.50	25.0	ug/L	05/12/25 12:05	05/21/25 15:50	6020B	3010A

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	SPLP Mercury			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Nobis Group	Date Collected:	05/07/25
Project:	Raymark Superfund Site	Date Received:	05/08/25
Client Sample ID:	OU4-TS-25-050725	SDG No.:	Q1984
Lab Sample ID:	Q1984-10	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-36-0	Antimony	1.25	UD	5	0.55	1.25	10.0	ug/L	05/12/25 12:05	05/21/25 15:53	6020B	3010A
7440-38-2	Arsenic	26.3	DN	5	0.45	1.25	5.00	ug/L	05/12/25 12:05	05/21/25 15:53	6020B	3010A
7440-39-3	Barium	118	D	5	1.05	6.25	50.0	ug/L	05/12/25 12:05	05/21/25 15:53	6020B	3010A
7440-41-7	Beryllium	8.85	D	5	1.60	3.75	5.00	ug/L	05/12/25 12:05	05/21/25 15:53	6020B	3010A
7440-43-9	Cadmium	7.05	D	5	1.70	2.50	5.00	ug/L	05/12/25 12:05	05/21/25 15:53	6020B	3010A
7440-47-3	Chromium	21.4	D	5	1.05	3.75	10.0	ug/L	05/12/25 12:05	05/21/25 15:53	6020B	3010A
7440-50-8	Copper	78.1	D	5	1.50	7.50	10.0	ug/L	05/12/25 12:05	05/21/25 15:53	6020B	3010A
7439-92-1	Lead	21.3	D	5	1.05	3.75	5.00	ug/L	05/12/25 12:05	05/21/25 15:53	6020B	3010A
7439-97-6	Mercury	0.16	UN	1	0.076	0.16	0.20	ug/L	05/13/25 14:20	05/14/25 12:17	7470A	
7440-02-0	Nickel	136	D	5	1.35	3.75	5.00	ug/L	05/12/25 12:05	05/21/25 15:53	6020B	3010A
7782-49-2	Selenium	22.5	UD	5	14.5	22.5	25.0	ug/L	05/12/25 12:05	05/21/25 15:53	6020B	3010A
7440-22-4	Silver	2.50	UDN	5	0.30	2.50	5.00	ug/L	05/12/25 12:05	05/21/25 15:53	6020B	3010A
7440-28-0	Thallium	0.60	JD	5	0.30	2.50	5.00	ug/L	05/12/25 12:05	05/21/25 15:53	6020B	3010A
7440-62-2	Vanadium	43.5	D	5	0.39	1.25	25.0	ug/L	05/12/25 12:05	05/21/25 15:53	6020B	3010A
7440-66-6	Zinc	1850	D	5	6.25	7.50	25.0	ug/L	05/12/25 12:05	05/21/25 15:53	6020B	3010A

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	SPLP Mercury			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Nobis Group	Date Collected:	05/07/25
Project:	Raymark Superfund Site	Date Received:	05/08/25
Client Sample ID:	OU4-TS-26-050725	SDG No.:	Q1984
Lab Sample ID:	Q1984-12	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-36-0	Antimony	1.25	UD	5	0.55	1.25	10.0	ug/L	05/12/25 12:05	05/21/25 15:56	6020B	3010A
7440-38-2	Arsenic	17.2	DN	5	0.45	1.25	5.00	ug/L	05/12/25 12:05	05/21/25 15:56	6020B	3010A
7440-39-3	Barium	114	D	5	1.05	6.25	50.0	ug/L	05/12/25 12:05	05/21/25 15:56	6020B	3010A
7440-41-7	Beryllium	9.80	D	5	1.60	3.75	5.00	ug/L	05/12/25 12:05	05/21/25 15:56	6020B	3010A
7440-43-9	Cadmium	8.00	D	5	1.70	2.50	5.00	ug/L	05/12/25 12:05	05/21/25 15:56	6020B	3010A
7440-47-3	Chromium	15.8	D	5	1.05	3.75	10.0	ug/L	05/12/25 12:05	05/21/25 15:56	6020B	3010A
7440-50-8	Copper	79.5	D	5	1.50	7.50	10.0	ug/L	05/12/25 12:05	05/21/25 15:56	6020B	3010A
7439-92-1	Lead	17.7	D	5	1.05	3.75	5.00	ug/L	05/12/25 12:05	05/21/25 15:56	6020B	3010A
7439-97-6	Mercury	0.16	UN	1	0.076	0.16	0.20	ug/L	05/13/25 14:20	05/14/25 12:29	7470A	
7440-02-0	Nickel	149	D	5	1.35	3.75	5.00	ug/L	05/12/25 12:05	05/21/25 15:56	6020B	3010A
7782-49-2	Selenium	22.5	UD	5	14.5	22.5	25.0	ug/L	05/12/25 12:05	05/21/25 15:56	6020B	3010A
7440-22-4	Silver	2.50	UDN5		0.30	2.50	5.00	ug/L	05/12/25 12:05	05/21/25 15:56	6020B	3010A
7440-28-0	Thallium	0.70	JD	5	0.30	2.50	5.00	ug/L	05/12/25 12:05	05/21/25 15:56	6020B	3010A
7440-62-2	Vanadium	24.6	JD	5	0.39	1.25	25.0	ug/L	05/12/25 12:05	05/21/25 15:56	6020B	3010A
7440-66-6	Zinc	2430	D	5	6.25	7.50	25.0	ug/L	05/12/25 12:05	05/21/25 15:56	6020B	3010A

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	SPLP Mercury			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Nobis Group	Date Collected:	05/07/25
Project:	Raymark Superfund Site	Date Received:	05/08/25
Client Sample ID:	OU4-TS-27-050725	SDG No.:	Q1984
Lab Sample ID:	Q1984-14	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-36-0	Antimony	1.25	UD	5	0.55	1.25	10.0	ug/L	05/12/25 12:05	05/21/25 16:09	6020B	3010A
7440-38-2	Arsenic	21.2	DN	5	0.45	1.25	5.00	ug/L	05/12/25 12:05	05/21/25 16:09	6020B	3010A
7440-39-3	Barium	124	D	5	1.05	6.25	50.0	ug/L	05/12/25 12:05	05/21/25 16:09	6020B	3010A
7440-41-7	Beryllium	8.70	D	5	1.60	3.75	5.00	ug/L	05/12/25 12:05	05/21/25 16:09	6020B	3010A
7440-43-9	Cadmium	8.20	D	5	1.70	2.50	5.00	ug/L	05/12/25 12:05	05/21/25 16:09	6020B	3010A
7440-47-3	Chromium	14.8	D	5	1.05	3.75	10.0	ug/L	05/12/25 12:05	05/21/25 16:09	6020B	3010A
7440-50-8	Copper	63.8	D	5	1.50	7.50	10.0	ug/L	05/12/25 12:05	05/21/25 16:09	6020B	3010A
7439-92-1	Lead	18.2	D	5	1.05	3.75	5.00	ug/L	05/12/25 12:05	05/21/25 16:09	6020B	3010A
7439-97-6	Mercury	0.16	UN	1	0.076	0.16	0.20	ug/L	05/13/25 14:20	05/14/25 12:31	7470A	
7440-02-0	Nickel	147	D	5	1.35	3.75	5.00	ug/L	05/12/25 12:05	05/21/25 16:09	6020B	3010A
7782-49-2	Selenium	22.5	UD	5	14.5	22.5	25.0	ug/L	05/12/25 12:05	05/21/25 16:09	6020B	3010A
7440-22-4	Silver	2.50	UDN5		0.30	2.50	5.00	ug/L	05/12/25 12:05	05/21/25 16:09	6020B	3010A
7440-28-0	Thallium	0.75	JD	5	0.30	2.50	5.00	ug/L	05/12/25 12:05	05/21/25 16:09	6020B	3010A
7440-62-2	Vanadium	27.1	D	5	0.39	1.25	25.0	ug/L	05/12/25 12:05	05/21/25 16:09	6020B	3010A
7440-66-6	Zinc	1990	D	5	6.25	7.50	25.0	ug/L	05/12/25 12:05	05/21/25 16:09	6020B	3010A

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	SPLP Mercury			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Nobis Group	Date Collected:	05/07/25
Project:	Raymark Superfund Site	Date Received:	05/08/25
Client Sample ID:	OU4-TS-28-050725	SDG No.:	Q1984
Lab Sample ID:	Q1984-16	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-36-0	Antimony	1.25	UD	5	0.55	1.25	10.0	ug/L	05/12/25 12:05	05/22/25 14:05	6020B	3010A
7440-38-2	Arsenic	24.5	DN	5	0.45	1.25	5.00	ug/L	05/12/25 12:05	05/22/25 14:05	6020B	3010A
7440-39-3	Barium	114	D	5	1.05	6.25	50.0	ug/L	05/12/25 12:05	05/22/25 14:05	6020B	3010A
7440-41-7	Beryllium	13.6	D	5	1.60	3.75	5.00	ug/L	05/12/25 12:05	05/22/25 14:05	6020B	3010A
7440-43-9	Cadmium	9.85	D	5	1.70	2.50	5.00	ug/L	05/12/25 12:05	05/22/25 14:05	6020B	3010A
7440-47-3	Chromium	41.9	D	5	1.05	3.75	10.0	ug/L	05/12/25 12:05	05/22/25 14:05	6020B	3010A
7440-50-8	Copper	298	D	5	1.50	7.50	10.0	ug/L	05/12/25 12:05	05/22/25 14:05	6020B	3010A
7439-92-1	Lead	35.6	D	5	1.05	3.75	5.00	ug/L	05/12/25 12:05	05/22/25 14:05	6020B	3010A
7439-97-6	Mercury	0.16	UN	1	0.076	0.16	0.20	ug/L	05/13/25 14:20	05/14/25 12:33	7470A	
7440-02-0	Nickel	234	D	5	1.35	3.75	5.00	ug/L	05/12/25 12:05	05/22/25 14:05	6020B	3010A
7782-49-2	Selenium	22.5	UD	5	14.5	22.5	25.0	ug/L	05/12/25 12:05	05/22/25 14:05	6020B	3010A
7440-22-4	Silver	2.50	UDN5		0.30	2.50	5.00	ug/L	05/12/25 12:05	05/22/25 14:05	6020B	3010A
7440-28-0	Thallium	0.85	JD	5	0.30	2.50	5.00	ug/L	05/12/25 12:05	05/22/25 14:05	6020B	3010A
7440-62-2	Vanadium	69.1	D	5	0.39	1.25	25.0	ug/L	05/12/25 12:05	05/22/25 14:05	6020B	3010A
7440-66-6	Zinc	1810	D	5	6.25	7.50	25.0	ug/L	05/12/25 12:05	05/22/25 14:05	6020B	3010A

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	SPLP Mercury			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N = Spiked sample recovery not within control limits

LAB CHRONICLE

OrderID:	Q1984	OrderDate:	5/8/2025 10:48:00 AM
Client:	Nobis Group	Project:	Raymark Superfund Site
Contact:	Adam Roy	Location:	L41,VOA Ref. #2 Soil,VOA Ref. #3 Water

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q1984-01	OU4-PCS-TC-33-0507 25	SOIL			05/07/25			05/08/25
			Mercury	7471B		05/09/25	05/12/25	
			Metals ICP-TAL	6010D		05/09/25	05/20/25	
Q1984-02	OU4-PCS-TC-33-0507 25	Water			05/07/25			05/08/25
			SPLP Mercury	7470A		05/13/25	05/14/25	
			SPLP MetalGroup3	6020B		05/12/25	05/21/25	
Q1984-03	OU4-PCS-TC-34-0507 25	SOIL			05/07/25			05/08/25
			Mercury	7471B		05/09/25	05/12/25	
			Metals ICP-TAL	6010D		05/09/25	05/20/25	
Q1984-04	OU4-PCS-TC-34-0507 25	Water			05/07/25			05/08/25
			SPLP Mercury	7470A		05/13/25	05/14/25	
			SPLP MetalGroup3	6020B		05/12/25	05/21/25	
Q1984-05	OU4-PCS-TC-35-0507 25	SOIL			05/07/25			05/08/25
			Mercury	7471B		05/09/25	05/12/25	
			Metals ICP-TAL	6010D		05/09/25	05/21/25	
Q1984-06	OU4-PCS-TC-35-0507 25	Water			05/07/25			05/08/25
			SPLP Mercury	7470A		05/13/25	05/14/25	
			SPLP MetalGroup3	6020B		05/12/25	05/21/25	
Q1984-07	OU4-TS-24-050725	SOIL			05/07/25			05/08/25
			Mercury	7471B		05/09/25	05/12/25	
			Metals ICP-TAL	6010D		05/09/25	05/21/25	

LAB CHRONICLE

Q1984-08	OU4-TS-24-050725	Water			05/07/25			05/08/25
			SPLP Mercury	7470A		05/13/25	05/14/25	
			SPLP MetalGroup3	6020B		05/12/25	05/21/25	
Q1984-09	OU4-TS-25-050725	SOIL			05/07/25			05/08/25
			Mercury	7471B		05/09/25	05/12/25	
			Metals ICP-TAL	6010D		05/09/25	05/21/25	
Q1984-10	OU4-TS-25-050725	Water			05/07/25			05/08/25
			SPLP Mercury	7470A		05/13/25	05/14/25	
			SPLP MetalGroup3	6020B		05/12/25	05/21/25	
Q1984-11	OU4-TS-26-050725	SOIL			05/07/25			05/08/25
			Mercury	7471B		05/09/25	05/12/25	
			Metals ICP-TAL	6010D		05/09/25	05/21/25	
Q1984-12	OU4-TS-26-050725	Water			05/07/25			05/08/25
			SPLP Mercury	7470A		05/13/25	05/14/25	
			SPLP MetalGroup3	6020B		05/12/25	05/21/25	
Q1984-13	OU4-TS-27-050725	SOIL			05/07/25			05/08/25
			Mercury	7471B		05/09/25	05/12/25	
			Metals ICP-TAL	6010D		05/09/25	05/21/25	
Q1984-14	OU4-TS-27-050725	Water			05/07/25			05/08/25
			SPLP Mercury	7470A		05/13/25	05/14/25	
			SPLP MetalGroup3	6020B		05/12/25	05/21/25	
Q1984-15	OU4-TS-28-050725	SOIL			05/07/25			05/08/25
			Mercury	7471B		05/09/25	05/12/25	
			Metals ICP-TAL	6010D		05/09/25	05/21/25	
Q1984-16	OU4-TS-28-050725	Water			05/07/25			05/08/25
			SPLP Mercury	7470A		05/13/25	05/14/25	
			SPLP MetalGroup3	6020B		05/12/25	05/22/25	