

Metals

- 6 -

DUPLICATE SAMPLE SUMMARY

Client: Tetra Tech NUS, Inc. **Level:** LOW **SDG No.:** Q1985
Contract: TETR06 **Lab Code:** CHEM **Case No.:** Q1985 **SAS No.:** Q1985
Matrix: Water **Sample ID:** Q1985-01 **Client ID:** RW8-BW-20250507DUP
Percent Solids for Sample: NA **Duplicate ID** Q1985-01DUP **Percent Solids for Spike Sample:** NA

Analyte	Units	Acceptance Limit	Sample Result	C	Duplicate Result	C	RPD	Qual	M
Aluminum	ug/L	20	24.0	J	31.0	J	25		P
Antimony	ug/L	20	25.0	U	25.0	U			P
Arsenic	ug/L	20	10.0	U	10.0	U			P
Barium	ug/L	20	50.0	U	50.0	U			P
Beryllium	ug/L	20	3.00	U	3.00	U			P
Cadmium	ug/L	20	3.00	U	3.00	U			P
Calcium	ug/L	20	1380		1390		1		P
Chromium	ug/L	20	2.48	J	2.47	J	0		P
Cobalt	ug/L	20	15.0	U	15.0	U			P
Copper	ug/L	20	10.0	U	10.0	U			P
Iron	ug/L	20	678		687		1		P
Lead	ug/L	20	6.00	U	6.00	U			P
Magnesium	ug/L	20	1330		1320		1		P
Manganese	ug/L	20	52.0		18.7		94	*	P
Nickel	ug/L	20	20.0	U	20.0	U			P
Potassium	ug/L	20	333000		344000		3		P
Selenium	ug/L	20	10.0	U	10.0	U			P
Silver	ug/L	20	5.00	U	5.00	U			P
Sodium	ug/L	20	44800		46000		3		P
Thallium	ug/L	20	20.0	U	20.0	U			P
Vanadium	ug/L	20	20.0	U	20.0	U			P
Zinc	ug/L	20	20.0	U	20.0	U			P

Metals

- 6 -

DUPLICATE SAMPLE SUMMARY

Client: Tetra Tech NUS, Inc. **Level:** LOW **SDG No.:** Q1985
Contract: TETR06 **Lab Code:** CHEM **Case No.:** Q1985 **SAS No.:** Q1985
Matrix: Water **Sample ID:** Q1985-01MS **Client ID:** RW8-BW-20250507MSD
Percent Solids for Sample: NA **Duplicate ID** Q1985-01MSD **Percent Solids for Spike Sample:** NA

Analyte	Units	Acceptance Limit	Sample Result	C	Duplicate Result	C	RPD	Qual	M
Aluminum	ug/L	20	967		962		1		P
Antimony	ug/L	20	384		381		1		P
Arsenic	ug/L	20	394		391		1		P
Barium	ug/L	20	95.0		93.2		2		P
Beryllium	ug/L	20	90.9		92.2		1		P
Cadmium	ug/L	20	99.0		98.3		1		P
Calcium	ug/L	20	1880		1840		2		P
Chromium	ug/L	20	199		198		1		P
Cobalt	ug/L	20	98.0		97.2		1		P
Copper	ug/L	20	140		138		1		P
Iron	ug/L	20	2170		2140		1		P
Lead	ug/L	20	471		469		0		P
Magnesium	ug/L	20	2250		2220		1		P
Manganese	ug/L	20	170		113		40	*	P
Nickel	ug/L	20	241		238		1		P
Potassium	ug/L	20	351000		343000		2		P
Selenium	ug/L	20	916		915		0		P
Silver	ug/L	20	29.9		29.3		2		P
Sodium	ug/L	20	48000		46900		2		P
Thallium	ug/L	20	905		895		1		P
Vanadium	ug/L	20	141		139		1		P
Zinc	ug/L	20	101		100		1		P

Metals

- 6 -

DUPLICATE SAMPLE SUMMARY

Client:	<u>Tetra Tech NUS, Inc.</u>	Level:	<u>LOW</u>	SDG No.:	<u>Q1985</u>
Contract:	<u>TETR06</u>	Lab Code:	<u>CHEM</u>	Case No.:	<u>Q1985</u>
Matrix:	<u>Water</u>	Sample ID:	<u>Q2008-01</u>	Client ID:	<u>IDW-AQ-DRUM-633-05092025DUP</u>
Percent Solids for Sample:	NA	Duplicate ID	Q2008-01DUP	Percent Solids for Spike Sample:	NA

Analyte	Units	Acceptance Limit	Sample Result	C	Duplicate Result	C	RPD	Qual	M
Mercury	ug/L	20	0.082	J	0.20	U	200.0		CV

Metals

- 6 -

DUPLICATE SAMPLE SUMMARY

Client:	<u>Tetra Tech NUS, Inc.</u>	Level:	<u>LOW</u>	SDG No.:	<u>Q1985</u>
Contract:	<u>TETR06</u>	Lab Code:	<u>CHEM</u>	Case No.:	<u>Q1985</u>
Matrix:	<u>Water</u>	Sample ID:	<u>Q2008-01MS</u>	Client ID:	<u>IDW-AQ-DRUM-633-05092025MSD</u>
Percent Solids for Sample:	<u>NA</u>	Duplicate ID	<u>Q2008-01MSD</u>	Percent Solids for Spike Sample:	<u>NA</u>

Analyte	Units	Acceptance Limit	Sample Result	C	Duplicate Result	C	RPD	Qual	M
Mercury	ug/L	20	3.56		3.25		9		CV