

Report of Analysis

Client:	PARSONS Engineering of New York, Inc.		Date Collected:	
Project:	Con Ed Non-MGP - East River M0SF 454453		Date Received:	
Client Sample ID:	VX0509WBS01		SDG No.:	Q1993
Lab Sample ID:	VX0509WBS01		Matrix:	Water
Analytical Method:	8260D		% Solid:	0
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:		uL	Test:	VOCMS Group1
GC Column:	DB-624UI	ID : 0.18	Level :	LOW
Prep Method :				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX046105.D	1		05/09/25 11:18	VX050925

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
74-87-3	Chloromethane	20.8		0.32	1.00	ug/L
75-01-4	Vinyl Chloride	19.8		0.26	1.00	ug/L
74-83-9	Bromomethane	18.8		1.40	5.00	ug/L
75-00-3	Chloroethane	19.8		0.47	1.00	ug/L
75-35-4	1,1-Dichloroethene	19.7		0.23	1.00	ug/L
67-64-1	Acetone	100		1.50	5.00	ug/L
75-15-0	Carbon Disulfide	19.9		0.21	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	20.5		0.16	1.00	ug/L
75-09-2	Methylene Chloride	19.8		0.28	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	20.2		0.23	1.00	ug/L
75-34-3	1,1-Dichloroethane	20.8		0.23	1.00	ug/L
78-93-3	2-Butanone	100		0.98	5.00	ug/L
56-23-5	Carbon Tetrachloride	20.1		0.25	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	20.5		0.19	1.00	ug/L
67-66-3	Chloroform	21.1		0.25	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	20.7		0.20	1.00	ug/L
71-43-2	Benzene	20.3		0.15	1.00	ug/L
107-06-2	1,2-Dichloroethane	20.5		0.22	1.00	ug/L
79-01-6	Trichloroethene	20.1		0.090	1.00	ug/L
78-87-5	1,2-Dichloropropane	20.8		0.20	1.00	ug/L
75-27-4	Bromodichloromethane	21.3		0.22	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	110		0.68	5.00	ug/L
108-88-3	Toluene	20.3		0.14	1.00	ug/L
10061-02-6	t-1,3-Dichloropropene	19.9		0.17	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	20.2		0.16	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	21.0		0.21	1.00	ug/L
591-78-6	2-Hexanone	110		0.89	5.00	ug/L
124-48-1	Dibromochloromethane	21.2		0.18	1.00	ug/L
127-18-4	Tetrachloroethene	19.2		0.23	1.00	ug/L
108-90-7	Chlorobenzene	19.9		0.12	1.00	ug/L

Report of Analysis

Client:	PARSONS Engineering of New York, Inc.		Date Collected:	
Project:	Con Ed Non-MGP - East River M0SF 454453		Date Received:	
Client Sample ID:	VX0509WBS01		SDG No.:	Q1993
Lab Sample ID:	VX0509WBS01		Matrix:	Water
Analytical Method:	8260D		% Solid:	0
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:		uL	Test:	VOCMS Group1
GC Column:	DB-624UI	ID : 0.18	Level :	LOW
Prep Method :				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX046105.D	1		05/09/25 11:18	VX050925

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
100-41-4	Ethyl Benzene	20.5		0.13	1.00	ug/L
179601-23-1	m/p-Xylenes	41.0		0.24	2.00	ug/L
95-47-6	o-Xylene	20.5		0.12	1.00	ug/L
100-42-5	Styrene	20.9		0.15	1.00	ug/L
75-25-2	Bromoform	20.0		0.19	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	20.9		0.26	1.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	50.5		74 - 125	101%	SPK: 50
1868-53-7	Dibromofluoromethane	50.3		75 - 124	101%	SPK: 50
2037-26-5	Toluene-d8	50.1		86 - 113	100%	SPK: 50
460-00-4	4-Bromofluorobenzene	49.2		77 - 121	98%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	90300	5.55			
540-36-3	1,4-Difluorobenzene	161000	6.757			
3114-55-4	Chlorobenzene-d5	141000	10.049			
3855-82-1	1,4-Dichlorobenzene-d4	64800	12.018			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products