

Hit Summary Sheet
SW-846

SDG No.: Q2001
Client: ENTACT

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID:	WC-A4-03-G							
Q2001-01	WC-A4-03-G	TCLP	Vinyl Chloride	1.00	J	0.26	5.00	ug/L
Q2001-01	WC-A4-03-G	TCLP	Benzene	20.3		0.15	5.00	ug/L
Q2001-01	WC-A4-03-G	TCLP	Trichloroethene	1.30	J	0.090	5.00	ug/L
			Total Voc :	22.6				
			Total Concentration:	22.6				
Client ID:	WC-A1-05-G							
Q2001-05	WC-A1-05-G	TCLP	Vinyl Chloride	20.5		0.26	5.00	ug/L
Q2001-05	WC-A1-05-G	TCLP	2-Butanone	5.20	J	0.98	25.0	ug/L
Q2001-05	WC-A1-05-G	TCLP	Benzene	380	E	0.15	5.00	ug/L
			Total Voc :	406				
			Total Concentration:	406				
Client ID:	WC-A1-05-GDL							
Q2001-05DL	WC-A1-05-GDL	TCLP	Vinyl Chloride	20.5	JD	2.60	50.0	ug/L
Q2001-05DL	WC-A1-05-GDL	TCLP	Benzene	370	D	1.50	50.0	ug/L
			Total Voc :	391				
			Total Concentration:	391				
Client ID:	WC-A1-06-G							
Q2001-09	WC-A1-06-G	TCLP	Benzene	1000	E	0.15	5.00	ug/L
			Total Voc :	1000				
			Total Concentration:	1000				
Client ID:	WC-A1-06-GDL							
Q2001-09DL	WC-A1-06-GDL	TCLP	Benzene	1100	D	3.00	100	ug/L
			Total Voc :	1100				
			Total Concentration:	1100				
Client ID:	WC-A1-07-G							
Q2001-13	WC-A1-07-G	TCLP	Benzene	1800	E	0.15	5.00	ug/L
			Total Voc :	1800				
			Total Concentration:	1800				
Client ID:	WC-A1-07-GDL							
Q2001-13DL	WC-A1-07-GDL	TCLP	Benzene	1700	D	6.00	200	ug/L
			Total Voc :	1700				
			Total Concentration:	1700				

A
B
C
D



SAMPLE DATA

A

B

C

D

Report of Analysis

Client:	ENTACT	Date Collected:	05/06/25
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	05/09/25
Client Sample ID:	WC-A4-03-G	SDG No.:	Q2001
Lab Sample ID:	Q2001-01	Matrix:	TCLP
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	TCLP VOA
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :	SW5035		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX046163.D	1		05/13/25 14:01	VX051325

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-01-4	Vinyl Chloride	1.00	J	0.26	5.00	ug/L
75-35-4	1,1-Dichloroethene	0.23	U	0.23	5.00	ug/L
78-93-3	2-Butanone	0.98	U	0.98	25.0	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	5.00	ug/L
67-66-3	Chloroform	0.25	U	0.25	5.00	ug/L
71-43-2	Benzene	20.3		0.15	5.00	ug/L
107-06-2	1,2-Dichloroethane	0.22	U	0.22	5.00	ug/L
79-01-6	Trichloroethene	1.30	J	0.090	5.00	ug/L
127-18-4	Tetrachloroethene	0.23	U	0.23	5.00	ug/L
108-90-7	Chlorobenzene	0.12	U	0.12	5.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	55.0		70 (74) - 130 (125)	110%	SPK: 50
1868-53-7	Dibromofluoromethane	42.2		70 (75) - 130 (124)	84%	SPK: 50
2037-26-5	Toluene-d8	52.0		70 (86) - 130 (113)	104%	SPK: 50
460-00-4	4-Bromofluorobenzene	52.0		70 (77) - 130 (121)	104%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	60200	5.55			
540-36-3	1,4-Difluorobenzene	120000	6.757			
3114-55-4	Chlorobenzene-d5	114000	10.049			
3855-82-1	1,4-Dichlorobenzene-d4	50900	12.018			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	ENTACT	Date Collected:	05/07/25
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	05/09/25
Client Sample ID:	WC-A1-05-G	SDG No.:	Q2001
Lab Sample ID:	Q2001-05	Matrix:	TCLP
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	TCLP VOA
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :	SW5035		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX046164.D	1		05/13/25 14:25	VX051325

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-01-4	Vinyl Chloride	20.5		0.26	5.00	ug/L
75-35-4	1,1-Dichloroethene	0.23	U	0.23	5.00	ug/L
78-93-3	2-Butanone	5.20	J	0.98	25.0	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	5.00	ug/L
67-66-3	Chloroform	0.25	U	0.25	5.00	ug/L
71-43-2	Benzene	380	E	0.15	5.00	ug/L
107-06-2	1,2-Dichloroethane	0.22	U	0.22	5.00	ug/L
79-01-6	Trichloroethene	0.090	U	0.090	5.00	ug/L
127-18-4	Tetrachloroethene	0.23	U	0.23	5.00	ug/L
108-90-7	Chlorobenzene	0.12	U	0.12	5.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	51.6		70 (74) - 130 (125)	103%	SPK: 50
1868-53-7	Dibromofluoromethane	40.8		70 (75) - 130 (124)	82%	SPK: 50
2037-26-5	Toluene-d8	51.7		70 (86) - 130 (113)	103%	SPK: 50
460-00-4	4-Bromofluorobenzene	54.1		70 (77) - 130 (121)	108%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	61800	5.55			
540-36-3	1,4-Difluorobenzene	120000	6.757			
3114-55-4	Chlorobenzene-d5	116000	10.055			
3855-82-1	1,4-Dichlorobenzene-d4	55300	12.018			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	ENTACT	Date Collected:	05/07/25
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	05/09/25
Client Sample ID:	WC-A1-05-GDL	SDG No.:	Q2001
Lab Sample ID:	Q2001-05DL	Matrix:	TCLP
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	TCLP VOA
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :	SW5035		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX046190.D	10		05/14/25 13:35	VX051425

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-01-4	Vinyl Chloride	20.5	JD	2.60	50.0	ug/L
75-35-4	1,1-Dichloroethene	2.30	UD	2.30	50.0	ug/L
78-93-3	2-Butanone	9.80	UD	9.80	250	ug/L
56-23-5	Carbon Tetrachloride	2.50	UD	2.50	50.0	ug/L
67-66-3	Chloroform	2.50	UD	2.50	50.0	ug/L
71-43-2	Benzene	370	D	1.50	50.0	ug/L
107-06-2	1,2-Dichloroethane	2.20	UD	2.20	50.0	ug/L
79-01-6	Trichloroethene	0.93	UD	0.93	50.0	ug/L
127-18-4	Tetrachloroethene	2.30	UD	2.30	50.0	ug/L
108-90-7	Chlorobenzene	1.20	UD	1.20	50.0	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	52.5		70 (74) - 130 (125)	105%	SPK: 50
1868-53-7	Dibromofluoromethane	50.0		70 (75) - 130 (124)	100%	SPK: 50
2037-26-5	Toluene-d8	50.5		70 (86) - 130 (113)	101%	SPK: 50
460-00-4	4-Bromofluorobenzene	53.6		70 (77) - 130 (121)	107%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	65400	5.55			
540-36-3	1,4-Difluorobenzene	131000	6.757			
3114-55-4	Chlorobenzene-d5	123000	10.049			
3855-82-1	1,4-Dichlorobenzene-d4	57300	12.018			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	ENTACT	Date Collected:	05/08/25
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	05/09/25
Client Sample ID:	WC-A1-06-G	SDG No.:	Q2001
Lab Sample ID:	Q2001-09	Matrix:	TCLP
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	TCLP VOA
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :	SW5035		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX046165.D	1		05/13/25 14:48	VX051325

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-01-4	Vinyl Chloride	0.26	U	0.26	5.00	ug/L
75-35-4	1,1-Dichloroethene	0.23	U	0.23	5.00	ug/L
78-93-3	2-Butanone	0.98	U	0.98	25.0	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	5.00	ug/L
67-66-3	Chloroform	0.25	U	0.25	5.00	ug/L
71-43-2	Benzene	1000	E	0.15	5.00	ug/L
107-06-2	1,2-Dichloroethane	0.22	U	0.22	5.00	ug/L
79-01-6	Trichloroethene	0.090	U	0.090	5.00	ug/L
127-18-4	Tetrachloroethene	0.23	U	0.23	5.00	ug/L
108-90-7	Chlorobenzene	0.12	U	0.12	5.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	51.3		70 (74) - 130 (125)	103%	SPK: 50
1868-53-7	Dibromofluoromethane	42.3		70 (75) - 130 (124)	85%	SPK: 50
2037-26-5	Toluene-d8	51.1		70 (86) - 130 (113)	102%	SPK: 50
460-00-4	4-Bromofluorobenzene	52.5		70 (77) - 130 (121)	105%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	69400	5.55			
540-36-3	1,4-Difluorobenzene	132000	6.757			
3114-55-4	Chlorobenzene-d5	123000	10.055			
3855-82-1	1,4-Dichlorobenzene-d4	59200	12.018			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	ENTACT	Date Collected:	05/08/25
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	05/09/25
Client Sample ID:	WC-A1-06-GDL	SDG No.:	Q2001
Lab Sample ID:	Q2001-09DL	Matrix:	TCLP
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	TCLP VOA
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :	SW5035		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX046191.D	20		05/14/25 13:59	VX051425

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-01-4	Vinyl Chloride	5.20	UD	5.20	100	ug/L
75-35-4	1,1-Dichloroethene	4.60	UD	4.60	100	ug/L
78-93-3	2-Butanone	19.6	UD	19.6	500	ug/L
56-23-5	Carbon Tetrachloride	5.00	UD	5.00	100	ug/L
67-66-3	Chloroform	5.00	UD	5.00	100	ug/L
71-43-2	Benzene	1100	D	3.00	100	ug/L
107-06-2	1,2-Dichloroethane	4.40	UD	4.40	100	ug/L
79-01-6	Trichloroethene	1.90	UD	1.90	100	ug/L
127-18-4	Tetrachloroethene	4.60	UD	4.60	100	ug/L
108-90-7	Chlorobenzene	2.40	UD	2.40	100	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	52.9		70 (74) - 130 (125)	106%	SPK: 50
1868-53-7	Dibromofluoromethane	50.2		70 (75) - 130 (124)	100%	SPK: 50
2037-26-5	Toluene-d8	49.7		70 (86) - 130 (113)	99%	SPK: 50
460-00-4	4-Bromofluorobenzene	51.6		70 (77) - 130 (121)	103%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	63300	5.55			
540-36-3	1,4-Difluorobenzene	128000	6.757			
3114-55-4	Chlorobenzene-d5	122000	10.049			
3855-82-1	1,4-Dichlorobenzene-d4	54200	12.018			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	ENTACT	Date Collected:	05/08/25
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	05/09/25
Client Sample ID:	WC-A1-07-G	SDG No.:	Q2001
Lab Sample ID:	Q2001-13	Matrix:	TCLP
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	TCLP VOA
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :	SW5035		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX046166.D	1		05/13/25 15:11	VX051325

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-01-4	Vinyl Chloride	0.26	U	0.26	5.00	ug/L
75-35-4	1,1-Dichloroethene	0.23	U	0.23	5.00	ug/L
78-93-3	2-Butanone	0.98	U	0.98	25.0	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	5.00	ug/L
67-66-3	Chloroform	0.25	U	0.25	5.00	ug/L
71-43-2	Benzene	1800	E	0.15	5.00	ug/L
107-06-2	1,2-Dichloroethane	0.22	U	0.22	5.00	ug/L
79-01-6	Trichloroethene	0.090	U	0.090	5.00	ug/L
127-18-4	Tetrachloroethene	0.23	U	0.23	5.00	ug/L
108-90-7	Chlorobenzene	0.12	U	0.12	5.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	51.0		70 (74) - 130 (125)	102%	SPK: 50
1868-53-7	Dibromofluoromethane	36.4		70 (75) - 130 (124)	73%	SPK: 50
2037-26-5	Toluene-d8	51.1		70 (86) - 130 (113)	102%	SPK: 50
460-00-4	4-Bromofluorobenzene	53.4		70 (77) - 130 (121)	107%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	63000	5.55			
540-36-3	1,4-Difluorobenzene	118000	6.757			
3114-55-4	Chlorobenzene-d5	116000	10.055			
3855-82-1	1,4-Dichlorobenzene-d4	55600	12.018			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	ENTACT	Date Collected:	05/08/25
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	05/09/25
Client Sample ID:	WC-A1-07-GDL	SDG No.:	Q2001
Lab Sample ID:	Q2001-13DL	Matrix:	TCLP
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	TCLP VOA
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :	SW5035		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX046192.D	40		05/14/25 14:22	VX051425

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-01-4	Vinyl Chloride	10.4	UD	10.4	200	ug/L
75-35-4	1,1-Dichloroethene	9.20	UD	9.20	200	ug/L
78-93-3	2-Butanone	39.2	UD	39.2	1000	ug/L
56-23-5	Carbon Tetrachloride	10.0	UD	10.0	200	ug/L
67-66-3	Chloroform	10.0	UD	10.0	200	ug/L
71-43-2	Benzene	1700	D	6.00	200	ug/L
107-06-2	1,2-Dichloroethane	8.80	UD	8.80	200	ug/L
79-01-6	Trichloroethene	3.70	UD	3.70	200	ug/L
127-18-4	Tetrachloroethene	9.20	UD	9.20	200	ug/L
108-90-7	Chlorobenzene	4.80	UD	4.80	200	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	52.5		70 (74) - 130 (125)	105%	SPK: 50
1868-53-7	Dibromofluoromethane	49.6		70 (75) - 130 (124)	99%	SPK: 50
2037-26-5	Toluene-d8	50.9		70 (86) - 130 (113)	102%	SPK: 50
460-00-4	4-Bromofluorobenzene	52.9		70 (77) - 130 (121)	106%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	63200	5.544			
540-36-3	1,4-Difluorobenzene	125000	6.757			
3114-55-4	Chlorobenzene-d5	121000	10.055			
3855-82-1	1,4-Dichlorobenzene-d4	53400	12.018			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

LAB CHRONICLE

OrderID:	Q2001	OrderDate:	5/9/2025 11:54:00 AM
Client:	ENTACT	Project:	540 Degraw St, Brooklyn, NY - E9309
Contact:	Jarod Stanfield	Location:	L61

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q2001-01	WC-A4-03-G	TCLP	TCLP VOA	8260D	05/06/25		05/13/25	05/09/25
Q2001-05	WC-A1-05-G	TCLP	TCLP VOA	8260D	05/07/25		05/13/25	05/09/25
Q2001-05DL	WC-A1-05-GDL	TCLP	TCLP VOA	8260D	05/07/25		05/14/25	05/09/25
Q2001-09	WC-A1-06-G	TCLP	TCLP VOA	8260D	05/08/25		05/13/25	05/09/25
Q2001-09DL	WC-A1-06-GDL	TCLP	TCLP VOA	8260D	05/08/25		05/14/25	05/09/25
Q2001-13	WC-A1-07-G	TCLP	TCLP VOA	8260D	05/08/25		05/13/25	05/09/25
Q2001-13DL	WC-A1-07-GDL	TCLP	TCLP VOA	8260D	05/08/25		05/14/25	05/09/25



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

A
B
C
D

Hit Summary Sheet
SW-846

SDG No.: Q2001
Client: ENTACT

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID :				0.000				
Total Svoc :					0.00			
Total Concentration:					0.00			



SAMPLE DATA

A

B

C

D

Report of Analysis

Client:	ENTACT		Date Collected:	05/13/25	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	05/13/25	
Client Sample ID:	PB167963TB		SDG No.:	Q2001	
Lab Sample ID:	PB167963TB		Matrix:	TCLP	
Analytical Method:	8270E		% Solid:	0	
Sample Wt/Vol:	100	Units: mL	Final Vol:	1000	uL
Soil Aliquot Vol:		uL	Test:	TCLP BNA	
Extraction Type :		Decanted : N	Level :	LOW	
Injection Volume :		GPC Factor : 1.0	GPC Cleanup :	N	PH :
Prep Method :	SW3541				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP024687.D	1	05/13/25 11:16	05/19/25 13:28	PB167987

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
110-86-1	Pyridine	12.8	U	12.8	50.0	ug/L
106-46-7	1,4-Dichlorobenzene	5.30	U	5.30	50.0	ug/L
95-48-7	2-Methylphenol	11.2	U	11.2	50.0	ug/L
65794-96-9	3+4-Methylphenols	11.0	U	11.0	100	ug/L
67-72-1	Hexachloroethane	6.50	U	6.50	50.0	ug/L
98-95-3	Nitrobenzene	7.60	U	7.60	50.0	ug/L
87-68-3	Hexachlorobutadiene	5.40	U	5.40	50.0	ug/L
88-06-2	2,4,6-Trichlorophenol	5.10	U	5.10	50.0	ug/L
95-95-4	2,4,5-Trichlorophenol	6.20	U	6.20	50.0	ug/L
121-14-2	2,4-Dinitrotoluene	12.2	U	12.2	50.0	ug/L
118-74-1	Hexachlorobenzene	5.20	U	5.20	50.0	ug/L
87-86-5	Pentachlorophenol	15.8	U	15.8	100	ug/L
SURROGATES						
367-12-4	2-Fluorophenol	130		15 (10) - 110 (139)	87%	SPK: 150
13127-88-3	Phenol-d6	120		15 (10) - 110 (134)	80%	SPK: 150
4165-60-0	Nitrobenzene-d5	75.4		30 (49) - 130 (133)	75%	SPK: 100
321-60-8	2-Fluorobiphenyl	78.1		30 (52) - 130 (132)	78%	SPK: 100
118-79-6	2,4,6-Tribromophenol	121		15 (44) - 110 (137)	81%	SPK: 150
1718-51-0	Terphenyl-d14	80.3		30 (48) - 130 (125)	80%	SPK: 100
INTERNAL STANDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	182000	7.658			
1146-65-2	Naphthalene-d8	675000	10.428			
15067-26-2	Acenaphthene-d10	394000	14.293			
1517-22-2	Phenanthrene-d10	701000	17.087			
1719-03-5	Chrysene-d12	671000	21.522			
1520-96-3	Perylene-d12	848000	24.816			

Report of Analysis

Client:	ENTACT		Date Collected:	05/13/25	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	05/13/25	
Client Sample ID:	PB167963TB		SDG No.:	Q2001	
Lab Sample ID:	PB167963TB		Matrix:	TCLP	
Analytical Method:	8270E		% Solid:	0	
Sample Wt/Vol:	100	Units: mL	Final Vol:	1000	uL
Soil Aliquot Vol:		uL	Test:	TCLP BNA	
Extraction Type :		Decanted : N	Level :	LOW	
Injection Volume :		GPC Factor : 1.0	GPC Cleanup :	N	PH :
Prep Method :	SW3541				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP024687.D	1	05/13/25 11:16	05/19/25 13:28	PB167987

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	ENTACT		Date Collected:	05/06/25	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	05/09/25	
Client Sample ID:	WC-A4-03-C		SDG No.:	Q2001	
Lab Sample ID:	Q2001-03		Matrix:	TCLP	
Analytical Method:	8270E		% Solid:	0	
Sample Wt/Vol:	100	Units: mL	Final Vol:	1000	uL
Soil Aliquot Vol:		uL	Test:	TCLP BNA	
Extraction Type :		Decanted : N	Level :	LOW	
Injection Volume :		GPC Factor : 1.0	GPC Cleanup :	N	PH :
Prep Method :	SW3541				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF142371.D	1	05/13/25 11:16	05/14/25 17:44	PB167987

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
110-86-1	Pyridine	12.8	U	12.8	50.0	ug/L
106-46-7	1,4-Dichlorobenzene	5.30	U	5.30	50.0	ug/L
95-48-7	2-Methylphenol	11.2	U	11.2	50.0	ug/L
65794-96-9	3+4-Methylphenols	11.0	U	11.0	100	ug/L
67-72-1	Hexachloroethane	6.50	U	6.50	50.0	ug/L
98-95-3	Nitrobenzene	7.60	U	7.60	50.0	ug/L
87-68-3	Hexachlorobutadiene	5.40	U	5.40	50.0	ug/L
88-06-2	2,4,6-Trichlorophenol	5.10	U	5.10	50.0	ug/L
95-95-4	2,4,5-Trichlorophenol	6.20	U	6.20	50.0	ug/L
121-14-2	2,4-Dinitrotoluene	12.2	U	12.2	50.0	ug/L
118-74-1	Hexachlorobenzene	5.20	U	5.20	50.0	ug/L
87-86-5	Pentachlorophenol	15.8	U	15.8	100	ug/L
SURROGATES						
367-12-4	2-Fluorophenol	116		15 (10) - 110 (139)	77%	SPK: 150
13127-88-3	Phenol-d6	109		15 (10) - 110 (134)	73%	SPK: 150
4165-60-0	Nitrobenzene-d5	83.0		30 (49) - 130 (133)	83%	SPK: 100
321-60-8	2-Fluorobiphenyl	71.7		30 (52) - 130 (132)	72%	SPK: 100
118-79-6	2,4,6-Tribromophenol	154		15 (44) - 110 (137)	102%	SPK: 150
1718-51-0	Terphenyl-d14	65.9		30 (48) - 130 (125)	66%	SPK: 100
INTERNAL STANDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	157000	6.898			
1146-65-2	Naphthalene-d8	608000	8.186			
15067-26-2	Acenaphthene-d10	357000	9.933			
1517-22-2	Phenanthrene-d10	679000	11.422			
1719-03-5	Chrysene-d12	567000	14.063			
1520-96-3	Perylene-d12	465000	15.551			

Report of Analysis

Client:	ENTACT		Date Collected:	05/06/25	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	05/09/25	
Client Sample ID:	WC-A4-03-C		SDG No.:	Q2001	
Lab Sample ID:	Q2001-03		Matrix:	TCLP	
Analytical Method:	8270E		% Solid:	0	
Sample Wt/Vol:	100	Units: mL	Final Vol:	1000	uL
Soil Aliquot Vol:		uL	Test:	TCLP BNA	
Extraction Type :		Decanted : N	Level :	LOW	
Injection Volume :		GPC Factor : 1.0	GPC Cleanup :	N	PH :
Prep Method :	SW3541				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF142371.D	1	05/13/25 11:16	05/14/25 17:44	PB167987

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	ENTACT		Date Collected:	05/07/25	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	05/09/25	
Client Sample ID:	WC-A1-05-C		SDG No.:	Q2001	
Lab Sample ID:	Q2001-07		Matrix:	TCLP	
Analytical Method:	8270E		% Solid:	0	
Sample Wt/Vol:	100	Units: mL	Final Vol:	1000	uL
Soil Aliquot Vol:		uL	Test:	TCLP BNA	
Extraction Type :		Decanted : N	Level :	LOW	
Injection Volume :		GPC Factor : 1.0	GPC Cleanup :	N	PH :
Prep Method :	SW3541				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF142374.D	1	05/13/25 11:16	05/14/25 19:10	PB167987

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
110-86-1	Pyridine	12.8	U	12.8	50.0	ug/L
106-46-7	1,4-Dichlorobenzene	5.30	U	5.30	50.0	ug/L
95-48-7	2-Methylphenol	11.2	U	11.2	50.0	ug/L
65794-96-9	3+4-Methylphenols	11.0	U	11.0	100	ug/L
67-72-1	Hexachloroethane	6.50	U	6.50	50.0	ug/L
98-95-3	Nitrobenzene	7.60	U	7.60	50.0	ug/L
87-68-3	Hexachlorobutadiene	5.40	U	5.40	50.0	ug/L
88-06-2	2,4,6-Trichlorophenol	5.10	U	5.10	50.0	ug/L
95-95-4	2,4,5-Trichlorophenol	6.20	U	6.20	50.0	ug/L
121-14-2	2,4-Dinitrotoluene	12.2	U	12.2	50.0	ug/L
118-74-1	Hexachlorobenzene	5.20	U	5.20	50.0	ug/L
87-86-5	Pentachlorophenol	15.8	U	15.8	100	ug/L
SURROGATES						
367-12-4	2-Fluorophenol	111		15 (10) - 110 (139)	74%	SPK: 150
13127-88-3	Phenol-d6	101		15 (10) - 110 (134)	67%	SPK: 150
4165-60-0	Nitrobenzene-d5	88.2		30 (49) - 130 (133)	88%	SPK: 100
321-60-8	2-Fluorobiphenyl	71.1		30 (52) - 130 (132)	71%	SPK: 100
118-79-6	2,4,6-Tribromophenol	152		15 (44) - 110 (137)	101%	SPK: 150
1718-51-0	Terphenyl-d14	68.1		30 (48) - 130 (125)	68%	SPK: 100
INTERNAL STANDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	194000	6.898			
1146-65-2	Naphthalene-d8	701000	8.186			
15067-26-2	Acenaphthene-d10	432000	9.939			
1517-22-2	Phenanthrene-d10	818000	11.421			
1719-03-5	Chrysene-d12	597000	14.062			
1520-96-3	Perylene-d12	442000	15.551			

Report of Analysis

Client:	ENTACT		Date Collected:	05/07/25	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	05/09/25	
Client Sample ID:	WC-A1-05-C		SDG No.:	Q2001	
Lab Sample ID:	Q2001-07		Matrix:	TCLP	
Analytical Method:	8270E		% Solid:	0	
Sample Wt/Vol:	100	Units: mL	Final Vol:	1000	uL
Soil Aliquot Vol:		uL	Test:	TCLP BNA	
Extraction Type :		Decanted : N	Level :	LOW	
Injection Volume :		GPC Factor : 1.0	GPC Cleanup :	N	PH :
Prep Method :	SW3541				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF142374.D	1	05/13/25 11:16	05/14/25 19:10	PB167987

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	ENTACT		Date Collected:	05/08/25	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	05/09/25	
Client Sample ID:	WC-A1-06-C		SDG No.:	Q2001	
Lab Sample ID:	Q2001-11		Matrix:	TCLP	
Analytical Method:	8270E		% Solid:	0	
Sample Wt/Vol:	100	Units: mL	Final Vol:	1000	uL
Soil Aliquot Vol:		uL	Test:	TCLP BNA	
Extraction Type :		Decanted : N	Level :	LOW	
Injection Volume :		GPC Factor : 1.0	GPC Cleanup :	N	PH :
Prep Method :	SW3541				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF142375.D	1	05/13/25 11:16	05/14/25 19:39	PB167987

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
110-86-1	Pyridine	12.8	U	12.8	50.0	ug/L
106-46-7	1,4-Dichlorobenzene	5.30	U	5.30	50.0	ug/L
95-48-7	2-Methylphenol	11.2	U	11.2	50.0	ug/L
65794-96-9	3+4-Methylphenols	11.0	U	11.0	100	ug/L
67-72-1	Hexachloroethane	6.50	U	6.50	50.0	ug/L
98-95-3	Nitrobenzene	7.60	U	7.60	50.0	ug/L
87-68-3	Hexachlorobutadiene	5.40	U	5.40	50.0	ug/L
88-06-2	2,4,6-Trichlorophenol	5.10	U	5.10	50.0	ug/L
95-95-4	2,4,5-Trichlorophenol	6.20	U	6.20	50.0	ug/L
121-14-2	2,4-Dinitrotoluene	12.2	U	12.2	50.0	ug/L
118-74-1	Hexachlorobenzene	5.20	U	5.20	50.0	ug/L
87-86-5	Pentachlorophenol	15.8	U	15.8	100	ug/L
SURROGATES						
367-12-4	2-Fluorophenol	105		15 (10) - 110 (139)	70%	SPK: 150
13127-88-3	Phenol-d6	98.2		15 (10) - 110 (134)	65%	SPK: 150
4165-60-0	Nitrobenzene-d5	94.6		30 (49) - 130 (133)	95%	SPK: 100
321-60-8	2-Fluorobiphenyl	67.7		30 (52) - 130 (132)	68%	SPK: 100
118-79-6	2,4,6-Tribromophenol	153		15 (44) - 110 (137)	102%	SPK: 150
1718-51-0	Terphenyl-d14	69.3		30 (48) - 130 (125)	69%	SPK: 100
INTERNAL STANDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	197000	6.898			
1146-65-2	Naphthalene-d8	644000	8.192			
15067-26-2	Acenaphthene-d10	446000	9.939			
1517-22-2	Phenanthrene-d10	830000	11.421			
1719-03-5	Chrysene-d12	605000	14.062			
1520-96-3	Perylene-d12	463000	15.551			

Report of Analysis

Client:	ENTACT		Date Collected:	05/08/25	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	05/09/25	
Client Sample ID:	WC-A1-06-C		SDG No.:	Q2001	
Lab Sample ID:	Q2001-11		Matrix:	TCLP	
Analytical Method:	8270E		% Solid:	0	
Sample Wt/Vol:	100	Units: mL	Final Vol:	1000	uL
Soil Aliquot Vol:		uL	Test:	TCLP BNA	
Extraction Type :		Decanted : N	Level :	LOW	
Injection Volume :		GPC Factor : 1.0	GPC Cleanup :	N	PH :
Prep Method :	SW3541				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF142375.D	1	05/13/25 11:16	05/14/25 19:39	PB167987

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	ENTACT		Date Collected:	05/08/25	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	05/09/25	
Client Sample ID:	WC-A1-07-C		SDG No.:	Q2001	
Lab Sample ID:	Q2001-15		Matrix:	TCLP	
Analytical Method:	8270E		% Solid:	0	
Sample Wt/Vol:	100	Units: mL	Final Vol:	1000	uL
Soil Aliquot Vol:		uL	Test:	TCLP BNA	
Extraction Type :		Decanted : N	Level :	LOW	
Injection Volume :		GPC Factor : 1.0	GPC Cleanup :	N	PH :
Prep Method :	SW3541				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF142376.D	1	05/13/25 11:16	05/14/25 20:08	PB167987

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
110-86-1	Pyridine	12.8	U	12.8	50.0	ug/L
106-46-7	1,4-Dichlorobenzene	5.30	U	5.30	50.0	ug/L
95-48-7	2-Methylphenol	11.2	U	11.2	50.0	ug/L
65794-96-9	3+4-Methylphenols	11.0	U	11.0	100	ug/L
67-72-1	Hexachloroethane	6.50	U	6.50	50.0	ug/L
98-95-3	Nitrobenzene	7.60	U	7.60	50.0	ug/L
87-68-3	Hexachlorobutadiene	5.40	U	5.40	50.0	ug/L
88-06-2	2,4,6-Trichlorophenol	5.10	U	5.10	50.0	ug/L
95-95-4	2,4,5-Trichlorophenol	6.20	U	6.20	50.0	ug/L
121-14-2	2,4-Dinitrotoluene	12.2	U	12.2	50.0	ug/L
118-74-1	Hexachlorobenzene	5.20	U	5.20	50.0	ug/L
87-86-5	Pentachlorophenol	15.8	U	15.8	100	ug/L
SURROGATES						
367-12-4	2-Fluorophenol	108		15 (10) - 110 (139)	72%	SPK: 150
13127-88-3	Phenol-d6	102		15 (10) - 110 (134)	68%	SPK: 150
4165-60-0	Nitrobenzene-d5	89.7		30 (49) - 130 (133)	90%	SPK: 100
321-60-8	2-Fluorobiphenyl	70.3		30 (52) - 130 (132)	70%	SPK: 100
118-79-6	2,4,6-Tribromophenol	153		15 (44) - 110 (137)	102%	SPK: 150
1718-51-0	Terphenyl-d14	71.1		30 (48) - 130 (125)	71%	SPK: 100
INTERNAL STANDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	200000	6.898			
1146-65-2	Naphthalene-d8	707000	8.192			
15067-26-2	Acenaphthene-d10	460000	9.939			
1517-22-2	Phenanthrene-d10	871000	11.422			
1719-03-5	Chrysene-d12	592000	14.063			
1520-96-3	Perylene-d12	438000	15.551			

Report of Analysis

Client:	ENTACT		Date Collected:	05/08/25	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	05/09/25	
Client Sample ID:	WC-A1-07-C		SDG No.:	Q2001	
Lab Sample ID:	Q2001-15		Matrix:	TCLP	
Analytical Method:	8270E		% Solid:	0	
Sample Wt/Vol:	100	Units: mL	Final Vol:	1000	uL
Soil Aliquot Vol:		uL	Test:	TCLP BNA	
Extraction Type :		Decanted : N	Level :	LOW	
Injection Volume :		GPC Factor : 1.0	GPC Cleanup :	N	PH :
Prep Method :	SW3541				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF142376.D	1	05/13/25 11:16	05/14/25 20:08	PB167987

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

LAB CHRONICLE

OrderID:	Q2001	OrderDate:	5/9/2025 11:54:00 AM
Client:	ENTACT	Project:	540 Degraw St, Brooklyn, NY - E9309
Contact:	Jarod Stanfield	Location:	L61

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q2001-03	WC-A4-03-C	TCLP	TCLP BNA	8270E	05/06/25	05/13/25	05/14/25	05/09/25
Q2001-07	WC-A1-05-C	TCLP	TCLP BNA	8270E	05/07/25	05/13/25	05/14/25	05/09/25
Q2001-11	WC-A1-06-C	TCLP	TCLP BNA	8270E	05/08/25	05/13/25	05/14/25	05/09/25
Q2001-15	WC-A1-07-C	TCLP	TCLP BNA	8270E	05/08/25	05/13/25	05/14/25	05/09/25



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Hit Summary Sheet
SW-846

SDG No.: Q2001

Order ID: Q2001

Client: ENTACT

Project ID: 540 Degraw St, Brooklyn, NY - E9309

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
-----------	-----------	--------	-----------	---------------	---	-----	-----	-------

Client ID :

Total Concentration: 0.000

A

B

C

D



SAMPLE DATA

A

B

C

D

Report of Analysis

Client:	ENTACT		Date Collected:		
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	05/13/25	
Client Sample ID:	PB167963TB		SDG No.:	Q2001	
Lab Sample ID:	PB167963TB		Matrix:	TCLP	
Analytical Method:	8081B		% Solid:	0	Decanted:
Sample Wt/Vol:	100	Units: mL	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	TCLP Pesticide	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL095659.D	1	05/13/25 11:40	05/14/25 14:35	PB167989

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
58-89-9	gamma-BHC (Lindane)	0.037	U	0.037	0.50	ug/L
76-44-8	Heptachlor	0.027	U	0.027	0.50	ug/L
1024-57-3	Heptachlor epoxide	0.096	U	0.096	0.50	ug/L
72-20-8	Endrin	0.032	U	0.032	0.50	ug/L
72-43-5	Methoxychlor	0.11	U	0.11	0.50	ug/L
8001-35-2	Toxaphene	1.70	U	1.70	10.0	ug/L
57-74-9	Chlordane	0.88	U	0.88	5.00	ug/L
SURROGATES						
2051-24-3	Decachlorobiphenyl	22.0		30 (43) - 150 (140)	110%	SPK: 20
877-09-8	Tetrachloro-m-xylene	19.1		30 (77) - 150 (126)	95%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	ENTACT		Date Collected:	05/06/25	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	05/09/25	
Client Sample ID:	WC-A4-03-C		SDG No.:	Q2001	
Lab Sample ID:	Q2001-03		Matrix:	TCLP	
Analytical Method:	8081B		% Solid:	0	Decanted:
Sample Wt/Vol:	100	Units: mL	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	TCLP Pesticide	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL095660.D	1	05/13/25 11:40	05/14/25 14:49	PB167989

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
58-89-9	gamma-BHC (Lindane)	0.037	U	0.037	0.50	ug/L
76-44-8	Heptachlor	0.027	U	0.027	0.50	ug/L
1024-57-3	Heptachlor epoxide	0.096	U	0.096	0.50	ug/L
72-20-8	Endrin	0.032	U	0.032	0.50	ug/L
72-43-5	Methoxychlor	0.11	U	0.11	0.50	ug/L
8001-35-2	Toxaphene	1.70	U	1.70	10.0	ug/L
57-74-9	Chlordane	0.88	U	0.88	5.00	ug/L
SURROGATES						
2051-24-3	Decachlorobiphenyl	22.2		30 (43) - 150 (140)	111%	SPK: 20
877-09-8	Tetrachloro-m-xylene	17.5		30 (77) - 150 (126)	88%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	ENTACT		Date Collected:	05/07/25	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	05/09/25	
Client Sample ID:	WC-A1-05-C		SDG No.:	Q2001	
Lab Sample ID:	Q2001-07		Matrix:	TCLP	
Analytical Method:	8081B		% Solid:	0	Decanted:
Sample Wt/Vol:	100	Units: mL	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	TCLP Pesticide	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL095663.D	1	05/13/25 11:40	05/14/25 15:30	PB167989

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
58-89-9	gamma-BHC (Lindane)	0.037	U	0.037	0.50	ug/L
76-44-8	Heptachlor	0.027	U	0.027	0.50	ug/L
1024-57-3	Heptachlor epoxide	0.096	U	0.096	0.50	ug/L
72-20-8	Endrin	0.032	U	0.032	0.50	ug/L
72-43-5	Methoxychlor	0.11	U	0.11	0.50	ug/L
8001-35-2	Toxaphene	1.70	U	1.70	10.0	ug/L
57-74-9	Chlordane	0.88	U	0.88	5.00	ug/L
SURROGATES						
2051-24-3	Decachlorobiphenyl	26.1		30 (43) - 150 (140)	131%	SPK: 20
877-09-8	Tetrachloro-m-xylene	21.6		30 (77) - 150 (126)	108%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	ENTACT		Date Collected:	05/08/25	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	05/09/25	
Client Sample ID:	WC-A1-06-C		SDG No.:	Q2001	
Lab Sample ID:	Q2001-11		Matrix:	TCLP	
Analytical Method:	8081B		% Solid:	0	Decanted:
Sample Wt/Vol:	100	Units: mL	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	TCLP Pesticide	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL095664.D	1	05/13/25 11:40	05/14/25 15:44	PB167989

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
58-89-9	gamma-BHC (Lindane)	0.037	U	0.037	0.50	ug/L
76-44-8	Heptachlor	0.027	U	0.027	0.50	ug/L
1024-57-3	Heptachlor epoxide	0.096	U	0.096	0.50	ug/L
72-20-8	Endrin	0.032	U	0.032	0.50	ug/L
72-43-5	Methoxychlor	0.11	U	0.11	0.50	ug/L
8001-35-2	Toxaphene	1.70	U	1.70	10.0	ug/L
57-74-9	Chlordane	0.88	U	0.88	5.00	ug/L
SURROGATES						
2051-24-3	Decachlorobiphenyl	24.8		30 (43) - 150 (140)	124%	SPK: 20
877-09-8	Tetrachloro-m-xylene	19.8		30 (77) - 150 (126)	99%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	ENTACT		Date Collected:	05/08/25	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	05/09/25	
Client Sample ID:	WC-A1-07-C		SDG No.:	Q2001	
Lab Sample ID:	Q2001-15		Matrix:	TCLP	
Analytical Method:	8081B		% Solid:	0	Decanted:
Sample Wt/Vol:	100	Units: mL	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	TCLP Pesticide	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL095665.D	1	05/13/25 11:40	05/14/25 15:58	PB167989

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
58-89-9	gamma-BHC (Lindane)	0.037	U	0.037	0.50	ug/L
76-44-8	Heptachlor	0.027	U	0.027	0.50	ug/L
1024-57-3	Heptachlor epoxide	0.096	U	0.096	0.50	ug/L
72-20-8	Endrin	0.032	U	0.032	0.50	ug/L
72-43-5	Methoxychlor	0.11	U	0.11	0.50	ug/L
8001-35-2	Toxaphene	1.70	U	1.70	10.0	ug/L
57-74-9	Chlordane	0.88	U	0.88	5.00	ug/L
SURROGATES						
2051-24-3	Decachlorobiphenyl	24.0		30 (43) - 150 (140)	120%	SPK: 20
877-09-8	Tetrachloro-m-xylene	18.5		30 (77) - 150 (126)	93%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

LAB CHRONICLE

OrderID:	Q2001	OrderDate:	5/9/2025 11:54:00 AM
Client:	ENTACT	Project:	540 Degraw St, Brooklyn, NY - E9309
Contact:	Jarod Stanfield	Location:	L61

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q2001-02	WC-A4-03-C	SOIL			05/06/25			05/09/25
			PCB	8082A		05/13/25	05/13/25	
Q2001-03	WC-A4-03-C	TCLP			05/06/25			05/09/25
			TCLP Herbicide	8151A		05/13/25	05/14/25	
			TCLP Pesticide	8081B		05/13/25	05/14/25	
Q2001-06	WC-A1-05-C	SOIL			05/07/25			05/09/25
			PCB	8082A		05/13/25	05/13/25	
Q2001-07	WC-A1-05-C	TCLP			05/07/25			05/09/25
			TCLP Herbicide	8151A		05/13/25	05/14/25	
			TCLP Pesticide	8081B		05/13/25	05/14/25	
Q2001-10	WC-A1-06-C	SOIL			05/08/25			05/09/25
			PCB	8082A		05/13/25	05/13/25	
Q2001-11	WC-A1-06-C	TCLP			05/08/25			05/09/25
			TCLP Herbicide	8151A		05/13/25	05/15/25	
			TCLP Pesticide	8081B		05/13/25	05/14/25	
Q2001-14	WC-A1-07-C	SOIL			05/08/25			05/09/25
			PCB	8082A		05/13/25	05/13/25	
Q2001-15	WC-A1-07-C	TCLP			05/08/25			05/09/25
			TCLP Herbicide	8151A		05/13/25	05/15/25	
			TCLP Pesticide	8081B		05/13/25	05/14/25	



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Hit Summary Sheet
SW-846

SDG No.: Q2001

Order ID: Q2001

Client: ENTACT

Project ID: 540 Degraw St, Brooklyn, NY - E9309

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
-----------	-----------	--------	-----------	---------------	---	-----	-----	-------

Client ID :

Total Concentration: 0.000

A

B

C

D



SAMPLE DATA

A

B

C

D

Report of Analysis

Client:	ENTACT		Date Collected:	05/06/25	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	05/09/25	
Client Sample ID:	WC-A4-03-C		SDG No.:	Q2001	
Lab Sample ID:	Q2001-02		Matrix:	SOIL	
Analytical Method:	8082A		% Solid:	79.1	Decanted:
Sample Wt/Vol:	30.06	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PP072015.D	1	05/13/25 08:30	05/13/25 14:40	PB167972

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	5.00	U	5.00	21.4	ug/kg
11104-28-2	Aroclor-1221	5.10	U	5.10	21.4	ug/kg
11141-16-5	Aroclor-1232	4.70	U	4.70	21.4	ug/kg
53469-21-9	Aroclor-1242	5.10	U	5.10	21.4	ug/kg
12672-29-6	Aroclor-1248	7.50	U	7.50	21.4	ug/kg
11097-69-1	Aroclor-1254	4.10	U	4.10	21.4	ug/kg
37324-23-5	Aroclor-1262	6.30	U	6.30	21.4	ug/kg
11100-14-4	Aroclor-1268	4.50	U	4.50	21.4	ug/kg
11096-82-5	Aroclor-1260	4.10	U	4.10	21.4	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	18.6		30 (32) - 150 (144)	93%	SPK: 20
2051-24-3	Decachlorobiphenyl	14.6		30 (32) - 150 (175)	73%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	ENTACT		Date Collected:	05/07/25	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	05/09/25	
Client Sample ID:	WC-A1-05-C		SDG No.:	Q2001	
Lab Sample ID:	Q2001-06		Matrix:	SOIL	
Analytical Method:	8082A		% Solid:	80.1	Decanted:
Sample Wt/Vol:	30.02	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PP072016.D	1	05/13/25 08:30	05/13/25 14:56	PB167972

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	4.90	U	4.90	21.2	ug/kg
11104-28-2	Aroclor-1221	5.00	U	5.00	21.2	ug/kg
11141-16-5	Aroclor-1232	4.60	U	4.60	21.2	ug/kg
53469-21-9	Aroclor-1242	5.00	U	5.00	21.2	ug/kg
12672-29-6	Aroclor-1248	7.40	U	7.40	21.2	ug/kg
11097-69-1	Aroclor-1254	4.00	U	4.00	21.2	ug/kg
37324-23-5	Aroclor-1262	6.30	U	6.30	21.2	ug/kg
11100-14-4	Aroclor-1268	4.50	U	4.50	21.2	ug/kg
11096-82-5	Aroclor-1260	4.00	U	4.00	21.2	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	22.5		30 (32) - 150 (144)	113%	SPK: 20
2051-24-3	Decachlorobiphenyl	17.7		30 (32) - 150 (175)	89%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	ENTACT		Date Collected:	05/08/25	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	05/09/25	
Client Sample ID:	WC-A1-06-C		SDG No.:	Q2001	
Lab Sample ID:	Q2001-10		Matrix:	SOIL	
Analytical Method:	8082A		% Solid:	82.3	Decanted:
Sample Wt/Vol:	30.01	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PP072017.D	1	05/13/25 08:30	05/13/25 15:13	PB167972

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	4.80	U	4.80	20.6	ug/kg
11104-28-2	Aroclor-1221	4.90	U	4.90	20.6	ug/kg
11141-16-5	Aroclor-1232	4.50	U	4.50	20.6	ug/kg
53469-21-9	Aroclor-1242	4.90	U	4.90	20.6	ug/kg
12672-29-6	Aroclor-1248	7.20	U	7.20	20.6	ug/kg
11097-69-1	Aroclor-1254	3.90	U	3.90	20.6	ug/kg
37324-23-5	Aroclor-1262	6.10	U	6.10	20.6	ug/kg
11100-14-4	Aroclor-1268	4.40	U	4.40	20.6	ug/kg
11096-82-5	Aroclor-1260	3.90	U	3.90	20.6	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	27.0		30 (32) - 150 (144)	135%	SPK: 20
2051-24-3	Decachlorobiphenyl	18.2		30 (32) - 150 (175)	91%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	ENTACT		Date Collected:	05/08/25	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	05/09/25	
Client Sample ID:	WC-A1-07-C		SDG No.:	Q2001	
Lab Sample ID:	Q2001-14		Matrix:	SOIL	
Analytical Method:	8082A		% Solid:	81.5	Decanted:
Sample Wt/Vol:	30.05	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PP072023.D	1	05/13/25 08:30	05/13/25 18:29	PB167972

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	4.80	U	4.80	20.8	ug/kg
11104-28-2	Aroclor-1221	4.90	U	4.90	20.8	ug/kg
11141-16-5	Aroclor-1232	4.60	U	4.60	20.8	ug/kg
53469-21-9	Aroclor-1242	4.90	U	4.90	20.8	ug/kg
12672-29-6	Aroclor-1248	7.30	U	7.30	20.8	ug/kg
11097-69-1	Aroclor-1254	3.90	U	3.90	20.8	ug/kg
37324-23-5	Aroclor-1262	6.10	U	6.10	20.8	ug/kg
11100-14-4	Aroclor-1268	4.40	U	4.40	20.8	ug/kg
11096-82-5	Aroclor-1260	4.00	U	4.00	20.8	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	21.1		30 (32) - 150 (144)	106%	SPK: 20
2051-24-3	Decachlorobiphenyl	14.4		30 (32) - 150 (175)	72%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

LAB CHRONICLE

OrderID:	Q2001	OrderDate:	5/9/2025 11:54:00 AM
Client:	ENTACT	Project:	540 Degraw St, Brooklyn, NY - E9309
Contact:	Jarod Stanfield	Location:	L61

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q2001-02	WC-A4-03-C	SOIL	PCB	8082A	05/06/25	05/13/25	05/13/25	05/09/25
Q2001-06	WC-A1-05-C	SOIL	PCB	8082A	05/07/25	05/13/25	05/13/25	05/09/25
Q2001-10	WC-A1-06-C	SOIL	PCB	8082A	05/08/25	05/13/25	05/13/25	05/09/25
Q2001-14	WC-A1-07-C	SOIL	PCB	8082A	05/08/25	05/13/25	05/13/25	05/09/25



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Hit Summary Sheet
SW-846

SDG No.: Q2001

Order ID: Q2001

Client: ENTACT

Project ID: 540 Degraw St, Brooklyn, NY - E9309

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
-----------	-----------	--------	-----------	---------------	---	-----	-----	-------

Client ID :

Total Concentration: 0.000

A

B

C

D



SAMPLE DATA

A

B

C

D

Report of Analysis

Client:	ENTACT		Date Collected:		
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	05/13/25	
Client Sample ID:	PB167963TB		SDG No.:	Q2001	
Lab Sample ID:	PB167963TB		Matrix:	TCLP	
Analytical Method:	8151A		% Solid:	0	Decanted:
Sample Wt/Vol:	100	Units: mL	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	TCLP Herbicide	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	8151A				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PS030199.D	1	05/13/25 11:30	05/14/25 21:30	PB167988

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
94-75-7	2,4-D	9.20	U	9.20	20.0	ug/L
93-72-1	2,4,5-TP (Silvex)	7.80	U	7.80	20.0	ug/L
SURROGATES						
19719-28-9	2,4-DCAA	831	*	70 (39) - 130 (175)	166%	SPK: 500

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	ENTACT		Date Collected:	05/06/25	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	05/09/25	
Client Sample ID:	WC-A4-03-C		SDG No.:	Q2001	
Lab Sample ID:	Q2001-03		Matrix:	TCLP	
Analytical Method:	8151A		% Solid:	0	Decanted:
Sample Wt/Vol:	100	Units: mL	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	TCLP Herbicide	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	8151A				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PS030200.D	1	05/13/25 11:30	05/14/25 21:54	PB167988

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
94-75-7	2,4-D	9.20	U	9.20	20.0	ug/L
93-72-1	2,4,5-TP (Silvex)	7.80	U	7.80	20.0	ug/L
SURROGATES						
19719-28-9	2,4-DCAA	483		70 (39) - 130 (175)	97%	SPK: 500

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	ENTACT		Date Collected:	05/07/25	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	05/09/25	
Client Sample ID:	WC-A1-05-C		SDG No.:	Q2001	
Lab Sample ID:	Q2001-07		Matrix:	TCLP	
Analytical Method:	8151A		% Solid:	0	Decanted:
Sample Wt/Vol:	100	Units: mL	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	TCLP Herbicide	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	8151A				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PS030205.D	1	05/13/25 11:30	05/14/25 23:54	PB167988

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
94-75-7	2,4-D	9.20	U	9.20	20.0	ug/L
93-72-1	2,4,5-TP (Silvex)	7.80	U	7.80	20.0	ug/L
SURROGATES						
19719-28-9	2,4-DCAA	466		70 (39) - 130 (175)	93%	SPK: 500

Comments:

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 P = Indicates >25% difference for detected concentrations between the two GC columns
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.
 () = Laboratory InHouse Limit

Report of Analysis

Client:	ENTACT		Date Collected:	05/08/25	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	05/09/25	
Client Sample ID:	WC-A1-06-C		SDG No.:	Q2001	
Lab Sample ID:	Q2001-11		Matrix:	TCLP	
Analytical Method:	8151A		% Solid:	0	Decanted:
Sample Wt/Vol:	100	Units: mL	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	TCLP Herbicide	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	8151A				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PS030206.D	1	05/13/25 11:30	05/15/25 00:18	PB167988

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
94-75-7	2,4-D	9.20	U	9.20	20.0	ug/L
93-72-1	2,4,5-TP (Silvex)	7.80	U	7.80	20.0	ug/L
SURROGATES						
19719-28-9	2,4-DCAA	477		70 (39) - 130 (175)	95%	SPK: 500

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	ENTACT		Date Collected:	05/08/25	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	05/09/25	
Client Sample ID:	WC-A1-07-C		SDG No.:	Q2001	
Lab Sample ID:	Q2001-15		Matrix:	TCLP	
Analytical Method:	8151A		% Solid:	0	Decanted:
Sample Wt/Vol:	100	Units: mL	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	TCLP Herbicide	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	8151A				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PS030207.D	1	05/13/25 11:30	05/15/25 00:42	PB167988

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
94-75-7	2,4-D	9.20	U	9.20	20.0	ug/L
93-72-1	2,4,5-TP (Silvex)	7.80	U	7.80	20.0	ug/L
SURROGATES						
19719-28-9	2,4-DCAA	482		70 (39) - 130 (175)	96%	SPK: 500

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

LAB CHRONICLE

OrderID:	Q2001	OrderDate:	5/9/2025 11:54:00 AM
Client:	ENTACT	Project:	540 Degraw St, Brooklyn, NY - E9309
Contact:	Jarod Stanfield	Location:	L61

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q2001-02	WC-A4-03-C	SOIL			05/06/25			05/09/25
			PCB	8082A		05/13/25	05/13/25	
Q2001-03	WC-A4-03-C	TCLP			05/06/25			05/09/25
			TCLP Herbicide	8151A		05/13/25	05/14/25	
			TCLP Pesticide	8081B		05/13/25	05/14/25	
Q2001-06	WC-A1-05-C	SOIL			05/07/25			05/09/25
			PCB	8082A		05/13/25	05/13/25	
Q2001-07	WC-A1-05-C	TCLP			05/07/25			05/09/25
			TCLP Herbicide	8151A		05/13/25	05/14/25	
			TCLP Pesticide	8081B		05/13/25	05/14/25	
Q2001-10	WC-A1-06-C	SOIL			05/08/25			05/09/25
			PCB	8082A		05/13/25	05/13/25	
Q2001-11	WC-A1-06-C	TCLP			05/08/25			05/09/25
			TCLP Herbicide	8151A		05/13/25	05/15/25	
			TCLP Pesticide	8081B		05/13/25	05/14/25	
Q2001-14	WC-A1-07-C	SOIL			05/08/25			05/09/25
			PCB	8082A		05/13/25	05/13/25	
Q2001-15	WC-A1-07-C	TCLP			05/08/25			05/09/25
			TCLP Herbicide	8151A		05/13/25	05/15/25	
			TCLP Pesticide	8081B		05/13/25	05/14/25	

Hit Summary Sheet
SW-846

SDG No.:	Q2001	Order ID:	Q2001
Client:	ENTACT	Project ID:	540 Degraw St, Brooklyn, NY - E9309

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID : WC-A4-03-C								
Q2001-03	WC-A4-03-C	TCLP	Barium	578		72.8	500	ug/L
Q2001-03	WC-A4-03-C	TCLP	Chromium	11.0	J	10.6	50.0	ug/L
Q2001-03	WC-A4-03-C	TCLP	Copper	31.7	J	23.0	100	ug/L
Q2001-03	WC-A4-03-C	TCLP	Nickel	17.0	J	15.3	200	ug/L
Client ID : WC-A1-05-C								
Q2001-07	WC-A1-05-C	TCLP	Barium	318	J	72.8	500	ug/L
Q2001-07	WC-A1-05-C	TCLP	Chromium	11.1	J	10.6	50.0	ug/L
Client ID : WC-A1-06-C								
Q2001-11	WC-A1-06-C	TCLP	Barium	373	J	72.8	500	ug/L
Q2001-11	WC-A1-06-C	TCLP	Chromium	37.3	J	10.6	50.0	ug/L
Q2001-11	WC-A1-06-C	TCLP	Copper	29.9	J	23.0	100	ug/L
Client ID : WC-A1-07-C								
Q2001-15	WC-A1-07-C	TCLP	Barium	391	J	72.8	500	ug/L
Q2001-15	WC-A1-07-C	TCLP	Chromium	19.6	J	10.6	50.0	ug/L



SAMPLE DATA

A

B

C

D

Report of Analysis

Client:	ENTACT	Date Collected:	05/06/25
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	05/09/25
Client Sample ID:	WC-A4-03-C	SDG No.:	Q2001
Lab Sample ID:	Q2001-03	Matrix:	TCLP
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-38-2	Arsenic	25.6	U	1	25.6	100	ug/L	05/13/25 12:30	05/15/25 15:27	6010D	SW3050
7440-39-3	Barium	578	*	1	72.8	500	ug/L	05/13/25 12:30	05/15/25 15:27	6010D	SW3050
7440-43-9	Cadmium	2.50	U	1	2.50	30.0	ug/L	05/13/25 12:30	05/15/25 15:27	6010D	SW3050
7440-47-3	Chromium	11.0	J	1	10.6	50.0	ug/L	05/13/25 12:30	05/15/25 15:27	6010D	SW3050
7440-50-8	Copper	31.7	J	1	23.0	100	ug/L	05/13/25 12:30	05/15/25 15:27	6010D	SW3050
7439-92-1	Lead	11.5	U	1	11.5	60.0	ug/L	05/13/25 12:30	05/15/25 15:27	6010D	SW3050
7439-97-6	Mercury	0.76	U	1	0.76	2.00	ug/L	05/13/25 14:20	05/14/25 12:47	7470A	
7440-02-0	Nickel	17.0	J	1	15.3	200	ug/L	05/13/25 12:30	05/15/25 15:27	6010D	SW3050
7782-49-2	Selenium	48.2	U	1	48.2	100	ug/L	05/13/25 12:30	05/15/25 15:27	6010D	SW3050
7440-22-4	Silver	8.10	U	1	8.10	50.0	ug/L	05/13/25 12:30	05/15/25 15:27	6010D	SW3050
7440-66-6	Zinc	83.3	U	1	83.3	200	ug/L	05/13/25 12:30	05/15/25 15:27	6010D	SW3050

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	TCLP-FULL			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N = Spiked sample recovery not within control limits

Report of Analysis

Client:	ENTACT	Date Collected:	05/07/25
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	05/09/25
Client Sample ID:	WC-A1-05-C	SDG No.:	Q2001
Lab Sample ID:	Q2001-07	Matrix:	TCLP
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-38-2	Arsenic	25.6	U	1	25.6	100	ug/L	05/14/25 10:25	05/14/25 15:40	6010D	SW3050
7440-39-3	Barium	318	J	1	72.8	500	ug/L	05/14/25 10:25	05/14/25 15:40	6010D	SW3050
7440-43-9	Cadmium	2.50	U	1	2.50	30.0	ug/L	05/14/25 10:25	05/14/25 15:40	6010D	SW3050
7440-47-3	Chromium	11.1	J	1	10.6	50.0	ug/L	05/14/25 10:25	05/14/25 15:40	6010D	SW3050
7440-50-8	Copper	23.0	U	1	23.0	100	ug/L	05/14/25 10:25	05/14/25 15:40	6010D	SW3050
7439-92-1	Lead	11.5	U	1	11.5	60.0	ug/L	05/14/25 10:25	05/14/25 15:40	6010D	SW3050
7439-97-6	Mercury	0.76	U	1	0.76	2.00	ug/L	05/13/25 14:20	05/14/25 12:49	7470A	
7440-02-0	Nickel	15.3	U	1	15.3	200	ug/L	05/14/25 10:25	05/14/25 15:40	6010D	SW3050
7782-49-2	Selenium	48.2	U	1	48.2	100	ug/L	05/14/25 10:25	05/14/25 15:40	6010D	SW3050
7440-22-4	Silver	8.10	UN	1	8.10	50.0	ug/L	05/14/25 10:25	05/14/25 15:40	6010D	SW3050
7440-66-6	Zinc	83.3	U	1	83.3	200	ug/L	05/14/25 10:25	05/14/25 15:40	6010D	SW3050

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	TCLP-FULL			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N = Spiked sample recovery not within control limits

Report of Analysis

Client:	ENTACT	Date Collected:	05/08/25
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	05/09/25
Client Sample ID:	WC-A1-06-C	SDG No.:	Q2001
Lab Sample ID:	Q2001-11	Matrix:	TCLP
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-38-2	Arsenic	25.6	U	1	25.6	100	ug/L	05/14/25 10:25	05/16/25 16:49	6010D	SW3050
7440-39-3	Barium	373	J	1	72.8	500	ug/L	05/14/25 10:25	05/16/25 16:49	6010D	SW3050
7440-43-9	Cadmium	2.50	U	1	2.50	30.0	ug/L	05/14/25 10:25	05/16/25 16:49	6010D	SW3050
7440-47-3	Chromium	37.3	J	1	10.6	50.0	ug/L	05/14/25 10:25	05/16/25 16:49	6010D	SW3050
7440-50-8	Copper	29.9	J	1	23.0	100	ug/L	05/14/25 10:25	05/16/25 16:49	6010D	SW3050
7439-92-1	Lead	11.5	U	1	11.5	60.0	ug/L	05/14/25 10:25	05/16/25 16:49	6010D	SW3050
7439-97-6	Mercury	0.76	U	1	0.76	2.00	ug/L	05/13/25 14:20	05/14/25 12:56	7470A	
7440-02-0	Nickel	15.3	U	1	15.3	200	ug/L	05/14/25 10:25	05/16/25 16:49	6010D	SW3050
7782-49-2	Selenium	48.2	U	1	48.2	100	ug/L	05/14/25 10:25	05/16/25 16:49	6010D	SW3050
7440-22-4	Silver	8.10	UN	1	8.10	50.0	ug/L	05/14/25 10:25	05/16/25 16:49	6010D	SW3050
7440-66-6	Zinc	83.3	U	1	83.3	200	ug/L	05/14/25 10:25	05/16/25 16:49	6010D	SW3050

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	TCLP-FULL			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N = Spiked sample recovery not within control limits

Report of Analysis

Client:	ENTACT	Date Collected:	05/08/25
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	05/09/25
Client Sample ID:	WC-A1-07-C	SDG No.:	Q2001
Lab Sample ID:	Q2001-15	Matrix:	TCLP
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-38-2	Arsenic	25.6	U	1	25.6	100	ug/L	05/14/25 10:25	05/14/25 16:56	6010D	SW3050
7440-39-3	Barium	391	J	1	72.8	500	ug/L	05/14/25 10:25	05/14/25 16:56	6010D	SW3050
7440-43-9	Cadmium	2.50	U	1	2.50	30.0	ug/L	05/14/25 10:25	05/14/25 16:56	6010D	SW3050
7440-47-3	Chromium	19.6	J	1	10.6	50.0	ug/L	05/14/25 10:25	05/14/25 16:56	6010D	SW3050
7440-50-8	Copper	23.0	U	1	23.0	100	ug/L	05/14/25 10:25	05/14/25 16:56	6010D	SW3050
7439-92-1	Lead	11.5	U	1	11.5	60.0	ug/L	05/14/25 10:25	05/14/25 16:56	6010D	SW3050
7439-97-6	Mercury	0.76	U	1	0.76	2.00	ug/L	05/13/25 14:20	05/14/25 12:58	7470A	
7440-02-0	Nickel	15.3	U	1	15.3	200	ug/L	05/14/25 10:25	05/14/25 16:56	6010D	SW3050
7782-49-2	Selenium	48.2	U	1	48.2	100	ug/L	05/14/25 10:25	05/14/25 16:56	6010D	SW3050
7440-22-4	Silver	8.10	UN	1	8.10	50.0	ug/L	05/14/25 10:25	05/14/25 16:56	6010D	SW3050
7440-66-6	Zinc	83.3	U	1	83.3	200	ug/L	05/14/25 10:25	05/14/25 16:56	6010D	SW3050

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	TCLP-FULL			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N = Spiked sample recovery not within control limits

LAB CHRONICLE

OrderID:	Q2001	OrderDate:	5/9/2025 11:54:00 AM
Client:	ENTACT	Project:	540 Degraw St, Brooklyn, NY - E9309
Contact:	Jarod Stanfield	Location:	L61

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q2001-03	WC-A4-03-C	TCLP	TCLP Mercury	7470A	05/06/25	05/13/25	05/14/25	05/09/25
			TCLPMetals Group2	6010D		05/13/25	05/15/25	
Q2001-07	WC-A1-05-C	TCLP	TCLP Mercury	7470A	05/07/25	05/13/25	05/14/25	05/09/25
			TCLPMetals Group2	6010D		05/14/25	05/14/25	
Q2001-11	WC-A1-06-C	TCLP	TCLP Mercury	7470A	05/08/25	05/13/25	05/14/25	05/09/25
			TCLPMetals Group2	6010D		05/14/25	05/16/25	
Q2001-15	WC-A1-07-C	TCLP	TCLP Mercury	7470A	05/08/25	05/13/25	05/14/25	05/09/25
			TCLPMetals Group2	6010D		05/14/25	05/14/25	



SAMPLE DATA

A

B

C

Report of Analysis

Client:	ENTACT	Date Collected:	05/06/25 12:00
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	05/09/25
Client Sample ID:	WC-A4-03-C	SDG No.:	Q2001
Lab Sample ID:	Q2001-02	Matrix:	SOIL
		% Solid:	79.1

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Oil and Grease	732		1	7.33	31.6	mg/Kg		05/14/25 10:40	SW9071B
Paint Filter	1.00	U	1	1.00	1.00	ml/100gm		05/14/25 11:05	9095B
pH	12.2	H	1	0	0	pH		05/12/25 13:40	9045D
TS	79.3		1	1.00	5.00	%		05/12/25 10:00	SM 2540 B-15
TVS	2.60	J	1	1.00	10.0	%		05/12/25 15:30	160.4

Comments: pH result reported at temperature 21.3 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ENTACT	Date Collected:	05/06/25 12:00
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	05/09/25
Client Sample ID:	WC-A4-03-C	SDG No.:	Q2001
Lab Sample ID:	Q2001-03	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Corrosivity	12.2	H	1	0	0	pH		05/12/25 13:40	9045D
Ignitability	NO		1	0	0	oC		05/12/25 14:23	1030
Reactive Cyanide	0.0084	U	1	0.0084	0.050	mg/Kg	05/13/25 11:55	05/14/25 09:56	9012B
Reactive Sulfide	3.16	J	1	0.20	10.0	mg/Kg	05/12/25 11:00	05/12/25 15:12	9034

Comments: pH result reported at temperature 21.3 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ENTACT	Date Collected:	05/06/25 12:00
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	05/09/25
Client Sample ID:	WC-A4-03-C	SDG No.:	Q2001
Lab Sample ID:	Q2001-04	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
ASTM Ammonia	0.62		1	0.030	0.10	mg/L	05/14/25 09:00	05/14/25 15:10	SM 4500-NH3 B plus NH3 G-11
ASTM COD	64.2		1	1.50	10.0	mg/L		05/14/25 14:02	SM 5220 D-11
ASTM Oil and Grease	0.40	J	1	0.29	5.00	mg/L		05/14/25 10:25	SW1664A
ASTM TS	1190		1	1.00	5.00	mg/L		05/13/25 12:00	SM 2540 B-15

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits

Report of Analysis

Client:	ENTACT	Date Collected:	05/07/25 12:00
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	05/09/25
Client Sample ID:	WC-A1-05-C	SDG No.:	Q2001
Lab Sample ID:	Q2001-06	Matrix:	SOIL
		% Solid:	80.1

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Oil and Grease	791		1	7.24	31.1	mg/Kg		05/14/25 10:40	SW9071B
Paint Filter	1.00	U	1	1.00	1.00	ml/100gm		05/14/25 11:20	9095B
pH	12.0	H	1	0	0	pH		05/12/25 13:44	9045D
TS	81.1		1	1.00	5.00	%		05/12/25 10:00	SM 2540 B-15
TVS	3.50	J	1	1.00	10.0	%		05/12/25 15:30	160.4

Comments: pH result reported at temperature 21.1 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ENTACT	Date Collected:	05/07/25 12:00
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	05/09/25
Client Sample ID:	WC-A1-05-C	SDG No.:	Q2001
Lab Sample ID:	Q2001-07	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Corrosivity	12.0	H	1	0	0	pH		05/12/25 13:44	9045D
Ignitability	NO		1	0	0	oC		05/12/25 14:30	1030
Reactive Cyanide	0.0093	J	1	0.0083	0.049	mg/Kg	05/13/25 11:55	05/14/25 10:03	9012B
Reactive Sulfide	4.78	J	1	0.20	10.0	mg/Kg	05/12/25 11:00	05/12/25 15:16	9034

Comments: pH result reported at temperature 21.1 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ENTACT	Date Collected:	05/07/25 12:00
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	05/09/25
Client Sample ID:	WC-A1-05-C	SDG No.:	Q2001
Lab Sample ID:	Q2001-08	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
ASTM Ammonia	0.63		1	0.030	0.10	mg/L	05/14/25 09:00	05/14/25 15:20	SM 4500-NH3 B plus NH3 G-11
ASTM COD	61.2		1	1.50	10.0	mg/L		05/14/25 14:04	SM 5220 D-11
ASTM Oil and Grease	0.60	J	1	0.29	5.00	mg/L		05/14/25 10:25	SW1664A
ASTM TS	943		1	1.00	5.00	mg/L		05/13/25 12:00	SM 2540 B-15

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits

Report of Analysis

Client:	ENTACT	Date Collected:	05/08/25 12:00
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	05/09/25
Client Sample ID:	WC-A1-06-C	SDG No.:	Q2001
Lab Sample ID:	Q2001-10	Matrix:	SOIL
		% Solid:	82.3

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Oil and Grease	1540		1	7.05	30.3	mg/Kg		05/14/25 10:40	SW9071B
Paint Filter	1.00	U	1	1.00	1.00	ml/100gm		05/14/25 11:28	9095B
pH	12.1	H	1	0	0	pH		05/12/25 13:50	9045D
TS	83.3		1	1.00	5.00	%		05/12/25 10:00	SM 2540 B-15
TVS	3.90	J	1	1.00	10.0	%		05/12/25 15:30	160.4

Comments: pH result reported at temperature 21.4 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ENTACT	Date Collected:	05/08/25 12:00
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	05/09/25
Client Sample ID:	WC-A1-06-C	SDG No.:	Q2001
Lab Sample ID:	Q2001-11	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Corrosivity	12.1	H	1	0	0	pH		05/12/25 13:50	9045D
Ignitability	NO		1	0	0	oC		05/12/25 14:38	1030
Reactive Cyanide	0.0083	U	1	0.0083	0.049	mg/Kg	05/13/25 11:55	05/14/25 10:03	9012B
Reactive Sulfide	4.76	J	1	0.20	10.0	mg/Kg	05/12/25 11:00	05/12/25 15:19	9034

Comments: pH result reported at temperature 21.4 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ENTACT	Date Collected:	05/08/25 12:00
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	05/09/25
Client Sample ID:	WC-A1-06-C	SDG No.:	Q2001
Lab Sample ID:	Q2001-12	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
ASTM Ammonia	0.48		1	0.030	0.10	mg/L	05/14/25 09:00	05/14/25 15:20	SM 4500-NH3 B plus NH3 G-11
ASTM COD	68.3		1	1.50	10.0	mg/L		05/14/25 14:04	SM 5220 D-11
ASTM Oil and Grease	0.30	J	1	0.29	5.00	mg/L		05/14/25 10:25	SW1664A
ASTM TS	1110		1	1.00	5.00	mg/L		05/13/25 12:00	SM 2540 B-15

Comments: _____

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

Report of Analysis

Client:	ENTACT	Date Collected:	05/08/25 12:00
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	05/09/25
Client Sample ID:	WC-A1-07-C	SDG No.:	Q2001
Lab Sample ID:	Q2001-14	Matrix:	SOIL
		% Solid:	81.5

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Oil and Grease	925		1	7.11	30.6	mg/Kg		05/14/25 10:40	SW9071B
Paint Filter	1.00	U	1	1.00	1.00	ml/100gm		05/14/25 11:35	9095B
pH	12.3	H	1	0	0	pH		05/12/25 14:00	9045D
TS	81.8		1	1.00	5.00	%		05/12/25 10:00	SM 2540 B-15
TVS	3.40	J	1	1.00	10.0	%		05/12/25 15:30	160.4

Comments: pH result reported at temperature 20.9 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ENTACT	Date Collected:	05/08/25 12:00
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	05/09/25
Client Sample ID:	WC-A1-07-C	SDG No.:	Q2001
Lab Sample ID:	Q2001-15	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Corrosivity	12.3	H	1	0	0	pH		05/12/25 14:00	9045D
Ignitability	NO		1	0	0	oC		05/12/25 14:45	1030
Reactive Cyanide	0.0083	U	1	0.0083	0.050	mg/Kg	05/13/25 11:55	05/14/25 10:03	9012B
Reactive Sulfide	1.59	J	1	0.20	10.0	mg/Kg	05/12/25 11:00	05/12/25 15:22	9034

Comments: pH result reported at temperature 20.9 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ENTACT	Date Collected:	05/08/25 12:00
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	05/09/25
Client Sample ID:	WC-A1-07-C	SDG No.:	Q2001
Lab Sample ID:	Q2001-16	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
ASTM Ammonia	0.51		1	0.030	0.10	mg/L	05/14/25 09:00	05/14/25 16:12	SM 4500-NH3 B plus NH3 G-11
ASTM COD	70.3		1	1.50	10.0	mg/L		05/14/25 14:05	SM 5220 D-11
ASTM Oil and Grease	0.30	J	1	0.29	5.00	mg/L		05/14/25 10:25	SW1664A
ASTM TS	1490		1	1.00	5.00	mg/L		05/13/25 12:00	SM 2540 B-15

Comments: _____

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

LAB CHRONICLE

OrderID:	Q2001	OrderDate:	5/9/2025 11:54:00 AM
Client:	ENTACT	Project:	540 Degraw St, Brooklyn, NY - E9309
Contact:	Jarod Stanfield	Location:	L61

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q2001-02	WC-A4-03-C	SOIL			05/06/25 12:00			05/09/25
			Oil and Grease	9071B			05/14/25 10:40	
			Paint Filter	9095B			05/14/25 11:05	
			pH	9045D			05/12/25 13:40	
			TS	SM2540 B			05/12/25 10:00	
			TVS	160.4			05/12/25 15:30	
Q2001-03	WC-A4-03-C	SOIL			05/06/25 12:00			05/09/25
			Corrosivity	9045D			05/12/25 13:40	
			Ignitability	1030			05/12/25 14:23	
			Reactive Cyanide	9012B		05/13/25	05/14/25 09:56	
			Reactive Sulfide	9034		05/12/25	05/12/25 15:12	
Q2001-04	WC-A4-03-C	WATER			05/06/25 12:00			05/09/25
			ASTM Ammonia	SM4500-NH3		05/14/25	05/14/25 15:10	
			ASTM COD	SM5220 D			05/14/25 14:02	
			ASTM Oil and Grease	1664A			05/14/25 10:25	

LAB CHRONICLE

Q2001-06	WC-A1-05-C	SOIL	ASTM TS	SM2540 B		05/13/25 12:00	05/09/25
					05/07/25 12:00		
			Oil and Grease	9071B		05/14/25 10:40	
			Paint Filter	9095B		05/14/25 11:20	
			pH	9045D		05/12/25 13:44	
			TS	SM2540 B		05/12/25 10:00	
			TVS	160.4		05/12/25 15:30	
Q2001-07	WC-A1-05-C	SOIL			05/07/25 12:00	05/09/25	
			Corrosivity	9045D			05/12/25 13:44
			Ignitability	1030			05/12/25 14:30
			Reactive Cyanide	9012B	05/13/25		05/14/25 10:03
			Reactive Sulfide	9034	05/12/25		05/12/25 15:16
Q2001-08	WC-A1-05-C	WATER			05/07/25 12:00	05/09/25	
			ASTM Ammonia	SM4500-NH3	05/14/25		05/14/25 15:20
			ASTM COD	SM5220 D			05/14/25 14:04
			ASTM Oil and Grease	1664A			05/14/25 10:25
Q2001-10	WC-A1-06-C	SOIL	ASTM TS	SM2540 B		05/13/25 12:00	05/09/25
					05/08/25 12:00		
			Oil and Grease	9071B		05/14/25 10:40	

LAB CHRONICLE

Q2001-11	WC-A1-06-C	SOIL	Paint Filter	9095B		05/14/25 11:28	05/09/25
			pH	9045D		05/12/25 13:50	
			TS	SM2540 B		05/12/25 10:00	
			TVS	160.4		05/12/25 15:30	
Q2001-12	WC-A1-06-C	WATER			05/08/25 12:00		05/09/25
			Corrosivity	9045D		05/12/25 13:50	
			Ignitability	1030		05/12/25 14:38	
			Reactive Cyanide	9012B	05/13/25	05/14/25 10:03	
			Reactive Sulfide	9034	05/12/25	05/12/25 15:19	
Q2001-14	WC-A1-07-C	SOIL			05/08/25 12:00		05/09/25
			ASTM Ammonia	SM4500-NH3	05/14/25	05/14/25 15:20	
			ASTM COD	SM5220 D		05/14/25 14:04	
			ASTM Oil and Grease	1664A		05/14/25 10:25	
			ASTM TS	SM2540 B		05/13/25 12:00	
					05/08/25 12:00		
			Oil and Grease	9071B		05/14/25 10:40	
			Paint Filter	9095B		05/14/25 11:35	
			pH	9045D		05/12/25 14:00	
			TS	SM2540 B		05/12/25 10:00	

LAB CHRONICLE

Q2001-15	WC-A1-07-C	SOIL	TVS	160.4			05/12/25 15:30	05/09/25
					05/08/25 12:00			
			Corrosivity	9045D			05/12/25 14:00	
			Ignitability	1030			05/12/25 14:45	
			Reactive Cyanide	9012B		05/13/25	05/14/25 10:03	
			Reactive Sulfide	9034		05/12/25	05/12/25 15:22	
Q2001-16	WC-A1-07-C	WATER			05/08/25 12:00			05/09/25
			ASTM Ammonia	SM4500-NH3		05/14/25	05/14/25 16:12	
			ASTM COD	SM5220 D			05/14/25 14:05	
			ASTM Oil and Grease	1664A			05/14/25 10:25	
			ASTM TS	SM2540 B			05/13/25 12:00	