

Report of Analysis

Client:	ENTACT		Date Collected:	05/08/25	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	05/09/25	
Client Sample ID:	WC-A1-07-C		SDG No.:	Q2001	
Lab Sample ID:	Q2001-14		Matrix:	SOIL	
Analytical Method:	8082A		% Solid:	81.5	Decanted:
Sample Wt/Vol:	30.05	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PP072023.D	1	05/13/25 08:30	05/13/25 18:29	PB167972

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	4.80	U	4.80	20.8	ug/kg
11104-28-2	Aroclor-1221	4.90	U	4.90	20.8	ug/kg
11141-16-5	Aroclor-1232	4.60	U	4.60	20.8	ug/kg
53469-21-9	Aroclor-1242	4.90	U	4.90	20.8	ug/kg
12672-29-6	Aroclor-1248	7.30	U	7.30	20.8	ug/kg
11097-69-1	Aroclor-1254	3.90	U	3.90	20.8	ug/kg
37324-23-5	Aroclor-1262	6.10	U	6.10	20.8	ug/kg
11100-14-4	Aroclor-1268	4.40	U	4.40	20.8	ug/kg
11096-82-5	Aroclor-1260	4.00	U	4.00	20.8	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	21.1		30 (32) - 150 (144)	106%	SPK: 20
2051-24-3	Decachlorobiphenyl	14.4		30 (32) - 150 (175)	72%	SPK: 20

Comments:

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 P = Indicates >25% difference for detected concentrations between the two GC columns
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.
 () = Laboratory InHouse Limit