

Report of Analysis

Client:	ENTACT	Date Collected:	05/06/25
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	05/09/25
Client Sample ID:	WC-A4-03-CMSD	SDG No.:	Q2001
Lab Sample ID:	Q2001-03MSD	Matrix:	TCLP
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	100 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	TCLP BNA
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF142373.D	1	05/13/25 11:16	05/14/25 18:41	PB167987

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
110-86-1	Pyridine	330		12.8	50.0	ug/L
106-46-7	1,4-Dichlorobenzene	360		5.30	50.0	ug/L
95-48-7	2-Methylphenol	440		11.2	50.0	ug/L
65794-96-9	3+4-Methylphenols	450		11.0	100	ug/L
67-72-1	Hexachloroethane	400		6.50	50.0	ug/L
98-95-3	Nitrobenzene	460		7.60	50.0	ug/L
87-68-3	Hexachlorobutadiene	410		5.40	50.0	ug/L
88-06-2	2,4,6-Trichlorophenol	500		5.10	50.0	ug/L
95-95-4	2,4,5-Trichlorophenol	480		6.20	50.0	ug/L
121-14-2	2,4-Dinitrotoluene	620		12.2	50.0	ug/L
118-74-1	Hexachlorobenzene	450		5.20	50.0	ug/L
87-86-5	Pentachlorophenol	1100	E	15.8	100	ug/L
SURROGATES						
367-12-4	2-Fluorophenol	114		15 (10) - 110 (139)	76%	SPK: 150
13127-88-3	Phenol-d6	111		15 (10) - 110 (134)	74%	SPK: 150
4165-60-0	Nitrobenzene-d5	86.0		30 (49) - 130 (133)	86%	SPK: 100
321-60-8	2-Fluorobiphenyl	72.6		30 (52) - 130 (132)	73%	SPK: 100
118-79-6	2,4,6-Tribromophenol	154		15 (44) - 110 (137)	103%	SPK: 150
1718-51-0	Terphenyl-d14	75.5		30 (48) - 130 (125)	75%	SPK: 100
INTERNAL STANDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	179000		6.898		
1146-65-2	Naphthalene-d8	701000		8.187		
15067-26-2	Acenaphthene-d10	426000		9.939		
1517-22-2	Phenanthrene-d10	786000		11.428		
1719-03-5	Chrysene-d12	512000		14.069		
1520-96-3	Perylene-d12	442000		15.557		

Report of Analysis

Client:	ENTACT		Date Collected:	05/06/25	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	05/09/25	
Client Sample ID:	WC-A4-03-CMSD		SDG No.:	Q2001	
Lab Sample ID:	Q2001-03MSD		Matrix:	TCLP	
Analytical Method:	8270E		% Solid:	0	
Sample Wt/Vol:	100	Units: mL	Final Vol:	1000	uL
Soil Aliquot Vol:		uL	Test:	TCLP BNA	
Extraction Type :		Decanted : N	Level :	LOW	
Injection Volume :		GPC Factor : 1.0	GPC Cleanup :	N	PH :
Prep Method :	SW3510C				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF142373.D	1	05/13/25 11:16	05/14/25 18:41	PB167987

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products