

Report of Analysis

Client:	ENTACT	Date Collected:	05/08/25
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	05/09/25
Client Sample ID:	WC-A1-07-GDL	SDG No.:	Q2001
Lab Sample ID:	Q2001-13DL	Matrix:	TCLP
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	TCLP VOA
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :	SW5035		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX046192.D	40		05/14/25 14:22	VX051425

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-01-4	Vinyl Chloride	10.4	UD	10.4	200	ug/L
75-35-4	1,1-Dichloroethene	9.20	UD	9.20	200	ug/L
78-93-3	2-Butanone	39.2	UD	39.2	1000	ug/L
56-23-5	Carbon Tetrachloride	10.0	UD	10.0	200	ug/L
67-66-3	Chloroform	10.0	UD	10.0	200	ug/L
71-43-2	Benzene	1700	D	6.00	200	ug/L
107-06-2	1,2-Dichloroethane	8.80	UD	8.80	200	ug/L
79-01-6	Trichloroethene	3.70	UD	3.70	200	ug/L
127-18-4	Tetrachloroethene	9.20	UD	9.20	200	ug/L
108-90-7	Chlorobenzene	4.80	UD	4.80	200	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	52.5		70 (74) - 130 (125)	105%	SPK: 50
1868-53-7	Dibromofluoromethane	49.6		70 (75) - 130 (124)	99%	SPK: 50
2037-26-5	Toluene-d8	50.9		70 (86) - 130 (113)	102%	SPK: 50
460-00-4	4-Bromofluorobenzene	52.9		70 (77) - 130 (121)	106%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	63200	5.544			
540-36-3	1,4-Difluorobenzene	125000	6.757			
3114-55-4	Chlorobenzene-d5	121000	10.055			
3855-82-1	1,4-Dichlorobenzene-d4	53400	12.018			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products