DATA OF KNOWN QUALITY CONFORMANCE/NON-CONFORMANCE SUMMARY QUESTIONNAIRE

Labora	tory Name : CHEMTECH Client : Sciacca General	Contractors, LLC
Project Location : Project Number :		
Labora	tory Sample ID(s): Q2003 Sampling Date(s): 5/09/2025	
List DKQP Methods Used (e.g., 8260,8270, et Cetra) 8015D,8260D,NJEPH,SOP		
1	For each analytical method referenced in this laboratory report package, were all specified QA/QC performance criteria followed, including the requirement to explain any criteria falling outside of acceptable guidelines, as specified in the NJDEP Data of Known Quality performance standards?	✓ Yes □ No
1A	Were the method specified handling, preservation, and holding time requirements met?	✓ Yes □ No
1B	EPH Method: Was the EPH method conducted without significant modifications (see Section 11.3 of respective DKQ methods)	✓ Yes □ No □ N/A
2	Were all samples received by the laboratory in a condition consistent with that described on the associated chain-of-custody document(s)?	✓ Yes □ No
3	Were samples received at an appropriate temperature (4±2° C)?	✓ Yes □ No □ N/A
4	Were all QA/QC performance criteria specified in the NJDEP DKQP standards achieved?	☐ Yes ☑ No
5	a)Were reporting limits specified or referenced on the chain-of-custody or communicated to the laboratory prior to sample receipt?	☑ Yes □ No
	b)Were these reporting limits met?	✓ Yes □ No □ N/A
6	For each analytical method referenced in this laboratory report package, were results reported for all constituents identified in the method-specific analyte lists presented in the DKQP documents and/or site-specific QAPP?	✓ Yes □ No
7	Are project-specific matrix spikes and/or laboratory duplicates included in this data set?	✓ Yes □ No

Notes: For all questions to which the response was "No" (with the exception of question #7), additional information should be provided in an attached narrative. If the answer to question #1, #1A, or #1B is "No", the data package does not meet the requirements for "Data of Known Quality."