

## **DATA PACKAGE**

GC SEMI-VOLATILES  
VOLATILE ORGANICS

**PROJECT NAME : 32 SAYER PL, HILLSDALE**

**SCIACCA GENERAL CONTRACTORS, LLC**

**2 Shaw Court**

**Fairfield, NJ - 07004**

**Phone No: 201-933-6100**

**ORDER ID : Q2003**

**ATTENTION : Rosanne Scirica**



**Laboratory Certification ID # 20012**



1) Signature Page	3
2) Case Narrative	5
2.1) VOC-TCLVOA-10- Case Narrative	5
2.2) TPH GC- Case Narrative	7
2.3) EPH_F2- Case Narrative	9
3) Qualifier Page	11
4) QA Checklist	12
5) VOC-TCLVOA-10 Data	13
6) TPH GC Data	22
7) EPH_F2 Data	25
8) Shipping Document	42
8.1) CHAIN OF CUSTODY	43
8.2) Lab Certificate	44
8.3) Internal COC	45

1
2
3
4
5
6
7
8

# DATA OF KNOWN QUALITY CONFORMANCE/NON-CONFORMANCE SUMMARY QUESTIONNAIRE

1

Laboratory Name : CHEMTECH Client : Sciacca General Contractors, LLC  
 Project Location : \_\_\_\_\_ Project Number : \_\_\_\_\_  
 Laboratory Sample ID(s) : Q2003 Sampling Date(s) : 5/09/2025  
 List DKQP Methods Used (e.g., 8260,8270, et Cetra) **8015D,8260D,NJEPH,SOP**

1	For each analytical method referenced in this laboratory report package, were all specified QA/QC performance criteria followed, including the requirement to explain any criteria falling outside of acceptable guidelines, as specified in the NJDEP Data of Known Quality performance standards?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
1A	Were the method specified handling, preservation, and holding time requirements met?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
1B	EPH Method: Was the EPH method conducted without significant modifications (see Section 11.3 of respective DKQ methods)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
2	Were all samples received by the laboratory in a condition consistent with that described on the associated chain-of-custody document(s)?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
3	Were samples received at an appropriate temperature (4±2° C)?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
4	Were all QA/QC performance criteria specified in the NJDEP DKQP standards achieved?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
5	a)Were reporting limits specified or referenced on the chain-of-custody or communicated to the laboratory prior to sample receipt?  b)Were these reporting limits met?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No  <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
6	For each analytical method referenced in this laboratory report package, were results reported for all constituents identified in the method-specific analyte lists presented in the DKQP documents and/or site-specific QAPP?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
7	Are project-specific matrix spikes and/or laboratory duplicates included in this data set?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No

Notes: For all questions to which the response was “No” (with the exception of question #7), additional information should be provided in an attached narrative. If the answer to question #1, #1A, or #1B is “No”, the data package does not meet the requirements for “Data of Known Quality.”

## Cover Page

**Order ID :** Q2003

**Project ID :** 32 Sayer Pl, Hillsdale

**Client :** Sciacca General Contractors, LLC

**Lab Sample Number**

Q2003-01  
Q2003-02  
Q2003-03  
Q2003-04  
Q2003-05  
Q2003-06  
Q2003-07

**Client Sample Number**

WASTE  
VOC  
1  
2  
3  
4  
5

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature : \_\_\_\_\_

Date: 5/21/2025

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012



## **CASE NARRATIVE**

**Sciacca General Contractors, LLC**  
**Project Name: 32 Sayer Pl, Hillsdale**  
**Project # N/A**  
**Order ID # Q2003**  
**Test Name: VOC-TCLVOA-10**

### **A. Number of Samples and Date of Receipt:**

7 Solid samples were received on 05/09/2025.

### **B. Parameters**

According to the Chain of Custody document, the following analyses were requested: EPH\_F2, TPH GC and VOC-TCLVOA-10. This data package contains results for VOC-TCLVOA-10.

### **C. Analytical Techniques:**

The analysis performed on instrument MSVOA\_Y were done using GC column Rxi-624SIL MS 30m, 0.25mm, 1.4 um, Cat. #13868. The analysis of VOC-TCLVOA-10 was based on method 8260D.

### **D. QA/ QC Samples:**

The Holding Times were met for all analysis.

The Surrogate recoveries met the acceptable criteria except for VOC [4-Bromofluorobenzene - 57%], VOCRE [4-Bromofluorobenzene - 59%], These compound did not meet the NJDKQP criteria but met the in-house criteria.

The Internal Standards Areas met the acceptable requirements except for VOC, VOCRE. sample was reanalyzed to confirm the failure and both are Reported.

The Retention Times were acceptable for all samples.

The RPD met criteria .

The Blank Spike for {VY0519SBS01} with File ID: VY022305.D met requirements for all samples except for Vinyl chloride[134%], these compounds did not meet the NJDKQP criteria and in-house criteria ,it is failing high but no positive hit in associate sample therefore no corrective action taken.

The Blank Spike Duplicate met requirements for all samples.

The Blank analysis did not indicate the presence of lab contamination.

The Initial Calibration met the requirements .



The Continuous Calibration File ID VY022303.D met the requirements except for Acetone, is failing marginally low therefore no corrective action taken.

The Tuning criteria met requirements.

**E. Additional Comments:**

Samples for MS/MSD for VOC analysis were not provided with this set of samples. The Blank Spike Duplicate is reported with the data.

Trip Blank was not provided with this set of samples.

The soil samples results are based on a dry weight basis.

Please use %D calculated based on Avg RF and CCRF for all compounds using Average Response Factor when the %RSD value for a compound is <20% for the Initial Calibration curve and use %D calculated based on Amount added and Calculated amount for all compounds using Linear Regression when the %RSD value for a compound is > 20% for the Initial Calibration curve for SW-846 analysis.

**F. Manual Integration Comments:**

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

---

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature\_\_\_\_\_

## **CASE NARRATIVE**

**Sciacca General Contractors, LLC**  
**Project Name: 32 Sayer Pl, Hillsdale**  
**Project # N/A**  
**Order ID # Q2003**  
**Test Name: TPH GC**

### **A. Number of Samples and Date of Receipt:**

7 Solid samples were received on 05/09/2025.

### **B. Parameters**

According to the Chain of Custody document, the following analyses were requested: EPH\_F2, TPH GC and VOC-TCLVOA-10. This data package contains results for TPH GC.

### **C. Analytical Techniques:**

The analysis of TPH GC was based on method 8015D and extraction was done based on method 3541.

### **D. QA/ QC Samples:**

The Holding Times were met for all analysis.

The Surrogate recoveries met the acceptable criteria.

The Retention Times were acceptable for all samples.

The MS recoveries met the requirements for all compounds .

The MSD recoveries met the acceptable requirements .

The RPD met criteria .

The Blank Spike met requirements for all samples .

The Blank analysis did not indicate the presence of lab contamination.

The Initial Calibration met the requirements .

The Continuous Calibration met the requirements .

### **E. Additional Comments:**

The soil samples results are based on a dry weight basis.



284 Sheffield Street, Mountainside, NJ 07092  
Phone: 908 789 8900 Fax: 908 789 8922

**F. Manual Integration Comments:**

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

---

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature\_\_\_\_\_



## **CASE NARRATIVE**

**Sciacca General Contractors, LLC**  
**Project Name: 32 Sayer Pl, Hillsdale**  
**Project # N/A**  
**Order ID # Q2003**  
**Test Name: EPH\_F2**

### **A. Number of Samples and Date of Receipt:**

7 Solid samples were received on 05/09/2025.

### **B. Parameters**

According to the Chain of Custody document, the following analyses were requested: EPH\_F2, TPH GC and VOC-TCLVOA-10. This data package contains results for EPH\_F2.

### **C. Analytical Techniques:**

The analysis were performed on instrument FID\_G. The column is RXI-1MS which is 20 meters, 0.18mm ID, 0.18 um df, catalog 13302. The analysis of EPH\_F2s was based on method NJEPH and extraction was done based on method 3541.

### **D. QA/ QC Samples:**

The Holding Times were met for all analysis.  
The Surrogate recoveries met the acceptable criteria.  
The Retention Times were acceptable for all samples.  
The MS recoveries met the requirements for all compounds .  
The MSD recoveries met the acceptable requirements .  
The RPD met criteria .  
The Blank Spike met requirements for all samples .  
The Blank Spike Duplicate met requirements for all samples .  
The Blank analysis did not indicate the presence of lab contamination.  
The Initial Calibration met the requirements .  
The Continuous Calibration met the requirements .

### **E. Additional Comments:**

The soil samples results are based on a dry weight basis.



284 Sheffield Street, Mountainside, NJ 07092  
Phone: 908 789 8900 Fax: 908 789 8922

**F. Manual Integration Comments:**

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

---

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature\_\_\_\_\_

## DATA REPORTING QUALIFIERS- ORGANIC

For reporting results, the following “Results Qualifiers” are used:

Value	If the result is a value greater than or equal to the detection limit, report the value
<b>U</b>	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. “10 U”. This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
<b>ND</b>	Indicates the analyte was analyzed for, but not detected
<b>J</b>	Indicates an estimated value. This flag is used: <ol style="list-style-type: none"> <li>(1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.)</li> <li>(2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3 ug/L was calculated report as 3 J. This flag is used when similar situation arise on any organic parameter i.e. Pest, PCB and others.</li> </ol>
<b>B</b>	Indicates the analyte was found in the blank as well as the sample report as “12 B”.
<b>E</b>	Indicates the analyte ‘s concentration exceeds the calibrated range of the instrument for that specific analysis.
<b>D</b>	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
<b>P</b>	This flag is used for Pesticide/PCB target analyte when there is >25% difference for detected concentrations between the two GC columns. The lower of the two values is reported on Form 1 and flagged with a “P”.
<b>N</b>	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
<b>A</b>	This flag indicates that a Tentatively Identified Compound is a suspected aldol-condensation product.
<b>Q</b>	Indicates the LCS did not meet the control limits requirements

## APPENDIX A

### QA REVIEW GENERAL DOCUMENTATION

Project #: Q2003

Completed

For thorough review, the report must have the following:

#### GENERAL:

Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)

✓

Check chain-of-custody for proper relinquish/return of samples

✓

Is the chain of custody signed and complete

✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

✓

Collect information for each project id from server. Were all requirements followed

✓

#### COVER PAGE:

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page

✓

Do lab numbers and client Ids on cover page agree with the Chain of Custody

✓

#### CHAIN OF CUSTODY:

Do requested analyses on Chain of Custody agree with form I results

✓

Do requested analyses on Chain of Custody agree with the log-in page

✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Custody

✓

Were the samples received within hold time

✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓

#### ANALYTICAL:

Was method requirement followed?

✓

Was client requirement followed?

✓

Does the case narrative summarize all QC failure?

✓

All runlogs and manual integration are reviewed for requirements

✓

All manual calculations and /or hand notations verified

✓

QA Review Signature: SOHIL JODHANI

Date: 05/21/2025

### Hit Summary Sheet SW-846

SDG No.: Q2003

Client: Sciacca General Contractors, LLC

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID: Q2003-02	VOC VOC	SOIL	Metaraminol	* 40.8	J	0	0	ug/Kg
			Total Tics :			40.8		
			Total Concentration:			40.8		

A

B

C

D



# SAMPLE DATA

## Report of Analysis

Client:	Sciacca General Contractors, LLC			Date Collected:	05/09/25	
Project:	32 Sayer Pl, Hillsdale			Date Received:	05/09/25	
Client Sample ID:	VOC			SDG No.:	Q2003	
Lab Sample ID:	Q2003-02			Matrix:	SOIL	
Analytical Method:	8260D			% Solid:	88.1	
Sample Wt/Vol:	5.37	Units:	g	Final Vol:	5000	uL
Soil Aliquot Vol:			uL	Test:	VOC-TCLVOA-10	
GC Column:	RXI-624	ID :	0.25	Level :	LOW	
Prep Method :						

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY022293.D	1		05/16/25 16:02	VY051625

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
<b>TARGETS</b>						
75-71-8	Dichlorodifluoromethane	1.20	U	1.20	5.30	ug/Kg
74-87-3	Chloromethane	1.20	U	1.20	5.30	ug/Kg
75-01-4	Vinyl Chloride	0.83	U	0.83	5.30	ug/Kg
74-83-9	Bromomethane	1.10	U	1.10	5.30	ug/Kg
75-00-3	Chloroethane	1.30	U	1.30	5.30	ug/Kg
75-69-4	Trichlorofluoromethane	1.30	U	1.30	5.30	ug/Kg
76-13-1	1,1,2-Trichlorotrifluoroethane	1.10	U	1.10	5.30	ug/Kg
75-35-4	1,1-Dichloroethene	1.10	U	1.10	5.30	ug/Kg
67-64-1	Acetone	5.00	U	5.00	26.4	ug/Kg
75-15-0	Carbon Disulfide	1.10	U	1.10	5.30	ug/Kg
1634-04-4	Methyl tert-butyl Ether	0.77	U	0.77	5.30	ug/Kg
79-20-9	Methyl Acetate	1.60	U	1.60	5.30	ug/Kg
75-09-2	Methylene Chloride	3.70	U	3.70	10.6	ug/Kg
156-60-5	trans-1,2-Dichloroethene	0.91	U	0.91	5.30	ug/Kg
75-34-3	1,1-Dichloroethane	0.85	U	0.85	5.30	ug/Kg
110-82-7	Cyclohexane	0.83	U	0.83	5.30	ug/Kg
78-93-3	2-Butanone	6.90	U	6.90	26.4	ug/Kg
56-23-5	Carbon Tetrachloride	1.00	U	1.00	5.30	ug/Kg
156-59-2	cis-1,2-Dichloroethene	0.79	U	0.79	5.30	ug/Kg
74-97-5	Bromochloromethane	1.20	U	1.20	5.30	ug/Kg
67-66-3	Chloroform	0.89	U	0.89	5.30	ug/Kg
71-55-6	1,1,1-Trichloroethane	0.98	U	0.98	5.30	ug/Kg
108-87-2	Methylcyclohexane	0.96	U	0.96	5.30	ug/Kg
71-43-2	Benzene	0.83	U	0.83	5.30	ug/Kg
107-06-2	1,2-Dichloroethane	0.83	U	0.83	5.30	ug/Kg
79-01-6	Trichloroethene	0.86	U	0.86	5.30	ug/Kg
78-87-5	1,2-Dichloropropane	0.96	U	0.96	5.30	ug/Kg
75-27-4	Bromodichloromethane	0.82	U	0.82	5.30	ug/Kg
108-10-1	4-Methyl-2-Pentanone	3.80	U	3.80	26.4	ug/Kg
108-88-3	Toluene	0.82	U	0.82	5.30	ug/Kg

## Report of Analysis

Client:	Sciacca General Contractors, LLC	Date Collected:	05/09/25
Project:	32 Sayer Pl, Hillsdale	Date Received:	05/09/25
Client Sample ID:	VOC	SDG No.:	Q2003
Lab Sample ID:	Q2003-02	Matrix:	SOIL
Analytical Method:	8260D	% Solid:	88.1
Sample Wt/Vol:	5.37	Units: g	Final Vol: 5000 uL
Soil Aliquot Vol:		uL	Test: VOC-TCLVOA-10
GC Column:	RXI-624	ID : 0.25	Level : LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY022293.D	1		05/16/25 16:02	VY051625

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
10061-02-6	t-1,3-Dichloropropene	0.69	U	0.69	5.30	ug/Kg
10061-01-5	cis-1,3-Dichloropropene	0.66	U	0.66	5.30	ug/Kg
79-00-5	1,1,2-Trichloroethane	0.97	U	0.97	5.30	ug/Kg
591-78-6	2-Hexanone	3.90	U	3.90	26.4	ug/Kg
124-48-1	Dibromochloromethane	0.92	U	0.92	5.30	ug/Kg
106-93-4	1,2-Dibromoethane	0.93	U	0.93	5.30	ug/Kg
127-18-4	Tetrachloroethene	1.10	U	1.10	5.30	ug/Kg
108-90-7	Chlorobenzene	0.96	U	0.96	5.30	ug/Kg
100-41-4	Ethyl Benzene	0.71	U	0.71	5.30	ug/Kg
179601-23-1	m/p-Xylenes	1.30	U	1.30	10.6	ug/Kg
95-47-6	o-Xylene	0.87	U	0.87	5.30	ug/Kg
100-42-5	Styrene	0.75	U	0.75	5.30	ug/Kg
75-25-2	Bromoform	0.91	U	0.91	5.30	ug/Kg
98-82-8	Isopropylbenzene	0.82	U	0.82	5.30	ug/Kg
79-34-5	1,1,2,2-Tetrachloroethane	1.30	U	1.30	5.30	ug/Kg
541-73-1	1,3-Dichlorobenzene	1.80	U	1.80	5.30	ug/Kg
106-46-7	1,4-Dichlorobenzene	1.60	U	1.60	5.30	ug/Kg
95-50-1	1,2-Dichlorobenzene	1.50	U	1.50	5.30	ug/Kg
96-12-8	1,2-Dibromo-3-Chloropropane	1.90	U	1.90	5.30	ug/Kg
120-82-1	1,2,4-Trichlorobenzene	3.10	U	3.10	5.30	ug/Kg
87-61-6	1,2,3-Trichlorobenzene	3.40	U	3.40	5.30	ug/Kg
<b>SURROGATES</b>						
17060-07-0	1,2-Dichloroethane-d4	39.4		70 (63) - 130 (155)	79%	SPK: 50
1868-53-7	Dibromofluoromethane	44.9		70 (70) - 130 (134)	90%	SPK: 50
2037-26-5	Toluene-d8	44.1		70 (74) - 130 (123)	88%	SPK: 50
460-00-4	4-Bromofluorobenzene	28.7	*	70 (38) - 130 (136)	57%	SPK: 50
<b>INTERNAL STANDARDS</b>						
363-72-4	Pentafluorobenzene	37800	7.707			
540-36-3	1,4-Difluorobenzene	58400	8.609			
3114-55-4	Chlorobenzene-d5	36900	11.414			
3855-82-1	1,4-Dichlorobenzene-d4	10900	13.346			
<b>TENTATIVE IDENTIFIED COMPOUNDS</b>						



## Report of Analysis

Client:	Sciacca General Contractors, LLC		Date Collected:	05/09/25	
Project:	32 Sayer Pl, Hillsdale		Date Received:	05/09/25	
Client Sample ID:	VOC		SDG No.:	Q2003	
Lab Sample ID:	Q2003-02		Matrix:	SOIL	
Analytical Method:	8260D		% Solid:	88.1	
Sample Wt/Vol:	5.37	Units: g	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY022293.D	1		05/16/25 16:02	VY051625

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
000054-49-9	Metaraminol	40.8	J		2.13	ug/Kg

U = Not Detected  
 LOQ = Limit of Quantitation  
 MDL = Method Detection Limit  
 LOD = Limit of Detection  
 E = Value Exceeds Calibration Range  
 Q = indicates LCS control criteria did not meet requirements  
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value  
 B = Analyte Found in Associated Method Blank  
 N = Presumptive Evidence of a Compound  
 \* = Values outside of QC limits  
 D = Dilution  
 () = Laboratory InHouse Limit  
 A = Aldol-Condensation Reaction Products

## Report of Analysis

Client:	Sciacca General Contractors, LLC		Date Collected:	05/09/25	
Project:	32 Sayer Pl, Hillsdale		Date Received:	05/09/25	
Client Sample ID:	VOCRE		SDG No.:	Q2003	
Lab Sample ID:	Q2003-02RE		Matrix:	SOIL	
Analytical Method:	8260D		% Solid:	88.1	
Sample Wt/Vol:	5.78	Units: g	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY022314.D	1		05/19/25 13:25	VY051925

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
<b>TARGETS</b>						
75-71-8	Dichlorodifluoromethane	1.10	U	1.10	4.90	ug/Kg
74-87-3	Chloromethane	1.10	U	1.10	4.90	ug/Kg
75-01-4	Vinyl Chloride	0.78	UQ	0.78	4.90	ug/Kg
74-83-9	Bromomethane	1.10	U	1.10	4.90	ug/Kg
75-00-3	Chloroethane	1.20	U	1.20	4.90	ug/Kg
75-69-4	Trichlorofluoromethane	1.20	U	1.20	4.90	ug/Kg
76-13-1	1,1,2-Trichlorotrifluoroethane	1.00	U	1.00	4.90	ug/Kg
75-35-4	1,1-Dichloroethene	0.98	U	0.98	4.90	ug/Kg
67-64-1	Acetone	4.70	U	4.70	24.5	ug/Kg
75-15-0	Carbon Disulfide	1.00	U	1.00	4.90	ug/Kg
1634-04-4	Methyl tert-butyl Ether	0.72	U	0.72	4.90	ug/Kg
79-20-9	Methyl Acetate	1.50	U	1.50	4.90	ug/Kg
75-09-2	Methylene Chloride	3.50	U	3.50	9.80	ug/Kg
156-60-5	trans-1,2-Dichloroethene	0.84	U	0.84	4.90	ug/Kg
75-34-3	1,1-Dichloroethane	0.79	U	0.79	4.90	ug/Kg
110-82-7	Cyclohexane	0.78	U	0.78	4.90	ug/Kg
78-93-3	2-Butanone	6.40	U	6.40	24.5	ug/Kg
56-23-5	Carbon Tetrachloride	0.95	U	0.95	4.90	ug/Kg
156-59-2	cis-1,2-Dichloroethene	0.74	U	0.74	4.90	ug/Kg
74-97-5	Bromochloromethane	1.10	U	1.10	4.90	ug/Kg
67-66-3	Chloroform	0.82	U	0.82	4.90	ug/Kg
71-55-6	1,1,1-Trichloroethane	0.91	U	0.91	4.90	ug/Kg
108-87-2	Methylcyclohexane	0.89	U	0.89	4.90	ug/Kg
71-43-2	Benzene	0.78	U	0.78	4.90	ug/Kg
107-06-2	1,2-Dichloroethane	0.78	U	0.78	4.90	ug/Kg
79-01-6	Trichloroethene	0.80	U	0.80	4.90	ug/Kg
78-87-5	1,2-Dichloropropane	0.89	U	0.89	4.90	ug/Kg
75-27-4	Bromodichloromethane	0.77	U	0.77	4.90	ug/Kg
108-10-1	4-Methyl-2-Pentanone	3.50	U	3.50	24.5	ug/Kg
108-88-3	Toluene	0.77	U	0.77	4.90	ug/Kg

## Report of Analysis

Client:	Sciaccia General Contractors, LLC	Date Collected:	05/09/25
Project:	32 Sayer Pl, Hillsdale	Date Received:	05/09/25
Client Sample ID:	VOCRE	SDG No.:	Q2003
Lab Sample ID:	Q2003-02RE	Matrix:	SOIL
Analytical Method:	8260D	% Solid:	88.1
Sample Wt/Vol:	5.78 Units: g	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	RXI-624 ID : 0.25	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY022314.D	1		05/19/25 13:25	VY051925

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
10061-02-6	t-1,3-Dichloropropene	0.64	U	0.64	4.90	ug/Kg
10061-01-5	cis-1,3-Dichloropropene	0.61	U	0.61	4.90	ug/Kg
79-00-5	1,1,2-Trichloroethane	0.90	U	0.90	4.90	ug/Kg
591-78-6	2-Hexanone	3.60	U	3.60	24.5	ug/Kg
124-48-1	Dibromochloromethane	0.85	U	0.85	4.90	ug/Kg
106-93-4	1,2-Dibromoethane	0.86	U	0.86	4.90	ug/Kg
127-18-4	Tetrachloroethene	1.00	U	1.00	4.90	ug/Kg
108-90-7	Chlorobenzene	0.89	U	0.89	4.90	ug/Kg
100-41-4	Ethyl Benzene	0.66	U	0.66	4.90	ug/Kg
179601-23-1	m/p-Xylenes	1.20	U	1.20	9.80	ug/Kg
95-47-6	o-Xylene	0.81	U	0.81	4.90	ug/Kg
100-42-5	Styrene	0.70	U	0.70	4.90	ug/Kg
75-25-2	Bromoform	0.84	U	0.84	4.90	ug/Kg
98-82-8	Isopropylbenzene	0.77	U	0.77	4.90	ug/Kg
79-34-5	1,1,2,2-Tetrachloroethane	1.20	U	1.20	4.90	ug/Kg
541-73-1	1,3-Dichlorobenzene	1.70	U	1.70	4.90	ug/Kg
106-46-7	1,4-Dichlorobenzene	1.50	U	1.50	4.90	ug/Kg
95-50-1	1,2-Dichlorobenzene	1.40	U	1.40	4.90	ug/Kg
96-12-8	1,2-Dibromo-3-Chloropropane	1.80	U	1.80	4.90	ug/Kg
120-82-1	1,2,4-Trichlorobenzene	2.90	U	2.90	4.90	ug/Kg
87-61-6	1,2,3-Trichlorobenzene	3.10	U	3.10	4.90	ug/Kg
<b>SURROGATES</b>						
17060-07-0	1,2-Dichloroethane-d4	34.9		70 (63) - 130 (155)	70%	SPK: 50
1868-53-7	Dibromofluoromethane	45.9		70 (70) - 130 (134)	92%	SPK: 50
2037-26-5	Toluene-d8	45.6		70 (74) - 130 (123)	91%	SPK: 50
460-00-4	4-Bromofluorobenzene	29.4	*	70 (38) - 130 (136)	59%	SPK: 50
<b>INTERNAL STANDARDS</b>						
363-72-4	Pentafluorobenzene	67800	7.707			
540-36-3	1,4-Difluorobenzene	100000	8.609			
3114-55-4	Chlorobenzene-d5	65200	11.414			
3855-82-1	1,4-Dichlorobenzene-d4	20300	13.346			

## Report of Analysis

Client:	Sciacca General Contractors, LLC		Date Collected:	05/09/25	
Project:	32 Sayer Pl, Hillsdale		Date Received:	05/09/25	
Client Sample ID:	VOCRE		SDG No.:	Q2003	
Lab Sample ID:	Q2003-02RE		Matrix:	SOIL	
Analytical Method:	8260D		% Solid:	88.1	
Sample Wt/Vol:	5.78	Units: g	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY022314.D	1		05/19/25 13:25	VY051925

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected  
 LOQ = Limit of Quantitation  
 MDL = Method Detection Limit  
 LOD = Limit of Detection  
 E = Value Exceeds Calibration Range  
 Q = indicates LCS control criteria did not meet requirements  
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value  
 B = Analyte Found in Associated Method Blank  
 N = Presumptive Evidence of a Compound  
 \* = Values outside of QC limits  
 D = Dilution  
 () = Laboratory InHouse Limit  
 A = Aldol-Condensation Reaction Products

## LAB CHRONICLE

<b>OrderID:</b>	Q2003	<b>OrderDate:</b>	5/9/2025 12:53:14 PM
<b>Client:</b>	Sciacca General Contractors, LLC	<b>Project:</b>	32 Sayer Pl, Hillsdale
<b>Contact:</b>	Rosanne Scirica	<b>Location:</b>	L41,VOA Ref. #2 Soil

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
<b>Q2003-02</b>	<b>VOC</b>	<b>SOIL</b>	VOC-TCLVOA-10	8260D	<b>05/09/25</b>		05/16/25	<b>05/09/25</b>
<b>Q2003-02RE</b>	<b>VOCRE</b>	<b>SOIL</b>	VOC-TCLVOA-10	8260D	<b>05/09/25</b>		05/19/25	<b>05/09/25</b>



# SAMPLE DATA

## Report of Analysis

Client:	Sciacca General Contractors, LLC	Date Collected:	05/09/25
Project:	32 Sayer Pl, Hillsdale	Date Received:	05/09/25
Client Sample ID:	WASTE	SDG No.:	Q2003
Lab Sample ID:	Q2003-01	Matrix:	SOIL
Analytical Method:	8015D TPH	% Solid:	86.3
Sample Wt/Vol:	30.07	Units:	g
Soil Aliquot Vol:			uL
Extraction Type:		Test:	TPH GC
GPC Factor :		Injection Volume :	
Prep Method :	SW3541		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
FF015855.D	1	05/16/25 08:50	05/16/25 12:58	PB168042

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
<b>TARGETS</b>						
PHC	Petroleum Hydrocarbons	15600		444	3280	ug/kg
<b>SURROGATES</b>						
16416-32-3	TETRACOSANE-d50	13.0		37 - 130	65%	SPK: 20

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates &gt;25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

## LAB CHRONICLE

<b>OrderID:</b>	Q2003	<b>OrderDate:</b>	5/9/2025 12:53:14 PM
<b>Client:</b>	Sciacca General Contractors, LLC	<b>Project:</b>	32 Sayer Pl, Hillsdale
<b>Contact:</b>	Rosanne Scirica	<b>Location:</b>	L41,VOA Ref. #2 Soil

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
<b>Q2003-01</b>	<b>WASTE</b>	<b>SOIL</b>			<b>05/09/25</b>			<b>05/09/25</b>
			TPH GC	8015D		05/16/25	05/16/25	
<b>Q2003-03</b>	<b>1</b>	<b>Solid</b>			<b>05/09/25</b>			<b>05/09/25</b>
			EPH_F2	NJEPH		05/15/25	05/16/25	
<b>Q2003-04</b>	<b>2</b>	<b>Solid</b>			<b>05/09/25</b>			<b>05/09/25</b>
			EPH_F2	NJEPH		05/15/25	05/16/25	
<b>Q2003-05</b>	<b>3</b>	<b>Solid</b>			<b>05/09/25</b>			<b>05/09/25</b>
			EPH_F2	NJEPH		05/15/25	05/16/25	
<b>Q2003-06</b>	<b>4</b>	<b>Solid</b>			<b>05/09/25</b>			<b>05/09/25</b>
			EPH_F2	NJEPH		05/15/25	05/16/25	
<b>Q2003-07</b>	<b>5</b>	<b>Solid</b>			<b>05/09/25</b>			<b>05/09/25</b>
			EPH_F2	NJEPH		05/15/25	05/16/25	





# SAMPLE DATA

## Report of Analysis

Client:	Sciaccia General Contractors, LLC	Date Collected:	05/09/25
Project:	32 Sayer Pl, Hillsdale	Date Received:	05/09/25
Client Sample ID:	1	SDG No.:	Q2003
Lab Sample ID:	Q2003-03	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	86.5
Sample Wt/Vol:	30.05      Units: g	Final Vol:	2000      uL
Soil Aliquot Vol:	uL	Test:	EPH_F2
Prep Method :			

Prep Date :	Date Analyzed :	Prep Batch ID
05/15/25 13:40	05/16/25 12:58	PB168029

Datafile

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOQ / CRQL	Units(Dry Weight)	
<b>TARGETS</b>								
Aliphatic C9-C28	Aliphatic C9-C28	5.02		1	1.05	4.61	mg/kg	FG015846.D
Total EPH	Total EPH	5.02			1.05	4.61	mg/kg	

\* As samples are not fractionated, all aliphatic and aromatic carbon compounds in the C9-C28 carbon range are calculated against the aliphatic calibration curve, and reported as Aliphatic EPH. Therefore, the aliphatic C9-C28 concentration for the sample is reported as the Total EPH.

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

## Report of Analysis

Client:	Sciacca General Contractors, LLC	Date Collected:	05/09/25
Project:	32 Sayer Pl, Hillsdale	Date Received:	05/09/25
Client Sample ID:	1	SDG No.:	Q2003
Lab Sample ID:	Q2003-03	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	86.5
Sample Wt/Vol:	30.05      Units:    g	Final Vol:	2000              uL
Soil Aliquot Vol:	uL	Test:	EPH_F2
Prep Method :			

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FG015846.D	1	05/15/25	05/16/25	PB168029

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
<b>TARGETS</b>						
Aliphatic C9-C28	Aliphatic C9-C28	5.02		1.05	4.61	mg/kg
Aliphatic C28-C40	Aliphatic C28-C40	9.65		1.36	2.31	mg/kg
<b>SURROGATES</b>						
3383-33-2	1-chlorooctadecane (SURR)	30.9		40 - 140	62%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	30.5		40 - 140	61%	SPK: 50

## Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	Q2003-03	Acq On:	16 May 2025 12:58
Client Sample ID:	1	Operator:	YP\AJ
Data file:	FG015846.D	Misc:	
Instrument:	FID_G	ALS Vial:	24
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.		Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.136	6.775	356653	3.142	300	ug/ml
Aliphatic C12-C16	6.776	10.226	1271255	10.891	200	ug/ml
Aliphatic C16-C21	10.227	13.601	2529541	20.7	300	ug/ml
Aliphatic C21-C28	13.602	17.272	3670641	30.552	400	ug/ml
Aliphatic C28-C40	17.273	22.179	13843954	125.36	600	ug/ml
Aliphatic EPH	3.136	22.179	21672044	190.645		ug/ml
ortho-Terphenyl (SURR)	11.889	11.889	4539725	30.49		ug/ml
1-chlorooctadecane (SURR)	13.333	13.333	3564425	30.94		ug/ml
Aliphatic C9-C28	3.136	17.272	7828090	65.285	1200	ug/ml

## Report of Analysis

Client:	Sciacca General Contractors, LLC	Date Collected:	05/09/25
Project:	32 Sayer Pl, Hillsdale	Date Received:	05/09/25
Client Sample ID:	2	SDG No.:	Q2003
Lab Sample ID:	Q2003-04	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	87.4
Sample Wt/Vol:	30.07      Units: g	Final Vol:	2000      uL
Soil Aliquot Vol:	uL	Test:	EPH_F2
Prep Method :			

Prep Date :	Date Analyzed :	Prep Batch ID
05/15/25 13:40	05/16/25 13:28	PB168029

Datafile

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOQ / CRQL	Units(Dry Weight)	
<b>TARGETS</b>								
Aliphatic C9-C28	Aliphatic C9-C28	6.36		1	1.04	4.56	mg/kg	FG015847.D
Total EPH	Total EPH	6.36			1.04	4.56	mg/kg	

\* As samples are not fractionated, all aliphatic and aromatic carbon compounds in the C9-C28 carbon range are calculated against the aliphatic calibration curve, and reported as Aliphatic EPH. Therefore, the aliphatic C9-C28 concentration for the sample is reported as the Total EPH.

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

## Report of Analysis

Client:	Sciacca General Contractors, LLC	Date Collected:	05/09/25
Project:	32 Sayer Pl, Hillsdale	Date Received:	05/09/25
Client Sample ID:	2	SDG No.:	Q2003
Lab Sample ID:	Q2003-04	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	87.4
Sample Wt/Vol:	30.07      Units:    g	Final Vol:	2000              uL
Soil Aliquot Vol:	uL	Test:	EPH_F2
Prep Method :			

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FG015847.D	1	05/15/25	05/16/25	PB168029

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
<b>TARGETS</b>						
Aliphatic C9-C28	Aliphatic C9-C28	6.36		1.04	4.56	mg/kg
Aliphatic C28-C40	Aliphatic C28-C40	11.0		1.35	2.28	mg/kg
<b>SURROGATES</b>						
3383-33-2	1-chlorooctadecane (SURR)	25.9		40 - 140	52%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	25.8		40 - 140	52%	SPK: 50

## Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	Q2003-04	Acq On:	16 May 2025 13:28
Client Sample ID:	2	Operator:	YP\AJ
Data file:	FG015847.D	Misc:	
Instrument:	FID_G	ALS Vial:	25
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.		Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.136	6.775	321592	2.833	300	ug/ml
Aliphatic C12-C16	6.776	10.226	1126938	9.655	200	ug/ml
Aliphatic C16-C21	10.227	13.601	5407053	44.248	300	ug/ml
Aliphatic C21-C28	13.602	17.272	3222548	26.822	400	ug/ml
Aliphatic C28-C40	17.273	22.179	16014294	145.013	600	ug/ml
Aliphatic EPH	3.136	22.179	26092425	228.571		ug/ml
ortho-Terphenyl (SURR)	11.889	11.889	3842137	25.81		ug/ml
1-chlorooctadecane (SURR)	13.334	13.334	2988652	25.94		ug/ml
Aliphatic C9-C28	3.136	17.272	10078131	83.558	1200	ug/ml

## Report of Analysis

Client:	Sciaccia General Contractors, LLC	Date Collected:	05/09/25
Project:	32 Sayer Pl, Hillsdale	Date Received:	05/09/25
Client Sample ID:	3	SDG No.:	Q2003
Lab Sample ID:	Q2003-05	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	86.4
Sample Wt/Vol:	30.09      Units: g	Final Vol:	2000      uL
Soil Aliquot Vol:	uL	Test:	EPH_F2
Prep Method :			

Prep Date :	Date Analyzed :	Prep Batch ID
05/15/25 13:40	05/16/25 13:57	PB168029

Datafile

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOQ / CRQL	Units(Dry Weight)	
<b>TARGETS</b>								
Aliphatic C9-C28	Aliphatic C9-C28	7.97		1	1.05	4.61	mg/kg	FG015848.D
Total EPH	Total EPH	7.97			1.05	4.61	mg/kg	

\* As samples are not fractionated, all aliphatic and aromatic carbon compounds in the C9-C28 carbon range are calculated against the aliphatic calibration curve, and reported as Aliphatic EPH. Therefore, the aliphatic C9-C28 concentration for the sample is reported as the Total EPH.

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution



## Report of Analysis

Client:	Sciacca General Contractors, LLC		Date Collected:	05/09/25	
Project:	32 Sayer Pl, Hillsdale		Date Received:	05/09/25	
Client Sample ID:	3		SDG No.:	Q2003	
Lab Sample ID:	Q2003-05		Matrix:	Solid	
Analytical Method:	NJEPH		% Solid:	86.4	
Sample Wt/Vol:	30.09	Units: g	Final Vol:	2000	uL
Soil Aliquot Vol:		uL	Test:	EPH_F2	
Prep Method :					

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FG015848.D	1	05/15/25	05/16/25	PB168029

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
<b>TARGETS</b>						
Aliphatic C9-C28	Aliphatic C9-C28	7.97		1.05	4.61	mg/kg
Aliphatic C28-C40	Aliphatic C28-C40	10.9		1.36	2.31	mg/kg
<b>SURROGATES</b>						
3383-33-2	1-chlorooctadecane (SURR)	31.6		40 - 140	63%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	30.6		40 - 140	61%	SPK: 50

## Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	Q2003-05	Acq On:	16 May 2025 13:57
Client Sample ID:	3	Operator:	YP\AJ
Data file:	FG015848.D	Misc:	
Instrument:	FID_G	ALS Vial:	26
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.		Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.136	6.775	516725	4.552	300	ug/ml
Aliphatic C12-C16	6.776	10.226	1256368	10.763	200	ug/ml
Aliphatic C16-C21	10.227	13.601	4530747	37.077	300	ug/ml
Aliphatic C21-C28	13.602	17.272	6151670	51.202	400	ug/ml
Aliphatic C28-C40	17.273	22.179	15667866	141.876	600	ug/ml
Aliphatic EPH	3.136	22.179	28123376	245.47		ug/ml
ortho-Terphenyl (SURR)	11.889	11.889	4555535	30.6		ug/ml
1-chlorooctadecane (SURR)	13.335	13.335	3642285	31.62		ug/ml
Aliphatic C9-C28	3.136	17.272	12455510	103.594	1200	ug/ml

## Report of Analysis

Client:	Sciaccia General Contractors, LLC	Date Collected:	05/09/25
Project:	32 Sayer Pl, Hillsdale	Date Received:	05/09/25
Client Sample ID:	4	SDG No.:	Q2003
Lab Sample ID:	Q2003-06	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	86.8
Sample Wt/Vol:	30.04      Units: g	Final Vol:	2000      uL
Soil Aliquot Vol:	uL	Test:	EPH_F2
Prep Method :			

Prep Date :	Date Analyzed :	Prep Batch ID
05/15/25 13:40	05/16/25 14:27	PB168029

Datafile

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOQ / CRQL	Units(Dry Weight)	
<b>TARGETS</b>								
Aliphatic C9-C28	Aliphatic C9-C28	5.25		1	1.05	4.60	mg/kg	FG015849.D
Total EPH	Total EPH	5.25			1.05	4.60	mg/kg	

\* As samples are not fractionated, all aliphatic and aromatic carbon compounds in the C9-C28 carbon range are calculated against the aliphatic calibration curve, and reported as Aliphatic EPH. Therefore, the aliphatic C9-C28 concentration for the sample is reported as the Total EPH.

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

## Report of Analysis

Client:	Sciacca General Contractors, LLC	Date Collected:	05/09/25
Project:	32 Sayer Pl, Hillsdale	Date Received:	05/09/25
Client Sample ID:	4	SDG No.:	Q2003
Lab Sample ID:	Q2003-06	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	86.8
Sample Wt/Vol:	30.04      Units:    g	Final Vol:	2000              uL
Soil Aliquot Vol:	uL	Test:	EPH_F2
Prep Method :			

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FG015849.D	1	05/15/25	05/16/25	PB168029

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
<b>TARGETS</b>						
Aliphatic C9-C28	Aliphatic C9-C28	5.25		1.05	4.60	mg/kg
Aliphatic C28-C40	Aliphatic C28-C40	9.91		1.36	2.30	mg/kg
<b>SURROGATES</b>						
3383-33-2	1-chlorooctadecane (SURR)	37.1		40 - 140	74%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	36.3		40 - 140	73%	SPK: 50

## Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	Q2003-06	Acq On:	16 May 2025 14:27
Client Sample ID:	4	Operator:	YP\AJ
Data file:	FG015849.D	Misc:	
Instrument:	FID_G	ALS Vial:	27
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.		Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.136	6.775	763627	6.727	300	ug/ml
Aliphatic C12-C16	6.776	10.226	1267598	10.86	200	ug/ml
Aliphatic C16-C21	10.227	13.601	2667740	21.831	300	ug/ml
Aliphatic C21-C28	13.602	17.272	3498357	29.118	400	ug/ml
Aliphatic C28-C40	17.273	22.179	14274949	129.263	600	ug/ml
Aliphatic EPH	3.136	22.179	22472271	197.798		ug/ml
ortho-Terphenyl (SURR)	11.890	11.890	5408040	36.32		ug/ml
1-chlorooctadecane (SURR)	13.334	13.334	4278689	37.14		ug/ml
Aliphatic C9-C28	3.136	17.272	8197322	68.536	1200	ug/ml

## Report of Analysis

Client:	Sciaccia General Contractors, LLC	Date Collected:	05/09/25
Project:	32 Sayer Pl, Hillsdale	Date Received:	05/09/25
Client Sample ID:	5	SDG No.:	Q2003
Lab Sample ID:	Q2003-07	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	86.9
Sample Wt/Vol:	30.02      Units: g	Final Vol:	2000      uL
Soil Aliquot Vol:	uL	Test:	EPH_F2
Prep Method :			

Prep Date :	Date Analyzed :	Prep Batch ID
05/15/25 13:40	05/16/25 14:56	PB168029

Datafile

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOQ / CRQL	Units(Dry Weight)	
<b>TARGETS</b>								
Aliphatic C9-C28	Aliphatic C9-C28	8.81		1	1.04	4.60	mg/kg	FG015850.D
Total EPH	Total EPH	8.81			1.04	4.60	mg/kg	

\* As samples are not fractionated, all aliphatic and aromatic carbon compounds in the C9-C28 carbon range are calculated against the aliphatic calibration curve, and reported as Aliphatic EPH. Therefore, the aliphatic C9-C28 concentration for the sample is reported as the Total EPH.

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

## Report of Analysis

Client:	Sciacca General Contractors, LLC	Date Collected:	05/09/25
Project:	32 Sayer Pl, Hillsdale	Date Received:	05/09/25
Client Sample ID:	5	SDG No.:	Q2003
Lab Sample ID:	Q2003-07	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	86.9
Sample Wt/Vol:	30.02      Units:    g	Final Vol:	2000                      uL
Soil Aliquot Vol:	uL	Test:	EPH_F2
Prep Method :			

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FG015850.D	1	05/15/25	05/16/25	PB168029

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
<b>TARGETS</b>						
Aliphatic C9-C28	Aliphatic C9-C28	8.81		1.04	4.60	mg/kg
Aliphatic C28-C40	Aliphatic C28-C40	13.2		1.36	2.30	mg/kg
<b>SURROGATES</b>						
3383-33-2	1-chlorooctadecane (SURR)	44.0		40 - 140	88%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	43.2		40 - 140	86%	SPK: 50

## Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	Q2003-07	Acq On:	16 May 2025 14:56
Client Sample ID:	5	Operator:	YP\AJ
Data file:	FG015850.D	Misc:	
Instrument:	FID_G	ALS Vial:	28
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.		Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.136	6.775	329147	2.899	300	ug/ml
Aliphatic C12-C16	6.776	10.226	1317257	11.285	200	ug/ml
Aliphatic C16-C21	10.227	13.601	8122032	66.465	300	ug/ml
Aliphatic C21-C28	13.602	17.272	4105607	34.172	400	ug/ml
Aliphatic C28-C40	17.273	22.179	19020727	172.237	600	ug/ml
Aliphatic EPH	3.136	22.179	32894770	287.059		ug/ml
ortho-Terphenyl (SURR)	11.891	11.891	6428721	43.18		ug/ml
1-chlorooctadecane (SURR)	13.336	13.336	5070377	44.01		ug/ml
Aliphatic C9-C28	3.136	17.272	13874043	114.821	1200	ug/ml



## LAB CHRONICLE

<b>OrderID:</b>	Q2003	<b>OrderDate:</b>	5/9/2025 12:53:14 PM
<b>Client:</b>	Sciacca General Contractors, LLC	<b>Project:</b>	32 Sayer Pl, Hillsdale
<b>Contact:</b>	Rosanne Scirica	<b>Location:</b>	L41,VOA Ref. #2 Soil

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
<b>Q2003-01</b>	<b>WASTE</b>	<b>SOIL</b>	TPH GC	8015D	<b>05/09/25</b>	05/16/25	05/16/25	<b>05/09/25</b>
<b>Q2003-03</b>	<b>1</b>	<b>Solid</b>	EPH_F2	NJEPH	<b>05/09/25</b>	05/15/25	05/16/25	<b>05/09/25</b>
<b>Q2003-04</b>	<b>2</b>	<b>Solid</b>	EPH_F2	NJEPH	<b>05/09/25</b>	05/15/25	05/16/25	<b>05/09/25</b>
<b>Q2003-05</b>	<b>3</b>	<b>Solid</b>	EPH_F2	NJEPH	<b>05/09/25</b>	05/15/25	05/16/25	<b>05/09/25</b>
<b>Q2003-06</b>	<b>4</b>	<b>Solid</b>	EPH_F2	NJEPH	<b>05/09/25</b>	05/15/25	05/16/25	<b>05/09/25</b>
<b>Q2003-07</b>	<b>5</b>	<b>Solid</b>	EPH_F2	NJEPH	<b>05/09/25</b>	05/15/25	05/16/25	<b>05/09/25</b>



# SHIPPING DOCUMENTS

32 Sager Pl. Hillsdale

8

8.1

**CHEMTECH**

## CHAIN OF CUSTODY RECORD

284 Sheffield Street, Mountainside, NJ 07092  
 (908) 789-8900 Fax (908) 789-8922  
 www.chemtech.net

Chemtech Project Number	Q2003
COC Number	

CLIENT INFORMATION			PROJECT INFORMATION			BILLING INFORMATION														
Report to be sent to:			PROJECT NAME:			BILL TO:														
COMPANY:			PROJECT #:			PO#:														
ADDRESS:			LOCATION:			ADDRESS:														
CITY: STATE: ZIP:			PROJECT MANAGER:			CITY: STATE: ZIP:														
ATTENTION:			E-MAIL:			ATTENTION:														
PHONE: FAX:			PHONE: FAX:			PHONE:														
DATA TURNAROUND INFORMATION			DATA DELIVERABLE INFORMATION			ANALYSIS														
FAX (RUSH): _____ DAYS*			<input type="checkbox"/> Level 1 (Results Only) <input type="checkbox"/> Level 4 (QC + Full Raw Data) <input type="checkbox"/> Level 2 (Results + QC) <input type="checkbox"/> NJ Reduced <input type="checkbox"/> US EPA CLP <input type="checkbox"/> Level 3 (Results + QC + Raw Data) <input type="checkbox"/> NYS ASP A <input type="checkbox"/> NYS ASP B <input type="checkbox"/> EDD FORMAT <input type="checkbox"/> Other _____																	
HARDCOPY (DATA PACKAGE): _____ DAYS*																				
EDD: _____ DAYS*																				
TO BE APPROVED BY CHEMTECH																				
STANDARD HARDCOPY TURNAROUND TIME IS 10 BUSINESS DAYS																				
CHEMTECH SAMPLE ID	PROJECT SAMPLE IDENTIFICATION	SAMPLE MATRIX	SAMPLE TYPE		SAMPLE COLLECTION		# of Bottles	PRESERVATIVES									COMMENTS ← Specify Preservatives A-HCl D-NaOH B-HNO3 E-ICE C-H2SO4 F-OTHER			
			COMP	GRAB	DATE	TIME		1	2	3	4	5	6	7	8	9				
1.	WASTE				5-9-2025	10:15	1													
2.	VOC				5-9-2025	10:15	1													
3.	1				5-9-2025	10:15	1													
4.	2				5-9-2025	10:15	1													
5.	3				5-9-2025	10:15	1													
6.	4				5-9-2025	10:15	1													
7.	5				5-9-2025	10:15	1													
8.																				
9.																				
10.																				
SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION INCLUDING COURIER DELIVERY																				
RELINQUISHED BY SAMPLER		DATE/TIME 12:45		RECEIVED BY		Conditions of bottles or collars at receipt: <input type="checkbox"/> COMPLIANT <input type="checkbox"/> NON-COMPLIANT <input checked="" type="checkbox"/> COOLER TEMP 3.9°C														
1.		5-9-2025		1. [Signature]		Comments: IR Gun #1 (Adjusted Factor + 1)														
RELINQUISHED BY		DATE/TIME		RECEIVED BY																
2.				2.																
RELINQUISHED BY		DATE/TIME 1:30		RECEIVED FOR LAB BY																
3. [Signature]		5-9-2025		3. [Signature]																
Page ____ of ____						CLIENT: <input type="checkbox"/> Hand Delivered <input type="checkbox"/> Other: _____						Shipment Complete <input type="checkbox"/> YES <input type="checkbox"/> NO								

10/2018

WHITE - CHEMTECH COPY FOR RETURN TO CLIENT

YELLOW - CHEMTECH COPY

PINK - SAMPLER COPY

### Laboratory Certification

Certified By	License No.
CAS EPA CLP Contract	68HERH20D0011
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255424 Rev 1
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	T104704488

## LOGIN REPORT/SAMPLE TRANSFER

<b>Order ID :</b> Q2003	SCIA01	<b>Order Date :</b> 5/9/2025 12:53:14 PM	<b>Project Mgr :</b>
<b>Client Name :</b> Sciacca General Contractor:		<b>Project Name :</b> 32 Saffer Pl, Hillsdale	<b>Report Type :</b> Results Only
<b>Client Contact :</b> Rosanne Scirica		<b>Receive DateTime :</b> 5/9/2025 12:00:00 AM	<b>EDD Type :</b> EXCEL NJCLEANUP
<b>Invoice Name :</b> Sciacca General Contractor:		<b>Purchase Order :</b> 13:30	<b>Hard Copy Date :</b>
<b>Invoice Contact :</b> Rosanne Scirica			<b>Date Signoff :</b>

LAB ID	CLIENT ID	MATRIX	SAMPLE DATE	SAMPLE TIME	TEST	TEST GROUP	METHOD	FAX DATE	DUE DATES
Q2003-02	VOC	Solid	05/09/2025	09:00	VOC-TCLVOA-10		8260D		10 Bus. Days

Relinquished By :

Date / Time : 5.9.2025 1400

Received By :

Date / Time :

Storage Area : VOA Refridgerator Room