



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

A

B

C

D

Hit Summary Sheet SW-846

SDG No.: Q2006
Client: Ardmore Chemical

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID :				0.000				
Total Svoc :					0.00			
Total Concentration:					0.00			



SAMPLE DATA

A

B

C

D

Report of Analysis

Client:	Ardmore Chemical		Date Collected:	05/09/25	
Project:	PVSC Monthly 2025		Date Received:	05/09/25	
Client Sample ID:	EFF-WW		SDG No.:	Q2006	
Lab Sample ID:	Q2006-02		Matrix:	Water	
Analytical Method:	625.1		% Solid:	0	
Sample Wt/Vol:	960	Units: mL	Final Vol:	1000	uL
Soil Aliquot Vol:		uL	Test:	SVOCMS Group1	
Extraction Type :		Decanted : N	Level :	LOW	
Injection Volume :		GPC Factor : 1.0	GPC Cleanup :	N	PH :
Prep Method :	3510C				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP024656.D	1	05/15/25 08:55	05/16/25 14:14	PB168019

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
62-75-9	n-Nitrosodimethylamine	0.90	U	0.90	10.4	ug/L
108-95-2	Phenol	0.95	U	0.95	5.20	ug/L
111-44-4	bis(2-Chloroethyl)ether	0.84	U	0.84	5.20	ug/L
95-57-8	2-Chlorophenol	0.60	U	0.60	5.20	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	1.30	U	1.30	5.20	ug/L
621-64-7	n-Nitroso-di-n-propylamine	1.50	U	1.50	5.20	ug/L
67-72-1	Hexachloroethane	0.68	U	0.68	5.20	ug/L
98-95-3	Nitrobenzene	0.79	U	0.79	5.20	ug/L
78-59-1	Isophorone	0.78	U	0.78	5.20	ug/L
88-75-5	2-Nitrophenol	1.80	U	1.80	5.20	ug/L
105-67-9	2,4-Dimethylphenol	1.90	U	1.90	5.20	ug/L
111-91-1	bis(2-Chloroethoxy)methane	0.71	U	0.71	5.20	ug/L
120-83-2	2,4-Dichlorophenol	0.54	U	0.54	5.20	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.56	U	0.56	5.20	ug/L
91-20-3	Naphthalene	0.52	U	0.52	5.20	ug/L
87-68-3	Hexachlorobutadiene	0.56	U	0.56	5.20	ug/L
59-50-7	4-Chloro-3-methylphenol	0.61	U	0.61	5.20	ug/L
77-47-4	Hexachlorocyclopentadiene	3.80	U	3.80	10.4	ug/L
88-06-2	2,4,6-Trichlorophenol	0.53	U	0.53	5.20	ug/L
91-58-7	2-Chloronaphthalene	0.64	U	0.64	5.20	ug/L
131-11-3	Dimethylphthalate	0.64	U	0.64	5.20	ug/L
208-96-8	Acenaphthylene	0.78	U	0.78	5.20	ug/L
606-20-2	2,6-Dinitrotoluene	0.96	U	0.96	5.20	ug/L
83-32-9	Acenaphthene	0.57	U	0.57	5.20	ug/L
51-28-5	2,4-Dinitrophenol	6.20	U	6.20	10.4	ug/L
100-02-7	4-Nitrophenol	2.50	U	2.50	10.4	ug/L
121-14-2	2,4-Dinitrotoluene	1.30	U	1.30	5.20	ug/L
84-66-2	Diethylphthalate	0.72	U	0.72	5.20	ug/L
7005-72-3	4-Chlorophenyl-phenylether	0.71	U	0.71	5.20	ug/L

Report of Analysis

Client:	Ardmore Chemical	Date Collected:	05/09/25
Project:	PVSC Monthly 2025	Date Received:	05/09/25
Client Sample ID:	EFF-WW	SDG No.:	Q2006
Lab Sample ID:	Q2006-02	Matrix:	Water
Analytical Method:	625.1	% Solid:	0
Sample Wt/Vol:	960	Units:	mL
Soil Aliquot Vol:			uL
Extraction Type :		Decanted :	N
Injection Volume :		Level :	LOW
Prep Method :	3510C	GPC Factor :	1.0
		GPC Cleanup :	N
		PH :	

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP024656.D	1	05/15/25 08:55	05/16/25 14:14	PB168019

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
86-73-7	Fluorene	0.66	U	0.66	5.20	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	3.00	U	3.00	10.4	ug/L
86-30-6	n-Nitrosodiphenylamine	0.60	U	0.60	5.20	ug/L
103-33-3	Azobenzene	0.84	U	0.84	5.20	ug/L
101-55-3	4-Bromophenyl-phenylether	0.42	U	0.42	5.20	ug/L
118-74-1	Hexachlorobenzene	0.54	U	0.54	5.20	ug/L
87-86-5	Pentachlorophenol	1.60	U	1.60	10.4	ug/L
85-01-8	Phenanthrene	0.52	U	0.52	5.20	ug/L
120-12-7	Anthracene	0.64	U	0.64	5.20	ug/L
84-74-2	Di-n-butylphthalate	1.30	U	1.30	5.20	ug/L
206-44-0	Fluoranthene	0.85	U	0.85	5.20	ug/L
92-87-5	Benzidine	4.50	U	4.50	10.4	ug/L
129-00-0	Pyrene	0.52	U	0.52	5.20	ug/L
85-68-7	Butylbenzylphthalate	2.00	U	2.00	5.20	ug/L
91-94-1	3,3-Dichlorobenzidine	0.97	U	0.97	10.4	ug/L
56-55-3	Benzo(a)anthracene	0.47	U	0.47	5.20	ug/L
218-01-9	Chrysene	0.46	U	0.46	5.20	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	1.70	U	1.70	5.20	ug/L
117-84-0	Di-n-octyl phthalate	2.40	U	2.40	10.4	ug/L
205-99-2	Benzo(b)fluoranthene	0.51	U	0.51	5.20	ug/L
207-08-9	Benzo(k)fluoranthene	0.50	U	0.50	5.20	ug/L
50-32-8	Benzo(a)pyrene	0.57	U	0.57	5.20	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	0.61	U	0.61	5.20	ug/L
53-70-3	Dibenzo(a,h)anthracene	0.70	U	0.70	5.20	ug/L
191-24-2	Benzo(g,h,i)perylene	0.72	U	0.72	5.20	ug/L

SURROGATES

367-12-4	2-Fluorophenol	45.3	*	60 - 140	45%	SPK: 100
13127-88-3	Phenol-d6	28.1	*	60 - 140	28%	SPK: 100
4165-60-0	Nitrobenzene-d5	75.1		60 - 140	75%	SPK: 100
321-60-8	2-Fluorobiphenyl	73.0		60 - 140	73%	SPK: 100

Report of Analysis

Client:	Ardmore Chemical		Date Collected:	05/09/25	
Project:	PVSC Monthly 2025		Date Received:	05/09/25	
Client Sample ID:	EFF-WW		SDG No.:	Q2006	
Lab Sample ID:	Q2006-02		Matrix:	Water	
Analytical Method:	625.1		% Solid:	0	
Sample Wt/Vol:	960	Units: mL	Final Vol:	1000	uL
Soil Aliquot Vol:		uL	Test:	SVOCMS Group1	
Extraction Type :		Decanted : N	Level :	LOW	
Injection Volume :		GPC Factor : 1.0	GPC Cleanup :	N	PH :
Prep Method :	3510C				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP024656.D	1	05/15/25 08:55	05/16/25 14:14	PB168019

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
118-79-6	2,4,6-Tribromophenol	70.5		60 - 140	71%	SPK: 100
1718-51-0	Terphenyl-d14	75.2		60 - 140	75%	SPK: 100

INTERNAL STANDARDS

3855-82-1	1,4-Dichlorobenzene-d4	157000	7.658
1146-65-2	Naphthalene-d8	630000	10.434
15067-26-2	Acenaphthene-d10	402000	14.293
1517-22-2	Phenanthrene-d10	750000	17.11
1719-03-5	Chrysene-d12	879000	21.533
1520-96-3	Perylene-d12	1060000	24.851

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

LAB CHRONICLE

OrderID:	Q2006	OrderDate:	5/9/2025 2:30:00 PM
Client:	Ardmore Chemical	Project:	PVSC Monthly 2025
Contact:	Michael Sharphouse	Location:	L41,VOA Ref. #3 Water

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q2006-02	EFF-WW	Water	SVOCMS Group1	625.1	05/09/25	05/15/25	05/16/25	05/09/25