

Report of Analysis

Client:	Ardmore Chemical	Date Collected:	05/09/25
Project:	PVSC Monthly 2025	Date Received:	05/09/25
Client Sample ID:	EFF-WW	SDG No.:	Q2006
Lab Sample ID:	Q2006-01	Matrix:	Water
Analytical Method:	E624.1	% Solid:	0
Sample Wt/Vol:	5	Units:	mL
Soil Aliquot Vol:			uL
GC Column:	RXI-624	ID :	0.25
Prep Method :		Level :	LOW
		Final Vol:	5000
		Test:	VOC-PP

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN086665.D	5		05/16/25 13:54	VN051625

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
74-87-3	Chloromethane	3.20	U	3.20	25.0	ug/L
75-01-4	Vinyl Chloride	4.20	U	4.20	25.0	ug/L
74-83-9	Bromomethane	4.00	U	4.00	25.0	ug/L
75-00-3	Chloroethane	11.6	U	11.6	25.0	ug/L
75-69-4	Trichlorofluoromethane	4.00	U	4.00	25.0	ug/L
75-35-4	1,1-Dichloroethene	3.80	U	3.80	25.0	ug/L
107-02-8	Acrolein	33.1	U	33.1	130	ug/L
107-13-1	Acrylonitrile	14.0	U	14.0	130	ug/L
75-09-2	Methylene Chloride	4.30	U	4.30	25.0	ug/L
156-60-5	trans-1,2-Dichloroethene	4.10	U	4.10	25.0	ug/L
75-34-3	1,1-Dichloroethane	3.40	U	3.40	25.0	ug/L
56-23-5	Carbon Tetrachloride	3.70	U	3.70	25.0	ug/L
67-66-3	Chloroform	31.9		2.80	25.0	ug/L
71-55-6	1,1,1-Trichloroethane	3.20	U	3.20	25.0	ug/L
71-43-2	Benzene	2.30	U	2.30	25.0	ug/L
107-06-2	1,2-Dichloroethane	2.50	U	2.50	25.0	ug/L
79-01-6	Trichloroethene	2.50	U	2.50	25.0	ug/L
78-87-5	1,2-Dichloropropane	2.30	U	2.30	25.0	ug/L
75-27-4	Bromodichloromethane	3.20	U	3.20	25.0	ug/L
108-88-3	Toluene	2.30	U	2.30	25.0	ug/L
10061-02-6	t-1,3-Dichloropropene	3.60	U	3.60	25.0	ug/L
10061-01-5	cis-1,3-Dichloropropene	3.40	U	3.40	25.0	ug/L
79-00-5	1,1,2-Trichloroethane	2.30	U	2.30	25.0	ug/L
110-75-8	2-Chloroethyl vinyl ether	23.2	U	23.2	130	ug/L
124-48-1	Dibromochloromethane	3.30	U	3.30	25.0	ug/L
127-18-4	Tetrachloroethene	4.20	U	4.20	25.0	ug/L
108-90-7	Chlorobenzene	2.40	U	2.40	25.0	ug/L
100-41-4	Ethyl Benzene	2.80	U	2.80	25.0	ug/L
179601-23-1	m/p-Xylenes	6.50	U	6.50	50.0	ug/L
95-47-6	o-Xylene	3.40	U	3.40	25.0	ug/L

Report of Analysis

Client:	Ardmore Chemical		Date Collected:	05/09/25	
Project:	PVSC Monthly 2025		Date Received:	05/09/25	
Client Sample ID:	EFF-WW		SDG No.:	Q2006	
Lab Sample ID:	Q2006-01		Matrix:	Water	
Analytical Method:	E624.1		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-PP	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN086665.D	5		05/16/25 13:54	VN051625

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
75-25-2	Bromoform	4.70	U	4.70	25.0	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	2.20	U	2.20	25.0	ug/L
541-73-1	1,3-Dichlorobenzene	3.40	U	3.40	25.0	ug/L
106-46-7	1,4-Dichlorobenzene	4.10	U	4.10	25.0	ug/L
95-50-1	1,2-Dichlorobenzene	3.40	U	3.40	25.0	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	29.1		91 - 110	97%	SPK: 30
2037-26-5	Toluene-d8	29.5		91 - 112	98%	SPK: 30
460-00-4	4-Bromofluorobenzene	27.2		63 - 112	91%	SPK: 30
INTERNAL STANDARDS						
74-97-5	Bromochloromethane	29000	7.812			
540-36-3	1,4-Difluorobenzene	167000	9.1			
3114-55-4	Chlorobenzene-d5	152000	11.865			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products