

284 Sheffield Street, Mountainside, New Jersey 07092, Phone: 908 789 8900,

Fax: 908 789 8922

Report of Analysis

Client: CDM Smith

Project: South River WM Replacement

5.96

Units:

g

PH:

Client Sample ID: TP-14

Lab Sample ID: Q2010-03

Analytical Method: 8015D GRO

J

Soil Aliquot Vol: uL

1

Extraction Type:

Prep Method:

Sample Wt/Vol:

GPC Factor:

File ID/Qc Batch: Dilution:

Date Analyzed

Injection Volume:

Date Collected:

Date Received:

SDG No.:

Matrix:

% Solid:

Final Vol:

Test:

05/08/25

05/09/25

Q2010

SOIL

80.7

5

Prep Batch ID FB051325

Gasoline Range Organics

Decanted:

mL

FB031731.D 1 05/13/25 23:40

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS GRO	GRO	9.00	U	9.00	47.0	ug/kg
SURROGATES 98-08-8	Alpha,Alpha,Alpha-Trifluorot	o 15.8		50 - 150	79%	SPK: 20

Comments:

U = Not Detected

LOO = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit