

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: Q2013

Client: Tetra Tech NUS, Inc.

Analytical Method: SW8260-Low

Datafile : VX046159.D

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	Low	Limits High	RPD
VX0513WBSD01	Chloromethane	20	18.9	ug/L	95	5		50	139	20
	Vinyl chloride	20	18.1	ug/L	91	4		58	137	20
	Bromomethane	20	18.6	ug/L	93	3		53	141	20
	Chloroethane	20	19.3	ug/L	97	8		60	138	20
	Trichlorofluoromethane	20	19.8	ug/L	99	2		65	141	20
	1,1,2-Trichlorotrifluoroethane	20	19.5	ug/L	98	5		70	136	20
	1,1-Dichloroethene	20	18.8	ug/L	94	1		71	131	20
	Acetone	100	100	ug/L	100	0		39	160	20
	Carbon disulfide	20	17.0	ug/L	85	3		64	133	20
	Methyl tert-butyl Ether	20	20.3	ug/L	102	2		71	124	20
	Methylene Chloride	20	18.9	ug/L	95	0		74	124	20
	trans-1,2-Dichloroethene	20	19.2	ug/L	96	2		75	124	20
	1,1-Dichloroethane	20	20.0	ug/L	100	4		77	125	20
	2-Butanone	100	110	ug/L	110	10		56	143	20
	Carbon Tetrachloride	20	19.9	ug/L	100	3		72	136	20
	cis-1,2-Dichloroethene	20	20.0	ug/L	100	0		78	123	20
	Chloroform	20	20.4	ug/L	102	3		79	124	20
	1,1,1-Trichloroethane	20	19.4	ug/L	97	4		74	131	20
	Methylcyclohexane	20	18.7	ug/L	94	3		72	132	20
	Benzene	20	19.8	ug/L	99	1		79	120	20
	1,2-Dichloroethane	20	20.8	ug/L	104	3		73	128	20
	Trichloroethene	20	20.0	ug/L	100	5		79	123	20
	1,2-Dichloropropane	20	20.7	ug/L	104	3		78	122	20
	Bromodichloromethane	20	20.9	ug/L	104	3		79	125	20
	4-Methyl-2-Pentanone	100	110	ug/L	110	10		67	130	20
	Toluene	20	20.0	ug/L	100	1		80	121	20
	t-1,3-Dichloropropene	20	19.9	ug/L	100	5		73	127	20
	cis-1,3-Dichloropropene	20	20.0	ug/L	100	4		75	124	20
	1,1,2-Trichloroethane	20	21.7	ug/L	109	8		80	119	20
	2-Hexanone	100	110	ug/L	110	10		57	139	20
	Dibromochloromethane	20	21.3	ug/L	106	6		74	126	20
	Tetrachloroethene	20	19.7	ug/L	99	2		74	129	20
	Chlorobenzene	20	19.2	ug/L	96	3		82	118	20
	Ethyl Benzene	20	19.5	ug/L	98	0		79	121	20
	m/p-Xylenes	40	39.3	ug/L	98	1		80	121	20
	o-Xylene	20	19.8	ug/L	99	1		78	122	20
	Styrene	20	20.4	ug/L	102	1		78	123	20
	Bromoform	20	18.8	ug/L	94	2		66	130	20
	Isopropylbenzene	20	20.0	ug/L	100	2		72	131	20
	1,1,2,2-Tetrachloroethane	20	20.4	ug/L	102	2		71	121	20
	1,3-Dichlorobenzene	20	19.8	ug/L	99	0		80	119	20
	1,4-Dichlorobenzene	20	19.5	ug/L	98	1		79	118	20
	1,2-Dichlorobenzene	20	20.1	ug/L	101	2		80	119	20