

Q2016

Field pH,TPH

Order ID:

Test:

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789

8900, Fax: 908 789 8922

Prep Standard - Chemical Standard Summary

Prepbatch ID : Sequence ID/Qc Batch ID: LB135782,LB135826,
Standard ID: EP2611,WP112782,WP112783,WP112784,
Chemical ID: E3551,E3917,M6069,M6151,W2817,W2871,W3009,W3071,W3079,W3082,W3093,W3112,W3178,W3191,W3204,



Aliance

Fax: 908 789 8922

Extractions STANDARD PREPARATION LOG

Recipe				Expiration	<u>Prepared</u>			Supervised By
<u>ID</u>	NAME	<u>NO.</u>	Prep Date	<u>Date</u>	<u>By</u>	<u>ScaleID</u>	<u>PipetteID</u>	Riteshkumar Patel
3923	Baked Sodium Sulfate	EP2611	05/09/2025	07/01/2025		Extraction_SC	None	
					R SHAH	ALE_2		05/09/2025
	4000 00000 are of E3554 - Final C		00.000			(EX-SC-2)		

FROM 4000.0000gram of E355	1 = Final Quantity: 4000.000 gra	m
-----------------------------------	----------------------------------	---

Recipe				Expiration	Prepared			Supervised By
<u>ID</u>	<u>NAME</u>	<u>NO.</u>	Prep Date	<u>Date</u>	<u>By</u>	<u>ScaleID</u>	<u>PipetteID</u>	Iwona Zarych
229	1:1 HCL	WP112782	04/22/2025	08/18/2025	Jignesh Parikh	None	None	Ţ
								04/22/2025

FROM 500.00000ml of M6151 + 500.00000ml of W3112 = Final Quantity: 1.000 L



Aliance

Fax: 908 789 8922

Wet Chemistry STANDARD PREPARATION LOG

Recipe ID	<u>NAME</u>	NO.	Prep Date	Expiration Date	Prepared By	<u>ScaleID</u>	<u>PipetteID</u>	Supervised By Iwona Zarych
2470	1664A SPIKING SOLN	WP112783	04/22/2025	10/03/2025	Jignesh Parikh	_		
						CALE_8 (WC SC-7)		04/22/2025

FROM	1000.0000ml of E3917 + 4.00000g	ram of W2817 + 4.00000)gram of W2871 = Final C	Quantity: 1000.000 ml
-------------	---------------------------------	------------------------	--------------------------	-----------------------

Recipe				Expiration	Prepared			Supervised By
<u>ID</u>	<u>NAME</u>	<u>NO.</u>	Prep Date	<u>Date</u>	<u>By</u>	<u>ScaleID</u>	<u>PipetteID</u>	Iwona Zarych
3374	1664A QCS spiking solution-SS	WP112784	04/22/2025	10/03/2025	Jignesh Parikh	WETCHEM_S	None	
						CALE_8 (WC		04/22/2025

FROM 1000.00000ml of E3917 + 4.00000gram of W3009 + 4.00000gram of W3082 = Final Quantity: 1000.000 ml



CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	PC19631-100 / SODIUM SULFATE, ANHYDROUS, PEST GRADE, 1	313201	07/01/2025	01/03/2024 / Rajesh	07/20/2023 / Rajesh	E3551
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9254-03 / Acetone, Ultra Resi (cs/4x4L)	24H2762008	10/03/2025	04/03/2025 / Rajesh	03/31/2025 / Rajesh	E3917
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	140440 / TEST PAPERS,PH,0-2.5,.2SENSI, 100PK	80A0441	02/29/2028	09/03/2024 / jignesh	08/19/2024 / Jaswal	M6069
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9530-33 / Hydrochloric Acid, Instra-Analyzed (cs/6x2.5L)	22G2862015	08/18/2025	02/18/2025 / Sagar	01/15/2025 / Sagar	M6151
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
			04/02/2026	04/00/0004	04/02/2021 /	
PCI Scientific Supply, Inc.	A12244 / Stearic acid, 98%, 100 g	U20E006	04/02/2026	04/02/2021 / apatel	apatel	W2817
		U20E006	Expiration Date			W2817 Chemtech Lot #



CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	H223-57 / Hexadecane, 99.0%	SHBP8192	02/27/2028	02/27/2023 / Iwona	02/27/2023 / Iwona	W3009
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	AL14455-3 / buffer solution pH 7 yellow	4308H30	07/31/2025	01/02/2024 / JIGNESH	12/06/2023 / Iwona	W3071
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	04667-2.5 / Silica Gel (60-200 mesh), 2.5 KG	072154301	01/30/2029	05/07/2024 / jignesh	01/30/2024 / jignesh	W3079
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	A12244 / Stearic acid, 98%, 100 g	U23E020	02/26/2029	02/26/2024 / Iwona	02/26/2024 / Iwona	W3082
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date /	Chemtech Lot #
Supplier PCI Scientific Supply, Inc.	ItemCode / ItemName 566002 / BUFFER PH 7.00 GREEN 1PINT PK6	Lot # 44001f99	-	-		
PCI Scientific	566002 / BUFFER PH		Date	Opened By 04/03/2024 /	Received By 04/02/2024 /	Lot #



Fax: 908 789 8922

CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	AL14055-3 / PH 4 BUFFER SOLUTION	2411A93	10/30/2026	04/01/2025 / JIGNESH	01/27/2025 / jignesh	W3178

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	1601-1 / PH 10.01 BUFFER,COLOR CD	2410F80	03/31/2026	04/01/2025 / JIGNESH	03/13/2025 / jignesh	W3191
	475ML					

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9262-03 / Hexane, Ultra-Resi (cs/4x4L)	25c0362005	04/30/2026	04/22/2025 / jignesh	04/18/2025 / jignesh	W3204



Material No.: H223-57 Batch No.: 0000266903

Manufactured Date: 2020/05/05

Retest Date: 2027/05/04 Revision No: 1

Certificate of Analysis

Test	Specification	Result
Assay (CH3(CH2)14CH3) (by GC)	>= 99.0 %	99.3
Infrared Spectrum	Passes Test	PT

For Laboratory, Research or Manufacturing Use

Country of Origin: US

Packaging Site: Paris Mfg Ctr & DC



Thermo Fisher SCIENTIFIC

W 2817 Nec. 04/02/2021

Product Specification

Product Name:

Stearic acid, 98%, Thermo Scientific Chemicals

Catalog Number:

A12244.14

CAS Number:

57-11-4

Molecular Formula:

C18H36O2

Molecular Weight:

284.48

InChi Key:

QIQXTHQIDYTFRH-UHFFFAOYSA-N

SMILES:

CCCCCCCCCCCCC(O)=O

Synonym:

stearic acid acide stearique hydrofol acid 1855 hydrofol acid 1655 industrene 5016

stearic acid, ion(1-) (8CI) glycon TP glycon DP acidum stearinicul hydrofol acid 150

Product Specification

Appearance (Color):

White

Form:

Crystals or powder or crystalline powder or flakes or waxy solid

Assay (Silylated GC):

≥97.5%

Melting Point (clear melt):

67.0-74.0?C

Date Of Print:

11/30/2023

Product Specifications are subject to amendment and may change over time. Data contained is accurate as of the date printed.



RICCA CHEMICAL COMPANY®

O.

1490 Lammers Pike Batesville, IN 47006 http://www.riccachemical.com

1-888-GO-RICCA customerservice@riccachemical.com

Certificate of Analysis

Buffer, Reference Standard, pH 7.00 ± 0.01 at 25°C (Color Coded Yellow)

Lot Number: 4308H30

Product Number: 1551

Manufacture Date: AUG 09, 2023

Expiration Date: JUL 2025

The certified value for this product is confirmed in independent testing by a second qualified chemist.

The NIST traceable pH value is certified to ± 0.01 at 25 °C only. All other pH values at their corresponding temperatures are accurate to ± 0.05 .

5 10 15 20 25 35 40 45 Hq 7.12 7.09 7.06 7.04 7.027.00 6.99 6.98 6.98 6.97 6.97

Name	CAS#	Grade
Water	7732-18-5	ACS/ASTM/USP/EP
Sodium Phosphate Dibasic	7558-79-4	ACS
Potassium Dihydrogen Phosphate	7778-77-0	ACS
Preservative	Proprietary	
Yellow Dye	Proprietary	coccottiti S. Tues and et e e e
Sodium Hydroxide	1310-73-2	Reagent

Test	Specification	Result	
Appearance	Yellow liquid	Passed	*Not a certified value
Test	Certified Value	Uncertainty	NIST SRM#
pH at 25°C (Method: SQCP027, SQCP033)	7.002	0.02	186-I-g, 186-II-g, 191d

pecification Reference	
Commercial Buffer Solutions	ASTM (D 1293 B)
Buffer A	ASTM (D 5464)
Buffer A	ASTM (D 5128)

pH measurements were performed in our Batesville, IN laboratory under ISO/IEC 17025 accreditation (ANAB Certificate L2387.02) and are certified traceable to National Institute of Standards and Technology (NIST) Standard Reference Material as indicated above via an unbroken chain of comparisons. The uncertainty is calculated from the uncertainty of the measurement variation from sample to sample, the uncertainty in the NIST Standard Reference Material, and the uncertainty of the measurement process. The uncertainty is multiplied by k=2, corresponding to 95% coverage in a normal distribution. Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

Part Number	Size / Package Type	Shelf Life (Unopened Container)
1551-2.5	10 L Cubitainer®	24 months
1551-5	20 L Cubitainer®	24 months
Possesses de d'Otens en 1500 ou	· · · · · · · · · · · · · · · · · · ·	24 months

Recommended Storage: 15°C - 30°C (59°F - 86°F)

Youl Drandon

Paul Brandon (08/09/2023)

Production Manager

This document is designed to comply with ISO Guide 31 "Reference Materials -- Contents of Certificates and Labels."

This product was tested in an ISO 17025 Accredited Laboratory

This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.

Version: 1.3 Lot Number: 4308H30 Product Number: 1551 Page 2 of 2

W3009 Lec. 2/27/2023

12

3050 Spruce Street, Saint Louis, MO 63103, USA

Website: www.sigmaaldrich.com Email USA: techserv@sial.com

Outside USA: eurtechserv@sial.com

Product Name:

Certificate of Analysis

CH₃(CH₂)₁₄CH₃

Hexadecane - ReagentPlus®, 99%

Product Number:

H6703

Batch Number:

SHBP8192

Brand:

SIAL

CAS Number:

544-76-3

MDL Number:

MFCD00008998

Formula:

C16H34

Formula Weight:

226.44 g/mol

Quality Release Date:

04 AUG 2022

Test	Specification	Result	
Appearance (Color)	Colorless or White	Colorless	
Appearance (Form)	Liquid or Solid	Liquid	
Infrared Spectrum	Conforms to Structure	Conforms	
Refractive index at 20 ° C	1.432 - 1.436	1.435	
Purity (GC)	> 98.5 %	99.3 %	
Color Test	≤ 20 APHA	< 5 APHA	

Larry Coers, Director **Quality Control**

Sheboygan Falls, WI US

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.





MIRADOR 201, COL. MIRADOR MONTERREY, N.L. MEXICO CP 64070 TEL +62 81 13 52 57 57 www.pqm.com,mx

CERTIFICATE OF ANALYSIS

PRODUCT:

SODIUM SULFATE CRYSTALS ANHYDROUS

QUALITY:

ACS (CODE RMB3375)

FORMULA:

Na₂SO₄

SPECIFICATION NUMBER: 6399

RELEASE DATE:

ABR/21/2023

LOT NUMBER:

313201

TEST	SPECIFICATIONS	LOT VALUES
Assay (Na ₂ SO ₄)	Min. 99.0%	99.7 %
pH of a 5% solution at 25°C	5.2 - 9.2	6.1
Insoluble matter	Max. 0.01%	0.005 %
Loss on ignition	Max. 0.5%	0.1 %
Chloride (Cl)	Max. 0.001%	<0.001 %
Nitrogen compounds (as N)	Wax. 5 ppm	<5 ppm
Phosphate (PO ₄)	Max. 0.001%	<0.001 %
Heavy metals (as Pb)	Max. 5 ppm	<5 ppm
Iron (Fe)	Max. 0.001%	<0.001 %
Calcium (Ca)	Max. 0.01%	0.002 %
Magnesium (Mg)	Max. 0.005%	0.001 %
Potassium (K)	Max. 0.008%	0.003 %
Extraction-concentration suitability	Passes test	Passes test
Appearance	Passes test	Passes test
Identification	Passes test	Passes test
Solubility and foreing matter	Passes test	Passes test
Retained on US Standard No. 10 sieve	Max. 1%	0.1 %
Retained on US Standard No. 60 sieve	Min. 94%	97.3 %
Through US Standard No. 60 sieve	Max. 5%	25%
Through US Standard No. 100 sieve	Max. 10%	0.1 %

COMMENTS

QC: PhC Irma Belmares

If you need further details, please call our factory or contact our local distributor.

Recd. by Ri on 7/4/3 E 3551

RE-02-01, Del

Acetone BAKER RESI-ANALYZED® Reagent For Organic Residue Analysis



Material No.: 9254-03

Batch No.: 24H2762008

Manufactured Date: 2024-04-18

Expiration Date: 2027-04-18

Revision No.: 0

Certificate of Analysis

Test		
	Specification	Result
Assay ((CH ₃) ₂ CO) (by GC, corrected forwater) Color (APHA)	>= 99.4 %	
Residue after Evaporation	<= 10	100.0 % 5
Substances Reducing Permanganate	<= 1.0 ppm	0.0 ppm
Titrable Acid (µeq/g)	Passes Test	Passes Test
Fitrable Base (µeq/g)	<= 0.3	0.2
Vater (H ₂ O)	<= 0.6	<0.1
ID-Sensitive Impurities (as 2-Octanol)Single Impurity Peak	<= 0.5 %	<0.1 %
CD Sensitive Impurities (as HeptachlorEpoxide) Single Peak	\ - 3	1
og/mL) (as neptachlorEpoxide) Single Peak	<= 10	1

For Laboratory, Research, or Manufacturing Use MEETS SPECIFICATIONS WITHIN THE EXPIRATION PERIOD

Country of Origin: United States

Packaging Site: Phillipsburg Mfg Ctr & DC

Recd by RP cn 03/31/25



Director Quality Operations, Bioscience Production



Certificate of Analysis

Product information

Product

pH-Fix 0.3-2.3

REF

92180

LOT

80A0441

Expiration date:

29.02.2028

Date of examination:

23.01.2024

Gradation:

pH 0.3-0.7-1.0-1.3-1.6-1.9-2.3

Confirmation

Hereby we confirm, that the above mentioned product has successfully passed our quality control system in accordance with ISO 9001 and meets the specific quality criteria.

This document has been produced electronically and is valid without a signature.

US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Hydrochloric Acid, 36.5-38.0%

BAKER INSTRA-ANALYZED® Reagent
For Trace Metal Analysis





M6151

R-> 1/15/25

Material No.: 9530-33

Batch No.: 22G2862015 Manufactured Date: 2022-06-15

Retest Date: 2027-06-14

Revision No.: 0

Certificate of Analysis

Test	Specification	Result
ACS - Assay (as HCI) (by acid-base titrn)	36.5 - 38.0 %	
ACS - Color (APHA)	50.5 - 36.0 % ≤ 10	37.9 %
ACS - Residue after Ignition	≤ 3 ppm	5
ACS - Specific Gravity at 60°/60°F		< 1 ppm
ACS – Bromide (Br)	1.185 - 1.192	1.191
ACS - Extractable Organic Substances	≤ 0.005 %	< 0.005 %
ACS - Free Chlorine (as Cl2)	≤ 5 ppm	< 1 ppm
Phosphate (PO ₄)	≤ 0.5 ppm	< 0.5 ppm
Sulfate (SO ₄)	≤ 0.05 ppm	< 0.03 ppm
Sulfite (SO₃)	≤ 0.5 ppm	< 0.3 ppm
Ammonium (NH ₄)	≤ 0.8 ppm	0.3 ppm
Trace Impurities - Arsenic (As)	≤ 3 ppm	< 1 ppm
Trace Impurities - Aluminum (AI)	≤ 0.010 ppm	< 0.003 ppm
Arsenic and Antimony (as As)	≤ 10.0 ppb	1.3 ppb
Trace Impurities - Barium (Ba)	≤ 5.0 ppb	< 3.0 ppb
Trace Impurities - Beryllium (Be)	≤ 1.0 ppb	0.2 ppb
Trace Impurities - Bismuth (Bi)	≤ 1.0 ppb	< 0.2 ppb
Trace Impurities – Boron (B)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities - Cadmium (Cd)	≤ 20.0 ppb	< 5.0 ppb
Trace Impurities - Calcium (Ca)	≤ 1.0 ppb	< 0.3 ppb
	≤ 50.0 ppb	163.0 ppb
Trace Impurities - Chromium (Cr)	≤ 1.0 ppb	0.7 ppb
Trace Impurities - Cobalt (Co)	≤ 1.0 ppb	< 0.3 ppb
Trace Impurities - Copper (Cu)	≤ 1.0 ppb	< 0.1 ppb
Trace Impurities – Gallium (Ga)	≤ 1.0 ppb	< 0.2 ppb
Trace Impurities – Germanium (Ge)	≤ 3.0 ppb	< 2.0 ppb
Frace Impurities – Gold (Au)	≤ 4.0 ppb	0.6 ppb
Heavy Metals (as Pb)	≤ 100 ppb	< 50 ppb
Frace Impurities – Iron (Fe)	≤ 15 ppb	6 ppb

>>> Continued on page 2 >>>

Hydrochloric Acid, 36.5-38.0% BAKER INSTRA-ANALYZED® Reagent For Trace Metal Analysis





Material No.: 9530-33 Batch No.: 22G2862015

Test	Specification	Result
Trace Impurities – Lead (Pb)	≤ 1.0 ppb	< 0.5 ppb
Trace Impurities - Lithium (Li)	≤ 1.0 ppb	< 0.2 ppb
Trace Impurities – Magnesium (Mg)	≤ 10.0 ppb	2.9 ppb
Trace Impurities - Manganese (Mn)	≤ 1.0 ppb	< 0.4 ppb
Trace Impurities – Mercury (Hg)	≤ 0.5 ppb	0.1 ppb
Trace Impurities – Molybdenum (Mo)	≤ 10.0 ppb	< 3.0 ppb
Trace Impurities - Nickel (Ni)	≤ 4.0 ppb	< 0.3 ppb
Trace Impurities - Niobium (Nb)	≤ 1.0 ppb	0.8 ppb
Trace Impurities - Potassium (K)	≤ 9.0 ppb	< 2.0 ppb
Trace Impurities - Selenium (Se), For Information Only		< 1.0 ppb
Trace Impurities - Silicon (Si)	≤ 100.0 ppb	< 10.0 ppb
Trace Impurities - Silver (Ag)	≤ 1.0 ppb	0.5 ppb
Trace Impurities – Sodium (Na)	≤ 100.0 ppb	2.3 ppb
Trace Impurities – Strontium (Sr)	≤ 1.0 ppb	< 0.2 ppb
Trace Impurities – Tantalum (Ta)	≤ 1.0 ppb	1.6 ppb
Trace Impurities – Thallium (TI)	≤ 5.0 ppb	< 2.0 ppb
Trace Impurities – Tin (Sn)	≤ 5.0 ppb	4.0 ppb
Trace Impurities – Titanium (Ti)	≤ 1.0 ppb	1.5 ppb
Trace Impurities – Vanadium (V)	≤ 1.0 ppb	< 0.2 ppb
Trace Impurities – Zinc (Zn)	≤ 5.0 ppb	0.8 ppb
Frace Impurities – Zirconium (Zr)	≤ 1.0 ppb	0.3 ppb

Hydrochloric Acid, 36.5-38.0% BAKER INSTRA-ANALYZED® Reagent For Trace Metal Analysis





Material No.: 9530-33 Batch No.: 22G2862015


Test

Specification

Result

For Laboratory, Research, or Manufacturing Use Product Information (not specifications): Appearance (clear, fuming liquid) Meets ACS Specifications Storage Condition: Store below 25 °C.

Country of Origin: USA Packaging Site: Phillipsburg Mfg Ctr & DC



Certificate of Analysis

Product information

Product:

Silica 60, 0.063 - 0.200 mm

REF:

815330.25

LOT:

072154301

Technical data

Material:

Synthethic amorphus silica (irregular shaped)

Description:

White powder

Parameter	Specifications	Result
Specific surface (m³/g, N2 adsorption):	450 - 550	537
Particle size distribution (screen analysis):	< 63 µm max. 5 %	0.3
	> 200 µm max. 5 %	0.1
pH value:	6.0 - 7.5	7
Water content (%):	<7	3.6
Pore volume (mL/g, N2 adsorption) :	0.65 - 0.85	0.82
Mean pore size (Å, N2 adsorption):	50 - 70	62

Expiry

This product has no stated expiration date or shelf life.

We recommend to use the product within a time period of 5 years after date of QC release.

This time period is valid only if the product is stored under dry and frost-free conditions.

After 5 years we recommend retesting the adsorbent to make sure that the expected performance is still given.

Confirmation

Hereby we confirm, that the above mentioned product has successfully passed our quality control system in accordance with ISO 9001 and meets the specific quality criteria.

This document has been produced electronically and is valid without a signature.

Date of measurement: 16.02.2023 22:00

Certificate of analysis

W3082 Received on 2/26/2026 by IZ

Product No.: A12244

Product: Stearic acid, 98%

Lot No.: U23E020

Appearance White flakes

Assay 98.7 %

This document has been electronically generated and does not require a signature.





RICCA CHEMICAL COMPANY

1490 Lammers Pike Batesville, IN 47006 http://www.riccachemical.com 1-888-GO-RICCA

customerservice@riccachemical.com

Certificate of Analysis Onlong Concession Co

Buffer, Reference Standard, pH 7.00 ± 0.01 at 25°C (Color Coded Yellow)

Lot Number: 4401F99

Product Number: 1551

Manufacture Date: JAN 08, 2024

Expiration Date: DEC 2025

The certified value for this product is confirmed in independent testing by a second qualified chemist.

The NIST traceable pH value is certified to ± 0.01 at 25 °C only. All other pH values at their corresponding temperatures are accurate to ± 0.05 .

5 10 15 20 25 30 35 40 45 50 pН 7.12 7.09 7.06 7.04 7.02 7.00 6.99 6.98 6.98 6.97 6.97

Name	CAS#	Grade	
Water	7732-18-5	ACS/ASTM/USP/EP	
Sodium Phosphate Dibasic	7558-79-4	ACS	
Potassium Dihydrogen Phosphate	7778-77-0	ACS	
Preservative	Proprietary	II II Ta' .	
Yellow Dye	Proprietary		
Sodium Hydroxide	1310-73-2		

Test	Specification	Result	
Appearance	Yellow liquid	Passed	*Not a certified value
Test	Certified Value	Uncertainty	NIST SRM#
pH at 25°C (Method: SQCP027, SQCP033)	7.004	0.02	186-I-g, 186-II-g, 191d

Specification	Reference	
Commercial Buffer Solutions	ASTM (D 1293 B)	
Buffer A	ASTM (D 5464)	
Buffer A	ASTM (D 5128)	

pH measurements were performed in our Batesville, IN laboratory under ISO/IEC 17025 accreditation (ANAB Certificate L2387.02) and are certified traceable to National Institute of Standards and Technology (NIST) Standard Reference Material as indicated above via an unbroken chain of comparisons. The uncertainty is calculated from the uncertainty of the measurement variation from sample to sample, the uncertainty in the NIST Standard Reference Material, and the uncertainty of the measurement process. The uncertainty is multiplied by k=2, corresponding to 95% coverage in a normal distribution. Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

Part Number	Size / Package Type	Shelf Life (Unopened Container)
1551-1	4 L natural poly	24 months
1551-1CT	4 L Cubitainer®	24 months
1551-2.5	10 L Cubitainer®	24 months
1551-5	20 L Cubitainer®	24 months
		V /V 1 111 122 1 1

Recommended Storage: 15°C - 30°C (59°F - 86°F)

faul Drandon

Paul Brandon (01/08/2024)


Production Manager

This document is designed to comply with ISO Guide 31 "Reference Materials -- Contents of Certificates and Labels."

This product was tested in an ISO 17025 Accredited Laboratory

This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.

Version: 1.3 Lot Number: 4401F99 Product Number: 1551 Page 2 of 2



1841 Broad Street Pocomoke City, MD 21851 http://www.riccachemical.com 1-888-GO-RICCA

customerservice@riccachemical.com

Certificate of Analysis

Buffer, Reference Standard, pH 4.00 ± 0.01 at 25°C (Color Coded Red)

Lot Number: 2411A93

Name

Product Number: 1501

Manufacture Date: NOV 04, 2024

Expiration Date: OCT 2026

The certified value for this product is confirmed in independent testing by a second qualified chemist.

The NIST Traceable pH value is certified to ± 0.01 at 25 °C only. All other pH values at their corresponding temperatures are accurate to ± 0.05 .

5 10 15 20 25 30 35 45 pH 50 4.00 4.00 4.00 4.00 4.004.00 4.01 4.02 4.03 4.04 4.06

	CAS#	Grade	作 (1) E 第二
Water	7732-18-5	ACS/ASTM/USP/	PD
Potassium Acid Phthalate	877-24-7	Buffer	
Preservative Red Dye	Proprietary	Commercial	
ned Dye	Proprietary	Purified	
Test	Specification	Result	
Appearance	Red liquid	Passed	*No. 1.00 1 2
Test	Certified Value	.,	*Not a certified valu
pH at 25°C (Method: SQCP027, SQCP033)	4.008	Uncertainty	NIST SRM#
Specification Specification	4.008	0.02	185i, 186-I-g, 186-II-g
phermanion	\$P\$\$P\$ \$P\$ \$P\$ \$P\$ \$P\$ \$P\$ \$P\$ \$P\$ \$P\$	THE RESERVE OF THE PARTY OF THE	

Specification	Establish the second se
Commencial D. co. or .	Reference
D CC D	ASTM (D 1293 B) ASTM (D 5464)
Buffer B	ASTM (D 5464) ASTM (D 5128)
DH measurements were read.	ASTM (D 5128)

pH measurements were performed in our Pocomoke City, MD laboratory under ISO/IEC 17025 accreditation (ANAB Certificate L2387.01) and are certified traceable to National Institute of Standards and Technology (NIST) Standard Reference Material as indicated above via an unbroken chain of comparisons. The uncertainty is calculated from the uncertainty of the measurement variation from sample to sample, the uncertainty in the NIST Standard Reference Material, and the uncertainty of the measurement process. The uncertainty is multiplied by k=2, corresponding to 95% coverage in a normal distribution. Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batcl: records document raw material traceability and production and testing

Part Number	Size / Package Type	Shelf Life (Unopened Container)
1501-16 1501-2.5 1501-5	500 mL natural poly 10 L Cubitainer®	24 months 24 months
Recommended Storage: 15°C -	20 L Cubitainer® 30°C (59°F - 86°F)	24 months



RICCA CHEMICAL COMPANY 33191

1841 Broad Street Pocomoke City, MD 21851 http://www.riccachemical.com

1-888-GO-RICCA customerservice@riccachemical.com

Certificate of Analysis

Buffer, Reference Standard, pH 10.00 ± 0.01 at 25°C (Color Coded Blue)

Lot Number: 2410F80

Product Number: 1601

Manufacture Date: OCT 09, 2024

Expiration Date: MAR 2026

The certified value for this product is confirmed in independent testing by a second qualified chemist.

The NIST traceable pH value is certified to ± 0.01 at 25 °C only. All other pH values at their corresponding temperatures are accurate to ± 0.05 .

20 25 30 pН 35 10.31 10.23 40 50 10.1710.11 10.05 10.00 9.95 9.91 9.87 9.81

Name	CAS#		
Water		Grade	
Sodium Carbonate	7732-18-5	ACS/ASTM/USP/EP	
Sodium Ricarhamat	497-19-8	ACS	
Sodium Hydroxide	144-55-8	ACS	
Preservative	1310-73-2	Reagent	
Rlue Dvo	Proprietary		and contact a
Dide Dye	Proprietary	41-14 k 41 A-1-121 — 1 2.	Server area
Test	Proprietary	A	S vore open

Appearance	Specification	Result	
Test	Blue liquid	Passed	*Not a certified value
	Certified Value	Uncertainty	
pH at 25°C (Method: SQCP027, SQCP033) Specification	10.009	0.00	186-I-g, 186-II-g, 191d

Specification	0.02	186-I-g, 186-II-g, 191d
Commorain D. Co. C. J.	Reference	
Buffer C	ASTM (D 1293 B)	
Buffer C	ASTM (D 54CA)	0 × 20 1 0 30 010 1000
pH measurements were performed in our Pocomoke City, MD laboratory us		
cortified the delivered in our Pocomoke City, MD laboratory us	adou ICO TEO	**************************************

pH measurements were performed in our Pocomoke City, MD laboratory under ISO/IEC 17025 accreditation (ANAB Certificate L2387.01) and are certified traceable to National Institute of Standards and Technology (NIST) Standard Reference Material as indicated above via an unbroken chain of comparisons. The uncertainty is calculated from the uncertainty of the measurement variation from sample to sample, the uncertainty in the NIST Standard Reference Material, and the uncertainty of the measurement process. The uncertainty is multiplied by k=2, corresponding to 95% coverage in a normal distribution. Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing

Part Number		and production and testing
1601-1	Size / Package Type	Shelf Life (II-
1601-16	4 L natural poly 500 mL natural poly	Shelf Life (Unopened Container) 18 months
1601-16 1601-1CT	500 mL natural poly 4 L Cubitainer®	18 months
2.0	4 L Cubitainer® 10 L Cubitainer®	18 months
	1 L natural poly	18 months
	1 L natural poly 20 L Cubitainer®	18 months
ersion: 1.3	Lot Number: 2410F80	18 months

Lot Number: 2410F80

Product Number: 1601

Page 1 of 2

n-Hexane 95% **ULTRA RESI-ANALYZED** For Organic Residue Analysis





08018, 0d/12/19082

Material No.: 9262-03

Batch No.: 25C0362005 Manufactured Date: 2025-01-29

Expiration Date:2026-04-30

Revision No.: 0

Certificate of Analysis

	v. / w. y. y.	
Test	Specification	
FID-Sensitive Impurities (Specification	Result
FID-Sensitive Impurities (as 2-Octanol)Single Impurity Pea (ng/mL)	\- J	1
ECD Sensitive Impurities (as HeptachlorEpoxide) Single Pea	k <= 10	•
(pg/mb)	\= 10	6
Impurity Peak (ng/mL)	<= 5	5
Assay (Total Saturated Co Isomers) (byGC, corrected for water)	>= 99.5 %	100.0 %
Assay (as n-Hexane) (by GC, correctedfor water)	>= 95 %	100 %
Color (APHA)	<= 10	
Residue after Evaporation	-	10
Substances Darkened by H2SO4	<= 1.0 ppm	0.1 ppm
	Passes Test	Passes Test
Water (by KF, coulometric)	<= 0.05 %	<0.01 %

MEETS SPECIFICATIONS WITHIN THE EXPIRATION PERIOD

Country of Origin: United States

Packaging Site: Phillipsburg Mfg Ctr & DC



Director Quality Operations, Bioscience Production