



PERCENT SOLID

Supervisor: Iwona  
Analyst: jignesh  
Date: 5/15/2025

OVENTEMP IN Celsius(°C): 107  
Time IN: 17:15  
In Date: 05/14/2025  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103  
Time OUT: 08:28  
Out Date: 05/15/2025  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
BalanceID: M SC-4  
Thermometer ID: % SOLID- OVEN

QC:LB135767

| Lab ID   | Client SampleID | Dish # | Dish Wt(g) (A) | Sample Wt(g) | Dish + Sample Wt(g) (B) | Dish+Dry Sample Wt(g) (C) | % Solid | Comments |
|----------|-----------------|--------|----------------|--------------|-------------------------|---------------------------|---------|----------|
| Q2021-01 | WASTE           | 1      | 1.14           | 10.48        | 11.62                   | 10.41                     | 88.5    |          |
| Q2021-02 | VOC             | 2      | 1.19           | 10.25        | 11.44                   | 9.99                      | 85.9    |          |
| Q2021-03 | 1               | 3      | 1.15           | 10.01        | 11.16                   | 9.88                      | 87.2    |          |
| Q2021-04 | 2               | 4      | 1.18           | 10.25        | 11.43                   | 9.88                      | 84.9    |          |
| Q2021-05 | 3               | 5      | 1.17           | 10.09        | 11.26                   | 10.12                     | 88.7    |          |
| Q2021-06 | 4               | 6      | 1.16           | 10.60        | 11.76                   | 10.5                      | 88.1    |          |
| Q2021-07 | 5               | 7      | 1.18           | 10.60        | 11.78                   | 10.36                     | 86.6    |          |
| Q2021-08 | 6               | 8      | 1.18           | 10.21        | 11.39                   | 10.12                     | 87.6    |          |
| Q2032-01 | TP-11           | 9      | 1.14           | 10.08        | 11.22                   | 8.83                      | 76.3    |          |
| Q2032-02 | TP-29           | 10     | 1.18           | 10.39        | 11.57                   | 10.13                     | 86.1    |          |
| Q2032-03 | TP-29-99        | 11     | 1.19           | 10.40        | 11.59                   | 10.22                     | 86.8    |          |
| Q2032-04 | TP-24           | 12     | 1.15           | 10.70        | 11.85                   | 9.09                      | 74.2    |          |
| Q2032-05 | Q2032-04MS      | 13     | 1.15           | 10.70        | 11.85                   | 9.09                      | 74.2    |          |
| Q2032-06 | Q2032-04MSD     | 14     | 1.15           | 10.70        | 11.85                   | 9.09                      | 74.2    |          |
| Q2032-07 | TP-37           | 15     | 1.19           | 10.00        | 11.19                   | 9.44                      | 82.5    |          |
| Q2032-08 | TP-32           | 16     | 1.17           | 10.08        | 11.25                   | 9.92                      | 86.8    |          |
| Q2034-01 | L3-WC-1         | 17     | 1.14           | 10.24        | 11.38                   | 10.11                     | 87.6    |          |
| Q2034-02 | L3-WC-1-EPH     | 18     | 1.18           | 10.23        | 11.41                   | 10.22                     | 88.4    |          |
| Q2034-03 | L3-WC-1-VOC     | 19     | 1.15           | 10.10        | 11.25                   | 10.19                     | 89.5    |          |
| Q2034-04 | L3-WC-1         | 20     | 1.14           | 10.24        | 11.38                   | 10.11                     | 87.6    |          |
| Q2034-05 | L3-WC-2         | 21     | 1.17           | 10.18        | 11.35                   | 9.88                      | 85.6    |          |
| Q2034-06 | L3-WC-2-EPH     | 22     | 1.18           | 10.71        | 11.89                   | 10.47                     | 86.7    |          |
| Q2034-07 | L3-WC-2-VOC     | 23     | 1.19           | 10.52        | 11.71                   | 10.46                     | 88.1    |          |
| Q2034-09 | L3-WC-3         | 24     | 1.14           | 10.26        | 11.4                    | 9.65                      | 82.9    |          |
| Q2034-10 | L3-WC-3-EPH     | 25     | 1.14           | 10.26        | 11.4                    | 10.11                     | 87.4    |          |
| Q2034-11 | L3-WC-3-VOC     | 26     | 1.19           | 10.53        | 11.72                   | 10.39                     | 87.4    |          |
| Q2034-13 | L3-WC-4         | 27     | 1.18           | 10.51        | 11.69                   | 10.26                     | 86.4    |          |
| Q2034-14 | L3-WC-4-EPH     | 28     | 1.15           | 10.42        | 11.57                   | 10.23                     | 87.1    |          |

# PERCENT SOLID

Supervisor: Iwona  
Analyst: jignesh  
Date: 5/15/2025

OVENTEMP IN Celsius(°C): 107  
Time IN: 17:15  
In Date: 05/14/2025  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103  
Time OUT: 08:28  
Out Date: 05/15/2025  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
BalanceID: M SC-4  
Thermometer ID: % SOLID- OVEN

QC:LB135767

| Lab ID   | Client SampleID   | Dish # | Dish Wt (g) (A) | Sample Wt (g) | Dish + Sample Wt (g) (B) | Dish+Dry Sample Wt (g) (C) | % Solid | Comments    |
|----------|-------------------|--------|-----------------|---------------|--------------------------|----------------------------|---------|-------------|
| Q2034-15 | L3-WC-4-VOC       | 29     | 1.15            | 10.37         | 11.52                    | 10.7                       | 92.1    |             |
| Q2034-17 | L3-WC-5           | 30     | 1.13            | 10.76         | 11.89                    | 10.49                      | 87.0    |             |
| Q2034-18 | L3-WC-5-EPH       | 31     | 1.15            | 10.66         | 11.81                    | 10.02                      | 83.2    |             |
| Q2034-19 | L3-WC-5-VOC       | 32     | 1.19            | 10.72         | 11.91                    | 10.6                       | 87.8    |             |
| Q2034-21 | L3-WC-6           | 33     | 1.18            | 10.14         | 11.32                    | 9.92                       | 86.2    |             |
| Q2034-22 | L3-WC-6-EPH       | 34     | 1.14            | 10.08         | 11.22                    | 10.6                       | 93.8    |             |
| Q2034-23 | L3-WC-6-VOC       | 35     | 1.11            | 10.00         | 11.11                    | 9.3                        | 81.9    |             |
| Q2038-01 | 72-11991          | 36     | 1.15            | 10.56         | 11.71                    | 10.81                      | 91.5    |             |
| Q2039-01 | TR-05-05142025    | 37     | 1.18            | 9.92          | 11.1                     | 9.54                       | 84.3    |             |
| Q2039-02 | TR-05-05142025-E2 | 38     | 1.15            | 10.23         | 11.38                    | 10.17                      | 88.2    |             |
| Q2040-01 | 1                 | 39     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | wipe sample |
| Q2040-02 | 2                 | 40     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | wipe sample |
| Q2040-03 | 3                 | 41     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | wipe sample |
| Q2040-04 | 4                 | 42     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | wipe sample |
| Q2040-05 | 5                 | 43     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | wipe sample |
| Q2040-06 | 6                 | 44     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | wipe sample |
| Q2040-07 | 7                 | 45     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | wipe sample |
| Q2041-01 | HIH359A-1-1       | 46     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | oilc        |
| Q2041-02 | HIH359A-1-2       | 47     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | oilc        |
| Q2041-03 | HIA9895-1-1       | 48     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | oilc        |
| Q2041-04 | HIA9895-1-2       | 49     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | oilc        |
| Q2041-05 | 250-1-1           | 50     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | oilc        |
| Q2041-06 | 250-1-2           | 51     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | oilc        |
| Q2041-07 | 250-2-1           | 52     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | oilc        |
| Q2041-08 | 250-2-2           | 53     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | oilc        |
| Q2042-01 | HEI570L-1-1       | 54     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | oilc        |
| Q2042-02 | HEI570L-1-2       | 55     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | oilc        |
| Q2042-04 | HEI570L-2-1       | 56     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | oilc        |



# PERCENT SOLID

Supervisor: Iwona  
Analyst: jignesh  
Date: 5/15/2025

OVENTEMP IN Celsius(°C): 107  
Time IN: 17:15  
In Date: 05/14/2025  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103  
Time OUT: 08:28  
Out Date: 05/15/2025  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
BalanceID: M SC-4  
Thermometer ID: % SOLID- OVEN

QC:LB135767

| Lab ID   | Client SampleID | Dish # | Dish Wt(g) (A) | Sample Wt(g) | Dish + Sample Wt(g) (B) | Dish+Dry Sample Wt(g) (C) | % Solid | Comments   |
|----------|-----------------|--------|----------------|--------------|-------------------------|---------------------------|---------|------------|
| Q2042-05 | HEI570L-2-2     | 57     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | oilc       |
| Q2043-01 | 281             | 58     | 1.18           | 10.26        | 11.44                   | 9.29                      | 79.0    |            |
| Q2043-02 | 281-E2          | 59     | 1.16           | 10.44        | 11.6                    | 10.6                      | 90.4    |            |
| Q2043-03 | 72-12000        | 60     | 1.19           | 10.35        | 11.54                   | 8.15                      | 67.2    |            |
| Q2043-04 | 72-12000-E2     | 61     | 1.11           | 10.38        | 11.49                   | 6.56                      | 52.5    |            |
| Q2044-01 | 3858            | 62     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | oil sample |
| Q2046-01 | BC136902-1-1    | 63     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | oilc       |
| Q2046-02 | BC136902-1-2    | 64     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | oilc       |
| Q2047-01 | SU-04-051425    | 65     | 1.18           | 10.07        | 11.25                   | 10.72                     | 94.7    |            |
| Q2047-02 | SU-04-051425-E2 | 66     | 1.18           | 10.37        | 11.55                   | 10.9                      | 93.7    |            |
| Q2048-01 | L2-WC-1         | 67     | 1.19           | 10.47        | 11.66                   | 10.29                     | 86.9    |            |
| Q2048-02 | L2-WC-1-EPH     | 68     | 1.19           | 10.30        | 11.49                   | 9.87                      | 84.3    |            |
| Q2048-03 | L2-WC-1-VOC     | 69     | 1.18           | 10.31        | 11.49                   | 10.17                     | 87.2    |            |
| Q2048-05 | L2-WC-2         | 70     | 1.16           | 10.26        | 11.42                   | 9.82                      | 84.4    |            |
| Q2048-06 | L2-WC-2-EPH     | 71     | 1.17           | 10.13        | 11.3                    | 9.06                      | 77.9    |            |
| Q2048-07 | L2-WC-2-VOC     | 72     | 1.18           | 10.42        | 11.6                    | 9.88                      | 83.5    |            |
| Q2048-09 | L2-WC-3         | 73     | 1.17           | 10.15        | 11.32                   | 9.02                      | 77.3    |            |
| Q2048-10 | L2-WC-3-EPH     | 74     | 1.18           | 10.07        | 11.25                   | 9.17                      | 79.3    |            |
| Q2048-11 | L2-WC-3-VOC     | 75     | 1.17           | 10.49        | 11.66                   | 9.94                      | 83.6    |            |
| Q2048-13 | L2-WC-4         | 76     | 1.11           | 10.64        | 11.75                   | 10.24                     | 85.8    |            |
| Q2048-14 | L2-WC-4-EPH     | 77     | 1.19           | 10.13        | 11.32                   | 10.04                     | 87.4    |            |
| Q2048-15 | L2-WC-4-VOC     | 78     | 1.13           | 10.07        | 11.2                    | 9.81                      | 86.2    |            |

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$

# WORKLIST(Hardcopy Internal Chain)

VB 135767

WorkList Name : %1-051425

WorkList ID : 189504

Department : Wet-Chemistry

Date : 05-14-2025 09:06:51

| Sample   | Customer Sample | Matrix | Test           | Preservative | Customer | Raw Sample Storage Location | Collect Date | Method       |
|----------|-----------------|--------|----------------|--------------|----------|-----------------------------|--------------|--------------|
| Q2021-01 | WASTE           | Solid  | Percent Solids | Cool 4 deg C | SCIA01   | L41                         | 05/12/2025   | Chemtech -SO |
| Q2021-02 | VOC             | Solid  | Percent Solids | Cool 4 deg C | SCIA01   | L41                         | 05/12/2025   | Chemtech -SO |
| Q2021-03 | 1               | Solid  | Percent Solids | Cool 4 deg C | SCIA01   | L41                         | 05/12/2025   | Chemtech -SO |
| Q2021-04 | 2               | Solid  | Percent Solids | Cool 4 deg C | SCIA01   | L41                         | 05/12/2025   | Chemtech -SO |
| Q2021-05 | 3               | Solid  | Percent Solids | Cool 4 deg C | SCIA01   | L41                         | 05/12/2025   | Chemtech -SO |
| Q2021-06 | 4               | Solid  | Percent Solids | Cool 4 deg C | SCIA01   | L41                         | 05/12/2025   | Chemtech -SO |
| Q2021-07 | 5               | Solid  | Percent Solids | Cool 4 deg C | SCIA01   | L41                         | 05/12/2025   | Chemtech -SO |
| Q2021-08 | 6               | Solid  | Percent Solids | Cool 4 deg C | SCIA01   | L41                         | 05/12/2025   | Chemtech -SO |
| Q2032-01 | TP-11           | Solid  | Percent Solids | Cool 4 deg C | CAMP02   | L41                         | 05/13/2025   | Chemtech -SO |
| Q2032-02 | TP-29           | Solid  | Percent Solids | Cool 4 deg C | CAMP02   | L41                         | 05/13/2025   | Chemtech -SO |
| Q2032-03 | TP-29-99        | Solid  | Percent Solids | Cool 4 deg C | CAMP02   | L41                         | 05/13/2025   | Chemtech -SO |
| Q2032-04 | TP-24           | Solid  | Percent Solids | Cool 4 deg C | CAMP02   | L41                         | 05/13/2025   | Chemtech -SO |
| Q2032-05 | Q2032-04MS      | Solid  | Percent Solids | Cool 4 deg C | CAMP02   | L41                         | 05/13/2025   | Chemtech -SO |
| Q2032-06 | Q2032-04MSD     | Solid  | Percent Solids | Cool 4 deg C | CAMP02   | L41                         | 05/13/2025   | Chemtech -SO |
| Q2032-07 | TP-37           | Solid  | Percent Solids | Cool 4 deg C | CAMP02   | L41                         | 05/13/2025   | Chemtech -SO |
| Q2032-08 | TP-32           | Solid  | Percent Solids | Cool 4 deg C | CAMP02   | L41                         | 05/13/2025   | Chemtech -SO |
| Q2034-01 | L3-WC-1         | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L41                         | 05/13/2025   | Chemtech -SO |
| Q2034-02 | L3-WC-1-EPH     | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L41                         | 05/13/2025   | Chemtech -SO |
| Q2034-03 | L3-WC-1-VOC     | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L41                         | 05/13/2025   | Chemtech -SO |
| Q2034-04 | L3-WC-1         | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L41                         | 05/13/2025   | Chemtech -SO |
| Q2034-05 | L3-WC-2         | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L41                         | 05/13/2025   | Chemtech -SO |

Date/Time 05-14-25 15:10

Raw Sample Received by: JB WOC

Raw Sample Relinquished by: [Signature]

Date/Time 05-14-25

Raw Sample Received by: CP SM

Raw Sample Relinquished by: [Signature]

# WORKLIST(Hardcopy Internal Chain)

B 135767

WorkList Name : %1-051425      WorkList ID : 189504      Department : Wet-Chemistry      Date : 05-14-2025 09:06:51

| Sample   | Customer Sample   | Matrix | Test           | Preservative | Customer | Raw Sample Storage Location | Collect Date | Method       |
|----------|-------------------|--------|----------------|--------------|----------|-----------------------------|--------------|--------------|
| Q2034-06 | L3-WC-2-EPH       | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L41                         | 05/13/2025   | Chemtech -SO |
| Q2034-07 | L3-WC-2-VOC       | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L41                         | 05/13/2025   | Chemtech -SO |
| Q2034-09 | L3-WC-3           | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L41                         | 05/13/2025   | Chemtech -SO |
| Q2034-10 | L3-WC-3-EPH       | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L41                         | 05/13/2025   | Chemtech -SO |
| Q2034-11 | L3-WC-3-VOC       | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L41                         | 05/13/2025   | Chemtech -SO |
| Q2034-13 | L3-WC-4           | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L41                         | 05/13/2025   | Chemtech -SO |
| Q2034-14 | L3-WC-4-EPH       | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L41                         | 05/13/2025   | Chemtech -SO |
| Q2034-15 | L3-WC-4-VOC       | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L41                         | 05/13/2025   | Chemtech -SO |
| Q2034-17 | L3-WC-5           | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L41                         | 05/13/2025   | Chemtech -SO |
| Q2034-18 | L3-WC-5-EPH       | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L41                         | 05/13/2025   | Chemtech -SO |
| Q2034-19 | L3-WC-5-VOC       | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L41                         | 05/13/2025   | Chemtech -SO |
| Q2034-21 | L3-WC-6           | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L41                         | 05/13/2025   | Chemtech -SO |
| Q2034-22 | L3-WC-6-EPH       | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L41                         | 05/13/2025   | Chemtech -SO |
| Q2034-23 | L3-WC-6-VOC       | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L41                         | 05/13/2025   | Chemtech -SO |
| Q2038-01 | 72-11991          | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L31                         | 05/14/2025   | Chemtech -SO |
| Q2039-01 | TR-05-05142025    | Solid  | Percent Solids | Cool 4 deg C | PSEG05   | L21                         | 05/14/2025   | Chemtech -SO |
| Q2039-02 | TR-05-05142025-E2 | Solid  | Percent Solids | Cool 4 deg C | PSEG05   | L21                         | 05/14/2025   | Chemtech -SO |
| Q2040-01 | 1                 | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L41                         | 05/14/2025   | Chemtech -SO |
| Q2040-02 | 2                 | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L41                         | 05/14/2025   | Chemtech -SO |
| Q2040-03 | 3                 | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L41                         | 05/14/2025   | Chemtech -SO |
| Q2040-04 | 4                 | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L41                         | 05/14/2025   | Chemtech -SO |

Date/Time 05-14-25 15:10      Date/Time 05-14-25      Date/Time 17:30  
 Raw Sample Received by: SP WOC      Raw Sample Received by: CP SR      Raw Sample Received by: CP SR  
 Raw Sample Relinquished by: CP SR      Raw Sample Relinquished by: SP WOC

# WORKLIST(Hardcopy Internal Chain)

23567

WorkList Name : %1-051425      WorkList ID : 189504      Department : Wet-Chemistry      Date : 05-14-2025 09:06:51

| Sample   | Customer Sample | Matrix | Test           | Preservative | Customer | Raw Sample Storage Location | Collect Date | Method       |
|----------|-----------------|--------|----------------|--------------|----------|-----------------------------|--------------|--------------|
| Q2040-05 | 5               | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L41                         | 05/14/2025   | Chemtech -SO |
| Q2040-06 | 6               | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L41                         | 05/14/2025   | Chemtech -SO |
| Q2040-07 | 7               | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L41                         | 05/14/2025   | Chemtech -SO |
| Q2041-01 | HIH359A-1-1     | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L21                         | 05/14/2025   | Chemtech -SO |
| Q2041-02 | HIH359A-1-2     | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L21                         | 05/14/2025   | Chemtech -SO |
| Q2041-03 | HIA9895-1-1     | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L21                         | 05/14/2025   | Chemtech -SO |
| Q2041-04 | HIA9895-1-2     | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L21                         | 05/14/2025   | Chemtech -SO |
| Q2041-05 | 250-1-1         | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L21                         | 05/14/2025   | Chemtech -SO |
| Q2041-06 | 250-1-2         | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L21                         | 05/14/2025   | Chemtech -SO |
| Q2041-07 | 250-2-1         | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L21                         | 05/14/2025   | Chemtech -SO |
| Q2041-08 | 250-2-2         | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L21                         | 05/14/2025   | Chemtech -SO |
| Q2042-01 | HEI570L-1-1     | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L41                         | 05/14/2025   | Chemtech -SO |
| Q2042-02 | HEI570L-1-2     | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L41                         | 05/14/2025   | Chemtech -SO |
| Q2042-04 | HEI570L-2-1     | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L41                         | 05/14/2025   | Chemtech -SO |
| Q2042-05 | HEI570L-2-2     | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L41                         | 05/14/2025   | Chemtech -SO |
| Q2043-01 | 281             | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L21                         | 05/14/2025   | Chemtech -SO |
| Q2043-02 | 281-E2          | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L21                         | 05/14/2025   | Chemtech -SO |
| Q2043-03 | 72-12000        | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L21                         | 05/14/2025   | Chemtech -SO |
| Q2043-04 | 72-12000-E2     | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L21                         | 05/14/2025   | Chemtech -SO |
| Q2044-01 | 3858            | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L31                         | 05/14/2025   | Chemtech -SO |
| Q2046-01 | BC136902-1-1    | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L31                         | 05/14/2025   | Chemtech -SO |

Date/Time 05-14-25 13:10  
 Raw Sample Received by: cl sm  
 Raw Sample Relinquished by: cl sm

# WORKLIST(Hardcopy Internal Chain)

87135767

WorkList Name : %1-051425      WorkList ID : 189504      Department : Wet-Chemistry      Date : 05-14-2025 09:06:51

| Sample   | Customer Sample | Matrix | Test           | Preservative | Customer | Raw Sample Storage Location | Collect Date | Method       |
|----------|-----------------|--------|----------------|--------------|----------|-----------------------------|--------------|--------------|
| Q2046-02 | BC136902-1-2    | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L31                         | 05/14/2025   | Chemtech -SO |
| Q2047-01 | SU-04-051425    | Solid  | Percent Solids | Cool 4 deg C | PSEG05   | L31                         | 05/14/2025   | Chemtech -SO |
| Q2047-02 | SU-04-051425-E2 | Solid  | Percent Solids | Cool 4 deg C | PSEG05   | L31                         | 05/14/2025   | Chemtech -SO |
| Q2048-01 | L2-WC-1         | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L41                         | 05/14/2025   | Chemtech -SO |
| Q2048-02 | L2-WC-1-EPH     | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L41                         | 05/14/2025   | Chemtech -SO |
| Q2048-03 | L2-WC-1-VOC     | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L41                         | 05/14/2025   | Chemtech -SO |
| Q2048-05 | L2-WC-2         | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L41                         | 05/14/2025   | Chemtech -SO |
| Q2048-06 | L2-WC-2-EPH     | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L41                         | 05/14/2025   | Chemtech -SO |
| Q2048-07 | L2-WC-2-VOC     | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L41                         | 05/14/2025   | Chemtech -SO |
| Q2048-09 | L2-WC-3         | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L41                         | 05/14/2025   | Chemtech -SO |
| Q2048-10 | L2-WC-3-EPH     | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L41                         | 05/14/2025   | Chemtech -SO |
| Q2048-11 | L2-WC-3-VOC     | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L41                         | 05/14/2025   | Chemtech -SO |
| Q2048-13 | L2-WC-4         | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L41                         | 05/14/2025   | Chemtech -SO |
| Q2048-14 | L2-WC-4-EPH     | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L41                         | 05/14/2025   | Chemtech -SO |
| Q2048-15 | L2-WC-4-VOC     | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L41                         | 05/14/2025   | Chemtech -SO |

Date/Time 05-14-25 15:10      Date/Time 05-14-25 17:30  
 Raw Sample Received by: SP WOC      Raw Sample Received by: SP WOC  
 Raw Sample Relinquished by: CP 5m      Raw Sample Relinquished by: SP WOC