

Analytical Sequence

Client: Scalamandre – Tully JV	SDG No.: Q2027
Project: NYC DOT Harper Street Yard North	Instrument ID: ECD_P
GC Column: ZB-MR1	ID: 0.32 (mm) Inst. Calib. Date(s): 04/22/2025 04/22/2025

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

EPA SAMPLE NO.	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCB RT #	TCX RT #
IBLK	IBLK	04/22/2025	10:13	PP071388.D	10.23	4.51
AR1660ICC1000	AR1660ICC1000	04/22/2025	10:29	PP071389.D	10.23	4.51
AR1660ICC750	AR1660ICC750	04/22/2025	10:45	PP071390.D	10.23	4.51
AR1660ICC500	AR1660ICC500	04/22/2025	11:02	PP071391.D	10.24	4.52
AR1660ICC250	AR1660ICC250	04/22/2025	11:18	PP071392.D	10.23	4.51
AR1660ICC050	AR1660ICC050	04/22/2025	11:34	PP071393.D	10.24	4.52
AR1221ICC500	AR1221ICC500	04/22/2025	11:51	PP071394.D	10.23	4.51
AR1232ICC500	AR1232ICC500	04/22/2025	12:07	PP071395.D	10.23	4.52
AR1242ICC1000	AR1242ICC1000	04/22/2025	12:23	PP071396.D	10.23	4.51
AR1242ICC750	AR1242ICC750	04/22/2025	12:39	PP071397.D	10.24	4.52
AR1242ICC500	AR1242ICC500	04/22/2025	12:56	PP071398.D	10.24	4.51
AR1242ICC250	AR1242ICC250	04/22/2025	13:12	PP071399.D	10.23	4.51
AR1242ICC050	AR1242ICC050	04/22/2025	13:28	PP071400.D	10.24	4.52
AR1248ICC1000	AR1248ICC1000	04/22/2025	13:45	PP071401.D	10.24	4.52
AR1248ICC750	AR1248ICC750	04/22/2025	14:01	PP071402.D	10.24	4.52
AR1248ICC500	AR1248ICC500	04/22/2025	14:17	PP071403.D	10.24	4.51
AR1248ICC250	AR1248ICC250	04/22/2025	14:33	PP071404.D	10.24	4.51
AR1248ICC050	AR1248ICC050	04/22/2025	14:50	PP071405.D	10.24	4.51
AR1254ICC1000	AR1254ICC1000	04/22/2025	15:06	PP071406.D	10.24	4.52
AR1254ICC750	AR1254ICC750	04/22/2025	15:22	PP071407.D	10.24	4.52
AR1254ICC500	AR1254ICC500	04/22/2025	15:38	PP071408.D	10.24	4.52
AR1254ICC250	AR1254ICC250	04/22/2025	15:55	PP071409.D	10.23	4.51
AR1254ICC050	AR1254ICC050	04/22/2025	16:11	PP071410.D	10.24	4.51
AR1262ICC500	AR1262ICC500	04/22/2025	16:27	PP071411.D	10.24	4.52
AR1268ICC1000	AR1268ICC1000	04/22/2025	16:44	PP071412.D	10.24	4.51
AR1268ICC750	AR1268ICC750	04/22/2025	17:00	PP071413.D	10.23	4.52
AR1268ICC500	AR1268ICC500	04/22/2025	17:16	PP071414.D	10.24	4.52
AR1268ICC250	AR1268ICC250	04/22/2025	17:33	PP071415.D	10.24	4.52
AR1268ICC050	AR1268ICC050	04/22/2025	17:49	PP071416.D	10.24	4.51
AR1660CCC500	AR1660CCC500	05/14/2025	09:07	PP072033.D	10.22	4.51
IBLK	IBLK	05/14/2025	10:14	PP072037.D	10.21	4.51
PB167997BL	PB167997BL	05/14/2025	13:39	PP072038.D	10.22	4.51
PB167997BS	PB167997BS	05/14/2025	13:55	PP072039.D	10.22	4.51
MH-KMS	Q2019-01MS	05/14/2025	15:34	PP072045.D	10.21	4.51
MH-KMSD	Q2019-01MSD	05/14/2025	15:50	PP072046.D	10.21	4.50
AR1660CCC500	AR1660CCC500	05/14/2025	17:12	PP072048.D	10.21	4.51
IBLK	IBLK	05/14/2025	18:33	PP072052.D	10.22	4.51
AR1660CCC500	AR1660CCC500	05/15/2025	04:05	PP072076.D	10.21	4.50
IBLK	IBLK	05/15/2025	05:27	PP072080.D	10.21	4.50
B27-SOIL-SAMPLE	Q2027-03	05/15/2025	07:37	PP072088.D	10.22	4.50
B28-SOIL-SAMPLE	Q2027-04	05/15/2025	07:54	PP072089.D	10.22	4.51
AR1660CCC500	AR1660CCC500	05/15/2025	09:15	PP072091.D	10.21	4.50

Analytical Sequence

1.BLK	1.BLK	05/15/2025	10:22	PP072095.D	10.22	4.51
-------	-------	------------	-------	------------	-------	------

Analytical Sequence

Client: Scalamandre – Tully JV	SDG No.: Q2027
Project: NYC DOT Harper Street Yard North	Instrument ID: ECD_P
GC Column: ZB-MR2	ID: 0.32 (mm) Inst. Calib. Date(s): 04/22/2025 04/22/2025

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

EPA SAMPLE NO.	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCB RT #	TCX RT #
IBLK	IBLK	04/22/2025	10:13	PP071388.D	8.85	3.81
AR1660ICC1000	AR1660ICC1000	04/22/2025	10:29	PP071389.D	8.85	3.81
AR1660ICC750	AR1660ICC750	04/22/2025	10:45	PP071390.D	8.85	3.81
AR1660ICC500	AR1660ICC500	04/22/2025	11:02	PP071391.D	8.85	3.81
AR1660ICC250	AR1660ICC250	04/22/2025	11:18	PP071392.D	8.85	3.81
AR1660ICC050	AR1660ICC050	04/22/2025	11:34	PP071393.D	8.85	3.81
AR1221ICC500	AR1221ICC500	04/22/2025	11:51	PP071394.D	8.85	3.81
AR1232ICC500	AR1232ICC500	04/22/2025	12:07	PP071395.D	8.85	3.81
AR1242ICC1000	AR1242ICC1000	04/22/2025	12:23	PP071396.D	8.85	3.81
AR1242ICC750	AR1242ICC750	04/22/2025	12:39	PP071397.D	8.85	3.81
AR1242ICC500	AR1242ICC500	04/22/2025	12:56	PP071398.D	8.85	3.81
AR1242ICC250	AR1242ICC250	04/22/2025	13:12	PP071399.D	8.85	3.81
AR1242ICC050	AR1242ICC050	04/22/2025	13:28	PP071400.D	8.85	3.81
AR1248ICC1000	AR1248ICC1000	04/22/2025	13:45	PP071401.D	8.85	3.81
AR1248ICC750	AR1248ICC750	04/22/2025	14:01	PP071402.D	8.85	3.81
AR1248ICC500	AR1248ICC500	04/22/2025	14:17	PP071403.D	8.85	3.81
AR1248ICC250	AR1248ICC250	04/22/2025	14:33	PP071404.D	8.85	3.81
AR1248ICC050	AR1248ICC050	04/22/2025	14:50	PP071405.D	8.85	3.81
AR1254ICC1000	AR1254ICC1000	04/22/2025	15:06	PP071406.D	8.85	3.81
AR1254ICC750	AR1254ICC750	04/22/2025	15:22	PP071407.D	8.85	3.81
AR1254ICC500	AR1254ICC500	04/22/2025	15:38	PP071408.D	8.85	3.81
AR1254ICC250	AR1254ICC250	04/22/2025	15:55	PP071409.D	8.85	3.81
AR1254ICC050	AR1254ICC050	04/22/2025	16:11	PP071410.D	8.85	3.81
AR1262ICC500	AR1262ICC500	04/22/2025	16:27	PP071411.D	8.85	3.81
AR1268ICC1000	AR1268ICC1000	04/22/2025	16:44	PP071412.D	8.85	3.81
AR1268ICC750	AR1268ICC750	04/22/2025	17:00	PP071413.D	8.85	3.81
AR1268ICC500	AR1268ICC500	04/22/2025	17:16	PP071414.D	8.85	3.81
AR1268ICC250	AR1268ICC250	04/22/2025	17:33	PP071415.D	8.85	3.81
AR1268ICC050	AR1268ICC050	04/22/2025	17:49	PP071416.D	8.85	3.81
AR1660CCC500	AR1660CCC500	05/14/2025	09:07	PP072033.D	8.82	3.80
IBLK	IBLK	05/14/2025	10:14	PP072037.D	8.83	3.80
PB167997BL	PB167997BL	05/14/2025	13:39	PP072038.D	8.83	3.80
PB167997BS	PB167997BS	05/14/2025	13:55	PP072039.D	8.83	3.80
MH-KMS	Q2019-01MS	05/14/2025	15:34	PP072045.D	8.82	3.80
MH-KMSD	Q2019-01MSD	05/14/2025	15:50	PP072046.D	8.83	3.80
AR1660CCC500	AR1660CCC500	05/14/2025	17:12	PP072048.D	8.82	3.80
IBLK	IBLK	05/14/2025	18:33	PP072052.D	8.83	3.80
AR1660CCC500	AR1660CCC500	05/15/2025	04:05	PP072076.D	8.83	3.80
IBLK	IBLK	05/15/2025	05:27	PP072080.D	8.83	3.80
B27-SOIL-SAMPLE	Q2027-03	05/15/2025	07:37	PP072088.D	8.83	3.80
B28-SOIL-SAMPLE	Q2027-04	05/15/2025	07:54	PP072089.D	8.83	3.80
AR1660CCC500	AR1660CCC500	05/15/2025	09:15	PP072091.D	8.82	3.80

Analytical Sequence

1.BLK	1.BLK	05/15/2025	10:22	PP072095.D	8.83	3.80
-------	-------	------------	-------	------------	------	------