

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP051425\
 Data File : PP072088.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 15 May 2025 07:37
 Operator : YP\AJ
 Sample : Q2027-03
 Misc :
 ALS Vial : 44 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :
 B27-SOIL-SAMPLE

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: May 15 08:23:49 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP042225.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Apr 23 05:02:06 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	4.499	3.802	45698293	24412030	23.049m	17.330m
2) SA Decachlor...	10.215	8.826	24794100	18788314	17.123	21.422m#

Target Compounds



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP051425\
Data File : PP072088.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 15 May 2025 07:37
Operator : YP\AJ
Sample : Q2027-03
Misc :
ALS Vial : 44 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :
B27-SOIL-SAMPLE

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 15 08:23:49 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP042225.M
Quant Title : GC EXTRACTABLES
QLast Update : Wed Apr 23 05:02:06 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.499 min
Delta R.T.: -0.018 min
Response: 45698293
Conc: 23.05 ng/ml

Instrument :
ECD_P
ClientSampleId :
B27-SOIL-SAMPLE




#1 Tetrachloro-m-xylene

R.T.: 3.802 min
Delta R.T.: -0.010 min
Response: 24412030
Conc: 17.33 ng/ml m



#2 Decachlorobiphenyl

R.T.: 10.215 min
Delta R.T.: -0.022 min
Response: 24794100
Conc: 17.12 ng/ml



#2 Decachlorobiphenyl

R.T.: 8.826 min
Delta R.T.: -0.023 min
Response: 18788314
Conc: 21.42 ng/ml m