

8C

SEMIVOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: CHEMTECH

Lab Code: CHEM Case No.: Q2027 SAS No.: Q2027 SDG NO.: Q2027

EPA Sample No.: SSTDCCC040 Date Analyzed: 05/16/2025

Lab File ID: BP024651.D Time Analyzed: 10:49

Instrument ID: BNA_P GC Column: ZB-GR ID: 0.25 (mm)

	IS4 (PHN) AREA #	RT #	IS5 (CRY) AREA #	RT #	IS6 (PRY) AREA #	RT #
12 HOUR STD	598372	17.092	737536	21.521	900629	24.809
UPPER LIMIT	1196740	17.592	1475070	22.021	1801260	25.309
LOWER LIMIT	299186	16.592	368768	21.021	450315	24.309
EPA SAMPLE NO.						
01 PB168026BL	613837	17.09	714296	21.52	864537	24.81
02 MH-KMS	717901	17.09	829483	21.53	1012510	24.80
03 MH-KMSD	774001	17.09	841480	21.52	998856	24.81

IS4 (PHN) = Phenanthrene-d10

IS5 (CRY) = Chrysene-d12

IS6 (PRY) = Perylene-d12

AREA UPPER LIMIT = +100% of internal standard area

AREA LOWER LIMIT = -50% of internal standard area

RT UPPER LIMIT = +0.50 minutes of internal standard RT

RT UPPER LIMIT = -0.50 minutes of internal standard RT

Column used to flag values outside QC limits with an asterisk.

* Values outside of QC limits.