

SOP ID : M1311-TCLP-15
SDG No : N/A
Weigh By : JP
Balance ID : WC SC-7
pH Meter ID : WC PH METER-1
Extraction By : JP
Filter By : JP
Pipette ID : WC
Tumbler ID : ZHE-1 / ZHE-2
TCLP Filter ID : 50223706

Start Prep Date : 05/14/2025 **Time :** 16:10
End Prep Date : 05/15/2025 **Time :** 09:15
Combination Ratio : 20
ZHE Cleaning Batch : N/A JP N051525
Initial Room Temperature: 23 °C
Final Room Temperature: 21 °C
TCLP Technician Signature : JP
Supervisor By : 12

Standard Name	MLS USED	STD REF. # FROM LOG
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE U	Lot Number
TCLP-FLUID-1	N/A	WP112795
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
40ml VOA Vials	430992	N/A

Extraction Conformance/Non-Conformance Comments:

ALL zhe samples are extracted and given as vial A & B. Leak checked after 10 minutes of tumbling. TUMBLER ZHE-1 /ZHE-2 checked,30 rpm.

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
05/15/25 11:30	JP 1000 Adams	JK 1000 Lab
	Preparation Group	Analysis Group

Sample ID	ClientID	ZHE Vessel ID	Sample Wt (g)	Volume Extraction Fluid #1 (mL)	Multi phasic	Phase Miscible	Phases Combined	Final Leachate PH	Metals Leachate Adj. PH	Prep Pos
PB167995TB	LEB995	18	N/A	500	N/A	N/A	N/A	4.94	N/A	ZHE-2
Q1966-05	SILICA-GEL	01	25.02	500	N/A	N/A	N/A	N/A	N/A	ZHE-1
Q2019-04	MH-K	02	25.03	500	N/A	N/A	N/A	N/A	N/A	ZHE-1
Q2020-04	TP-A	03	25.02	500	N/A	N/A	N/A	N/A	N/A	ZHE-1
Q2027-03	B27-SOIL-SAMPLE	04	25.03	500	N/A	N/A	N/A	N/A	N/A	ZHE-1
Q2027-04	B28-SOIL-SAMPLE	05	25.04	500	N/A	N/A	N/A	N/A	N/A	ZHE-1
Q2032-09	COMP-1	06	25.03	500	N/A	N/A	N/A	N/A	N/A	ZHE-1
Q2034-04	L3-WC-1	07	25.04	500	N/A	N/A	N/A	N/A	N/A	ZHE-1
Q2034-08	L3-WC-2	08	25.02	500	N/A	N/A	N/A	N/A	N/A	ZHE-1
Q2034-12	L3-WC-3	09	25.02	500	N/A	N/A	N/A	N/A	N/A	ZHE-1
Q2034-16	L3-WC-4	10	25.03	500	N/A	N/A	N/A	N/A	N/A	ZHE-1
Q2034-20	L3-WC-5	11	25.04	500	N/A	N/A	N/A	N/A	N/A	ZHE-2
Q2034-24	L3-WC-6	12	25.02	500	N/A	N/A	N/A	N/A	N/A	ZHE-2
Q2038-02	72-11991	13	25.01	500	N/A	N/A	N/A	N/A	N/A	ZHE-2
Q2048-04	L2-WC-1	14	25.02	500	N/A	N/A	N/A	N/A	N/A	ZHE-2
Q2048-08	L2-WC-2	15	25.03	500	N/A	N/A	N/A	N/A	N/A	ZHE-2
Q2048-12	L2-WC-3	16	25.04	500	N/A	N/A	N/A	N/A	N/A	ZHE-2
Q2048-16	L2-WC-4	17	25.03	500	N/A	N/A	N/A	N/A	N/A	ZHE-2

SampleID	ClientID	Sample Weight (g)	Filter Weight (g)	Filtrate (mL)	Filter + Solid (After 100°C)	% solids	% Dry Solids
PB167995TB	LEB995	N/A	N/A	N/A	N/A	N/A	N/A
Q1966-05	SILICA-GEL	N/A	N/A	N/A	N/A	100	N/A
Q2019-04	MH-K	N/A	N/A	N/A	N/A	100	N/A
Q2020-04	TP-A	N/A	N/A	N/A	N/A	100	N/A
Q2027-03	B27-SOIL-SAMPLE	N/A	N/A	N/A	N/A	100	N/A
Q2027-04	B28-SOIL-SAMPLE	N/A	N/A	N/A	N/A	100	N/A
Q2032-09	COMP-1	N/A	N/A	N/A	N/A	100	N/A
Q2034-04	L3-WC-1	N/A	N/A	N/A	N/A	100	N/A
Q2034-08	L3-WC-2	N/A	N/A	N/A	N/A	100	N/A
Q2034-12	L3-WC-3	N/A	N/A	N/A	N/A	100	N/A
Q2034-16	L3-WC-4	N/A	N/A	N/A	N/A	100	N/A
Q2034-20	L3-WC-5	N/A	N/A	N/A	N/A	100	N/A
Q2034-24	L3-WC-6	N/A	N/A	N/A	N/A	100	N/A
Q2038-02	72-11991	N/A	N/A	N/A	N/A	100	N/A
Q2048-04	L2-WC-1	N/A	N/A	N/A	N/A	100	N/A
Q2048-08	L2-WC-2	N/A	N/A	N/A	N/A	100	N/A
Q2048-12	L2-WC-3	N/A	N/A	N/A	N/A	100	N/A
Q2048-16	L2-WC-4	N/A	N/A	N/A	N/A	100	N/A