

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID\_B\Data\FB051625\  
Data File : FB031771.D  
Signal(s) : FID2B.CH  
Acq On : 16 May 2025 14:52  
Sample : 20 PPB GRO STD  
Misc :  
ALS Vial : 14 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID\_B\Method\FB042325.M  
Title :

Signal : FID2B.CH

| peak<br># | R.T.<br>min | Start<br>min | End<br>min | PK<br>TY | peak<br>height | peak<br>area | peak<br>% max. | % of<br>total |
|-----------|-------------|--------------|------------|----------|----------------|--------------|----------------|---------------|
| 1         | 4.731       | 4.582        | 5.144      | BV       | 12305          | 967713       | 82.15%         | 14.477%       |
| 2         | 7.434       | 7.201        | 7.652      | BV       | 11894          | 1108077      | 94.07%         | 16.577%       |
| 3         | 7.761       | 7.652        | 7.830      | VV       | 6226           | 356859       | 30.29%         | 5.339%        |
| 4         | 7.901       | 7.830        | 8.141      | VV       | 7224           | 418069       | 35.49%         | 6.254%        |
| 5         | 8.799       | 8.604        | 9.029      | BV       | 7094           | 415683       | 35.29%         | 6.219%        |
| 6         | 10.629      | 10.485       | 10.948     | BV       | 21320          | 1177955      | 100.00%        | 17.622%       |
| 7         | 13.065      | 12.956       | 13.125     | VV       | 6947           | 336784       | 28.59%         | 5.038%        |
| 8         | 13.199      | 13.125       | 13.461     | VB       | 13674          | 744385       | 63.19%         | 11.136%       |
| 9         | 13.927      | 13.705       | 14.065     | BV       | 13282          | 696821       | 59.16%         | 10.425%       |
| 10        | 16.201      | 16.077       | 16.401     | BBA      | 10387          | 462100       | 39.23%         | 6.913%        |

Sum of corrected areas: 6684444

FB042325.M Sat May 17 00:18:17 2025