

Report of Analysis

Client:	CDM Smith	Date Collected:	05/13/25
Project:	South River WM Replacement	Date Received:	05/13/25
Client Sample ID:	TP-37	SDG No.:	Q2032
Lab Sample ID:	Q2032-07	Matrix:	SOIL
Analytical Method:	8082A	% Solid:	82.5
Sample Wt/Vol:	30.03	Units:	g
Soil Aliquot Vol:			uL
Extraction Type:		Test:	PCB
GPC Factor :	1.0	Injection Volume :	
Prep Method :	SW3541B		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PO111141.D	1	05/16/25 09:24	05/16/25 15:08	PB168039

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	4.80	U	4.80	20.6	ug/kg
11104-28-2	Aroclor-1221	4.90	U	4.90	20.6	ug/kg
11141-16-5	Aroclor-1232	4.50	U	4.50	20.6	ug/kg
53469-21-9	Aroclor-1242	4.90	U	4.90	20.6	ug/kg
12672-29-6	Aroclor-1248	7.20	U	7.20	20.6	ug/kg
11097-69-1	Aroclor-1254	3.90	U	3.90	20.6	ug/kg
37324-23-5	Aroclor-1262	6.10	U	6.10	20.6	ug/kg
11100-14-4	Aroclor-1268	4.40	U	4.40	20.6	ug/kg
11096-82-5	Aroclor-1260	3.90	U	3.90	20.6	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	18.8		32 - 144	94%	SPK: 20
2051-24-3	Decachlorobiphenyl	13.0		32 - 175	65%	SPK: 20

Comments:

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 P = Indicates >25% difference for detected concentrations between the two GC columns
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.
 () = Laboratory InHouse Limit