

Report of Analysis

Client:	CDM Smith	Date Collected:	
Project:	South River WM Replacement	Date Received:	
Client Sample ID:	VX0515WBSD01	SDG No.:	Q2032
Lab Sample ID:	VX0515WBSD01	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX046207.D	1		05/15/25 12:38	VX051525

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	19.3		0.22	1.00	ug/L
74-87-3	Chloromethane	19.3		0.32	1.00	ug/L
75-01-4	Vinyl Chloride	18.2		0.26	1.00	ug/L
74-83-9	Bromomethane	17.8		1.40	5.00	ug/L
75-00-3	Chloroethane	19.8		0.47	1.00	ug/L
75-69-4	Trichlorofluoromethane	19.8		0.33	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	19.3		0.25	1.00	ug/L
75-35-4	1,1-Dichloroethene	17.9		0.23	1.00	ug/L
67-64-1	Acetone	100		1.50	5.00	ug/L
75-15-0	Carbon Disulfide	16.1		0.21	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	20.1		0.16	1.00	ug/L
79-20-9	Methyl Acetate	23.9		0.27	1.00	ug/L
75-09-2	Methylene Chloride	18.7		0.28	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	19.0		0.23	1.00	ug/L
75-34-3	1,1-Dichloroethane	20.0		0.23	1.00	ug/L
110-82-7	Cyclohexane	18.7		1.50	5.00	ug/L
78-93-3	2-Butanone	110		0.98	5.00	ug/L
56-23-5	Carbon Tetrachloride	19.2		0.25	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	19.3		0.19	1.00	ug/L
74-97-5	Bromochloromethane	22.6		0.22	1.00	ug/L
67-66-3	Chloroform	20.6		0.25	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	19.8		0.20	1.00	ug/L
108-87-2	Methylcyclohexane	17.9		0.16	1.00	ug/L
71-43-2	Benzene	19.7		0.15	1.00	ug/L
107-06-2	1,2-Dichloroethane	20.7		0.22	1.00	ug/L
79-01-6	Trichloroethene	18.8		0.090	1.00	ug/L
78-87-5	1,2-Dichloropropane	21.3		0.20	1.00	ug/L
75-27-4	Bromodichloromethane	20.3		0.22	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	110		0.68	5.00	ug/L
108-88-3	Toluene	20.1		0.14	1.00	ug/L

Report of Analysis

Client:	CDM Smith		Date Collected:	
Project:	South River WM Replacement		Date Received:	
Client Sample ID:	VX0515WBSD01		SDG No.:	Q2032
Lab Sample ID:	VX0515WBSD01		Matrix:	Water
Analytical Method:	8260D		% Solid:	0
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10
GC Column:	DB-624UI	ID : 0.18	Level :	LOW
Prep Method :				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX046207.D	1		05/15/25 12:38	VX051525

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	18.8		0.17	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	19.6		0.16	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	21.5		0.21	1.00	ug/L
591-78-6	2-Hexanone	110		0.89	5.00	ug/L
124-48-1	Dibromochloromethane	20.7		0.18	1.00	ug/L
106-93-4	1,2-Dibromoethane	21.0		0.15	1.00	ug/L
127-18-4	Tetrachloroethene	19.3		0.23	1.00	ug/L
108-90-7	Chlorobenzene	19.5		0.12	1.00	ug/L
100-41-4	Ethyl Benzene	19.7		0.13	1.00	ug/L
179601-23-1	m/p-Xylenes	39.6		0.24	2.00	ug/L
95-47-6	o-Xylene	20.0		0.12	1.00	ug/L
100-42-5	Styrene	20.5		0.15	1.00	ug/L
75-25-2	Bromoform	19.9		0.19	1.00	ug/L
98-82-8	Isopropylbenzene	20.1		0.12	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	20.6		0.26	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	19.5		0.16	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	18.8		0.19	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	20.5		0.16	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	20.9		0.53	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	19.1		0.20	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	19.3		0.20	1.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	49.4		74 - 125	99%	SPK: 50
1868-53-7	Dibromofluoromethane	49.3		75 - 124	99%	SPK: 50
2037-26-5	Toluene-d8	48.5		86 - 113	97%	SPK: 50
460-00-4	4-Bromofluorobenzene	47.9		77 - 121	96%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	86400	5.544			
540-36-3	1,4-Difluorobenzene	152000	6.757			
3114-55-4	Chlorobenzene-d5	133000	10.049			
3855-82-1	1,4-Dichlorobenzene-d4	63400	12.018			

Report of Analysis

Client:	CDM Smith	Date Collected:	
Project:	South River WM Replacement	Date Received:	
Client Sample ID:	VX0515WBSD01	SDG No.:	Q2032
Lab Sample ID:	VX0515WBSD01	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5	Units:	mL
Soil Aliquot Vol:			uL
GC Column:	DB-624UI	ID :	0.18
Prep Method :		Level :	LOW
		Final Vol:	5000 uL
		Test:	VOC-TCLVOA-10

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX046207.D	1		05/15/25 12:38	VX051525

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products