

DATA PACKAGE

GENERAL CHEMISTRY
METALS
GC SEMI-VOLATILES
SEMI-VOLATILE ORGANICS
VOLATILE ORGANICS

PROJECT NAME : 540 DEGRAW ST, BROOKLYN, NY - E9309

ENTACT

606 E. Baltimore Pike

Floor 3

Media, PA - 19063

Phone No: 4844440702

ORDER ID : Q2033

ATTENTION : Jarod Stanfield



Laboratory Certification ID # 20012



1) Signature Page	3
2) Case Narrative	4
2.1) VOCMS Group4- Case Narrative	4
2.2) SVOCMS Group4- Case Narrative	6
2.3) PCB- Case Narrative	8
2.4) Metals-AES- Case Narrative	10
2.5) Genchem- Case Narrative	11
3) Qualifier Page	13
4) QA Checklist	15
5) VOCMS Group4 Data	16
6) SVOCMS Group4 Data	20
7) PCB Data	24
8) Metals-AES Data	28
9) Genchem Data	32
10) Shipping Document	36
10.1) CHAIN OF CUSTODY	37
10.2) Lab Certificate	38
10.3) Internal COC	39

1
2
3
4
5
6
7
8
9
10

Cover Page

Order ID : Q2033

Project ID : 540 Degraw St, Brooklyn, NY - E9309

Client : ENTACT

Lab Sample Number

Q2033-01

Client Sample Number

TW-WTS-08

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature : _____

Date: 5/22/2025

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012

CASE NARRATIVE

ENTACT

Project Name: 540 Degraw St, Brooklyn, NY - E9309

Project # N/A

Order ID # Q2033

Test Name: VOCMS Group4

A. Number of Samples and Date of Receipt:

1 Water sample was received on 05/13/2025.

B. Parameters

According to the Chain of Custody document, the following analyses were requested: Anions Group2, BOD5, Flash Point, Hexavalent Chromium, Mercury, Metals Group4, PCB, pH, SVOCMS Group4, TKN, Total Nitrogen, TS, TSS and VOCMS Group4. This data package contains results for VOCMS Group4.

C. Analytical Techniques:

The analysis performed on instrument MSVOA_X were done using GC column DB-624UI 20m 0.18mm 1.0 um. Cat#121-1324UI The analysis of VOCMS Group4 was based on method 8260D.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Surrogate recoveries met the acceptable criteria.

The Internal Standards Areas met the acceptable requirements.

The Retention Times were acceptable for all samples.

The RPD met criteria.

The Blank Spike met requirements for all samples.

The Blank Spike Duplicate met requirements for all samples.

The Blank analysis did not indicate the presence of lab contamination.

The Initial Calibration met the requirements.

The Continuous Calibration met the requirements.

The Tuning criteria met requirements.

E. Additional Comments:

Samples for MS/MSD for VOC analysis were not provided with this set of samples. The Blank Spike Duplicate is reported with the data.

Trip Blank was not provided with this set of samples.

Please use %D calculated based on Avg RF and CCRF for all compounds using Average Response Factor when the %RSD value for a compound is <20% for the Initial Calibration curve and use %D calculated based on Amount added and Calculated amount for all compounds using Linear Regression when the %RSD value for a compound is > 20% for the Initial Calibration curve for SW-846 analysis.



284 Sheffield Street, Mountainside, NJ 07092
Phone: 908 789 8900 Fax: 908 789 8922

F. Manual Integration Comments:

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature_____

CASE NARRATIVE

ENTACT

Project Name: 540 Degraw St, Brooklyn, NY - E9309

Project # N/A

Order ID # Q2033

Test Name: SVOCMS Group4

A. Number of Samples and Date of Receipt:

1 Water sample was received on 05/13/2025.

B. Parameters

According to the Chain of Custody document, the following analyses were requested: Anions Group2, BOD5, Flash Point, Hexavalent Chromium, Mercury, Metals Group4, PCB, pH, SVOCMS Group4, TKN, Total Nitrogen, TS, TSS and VOCMS Group4. This data package contains results for SVOCMS Group4.

C. Analytical Techniques:

The samples were analyzed on instrument BNA_P using GC Column ZB-SemiVolatiles Guardian which is 30 meters, 0.25 mm ID, 0.5 um df, Catalog # 7HG-G027-17-GGAThe analysis of SVOCMS Group4 was based on method 8270E and extraction was done based on method 3510.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Surrogate recoveries met the acceptable criteria.

The Internal Standards Areas met the acceptable requirements.

The Retention Times were acceptable for all samples.

The RPD met criteria.

The Blank Spike met requirements for all samples.

The Blank Spike Duplicate met requirements for all samples.

The Blank analysis did not indicate the presence of lab contamination.

The Initial Calibration met the requirements.

The Continuous Calibration met the requirements.

The Tuning criteria met requirements.

E. Additional Comments:

Please use %D calculated based on Avg RF and CCRF for all compounds using Average Response Factor when the %RSD value for a compound is <20% for the Initial Calibration curve and use %D calculated based on Amount added and Calculated amount for all compounds using Linear Regression when the %RSD value for a compound is > 20% for the Initial Calibration curve for SW-846 analysis.



284 Sheffield Street, Mountainside, NJ 07092
Phone: 908 789 8900 Fax: 908 789 8922

F. Manual Integration Comments:

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature_____

CASE NARRATIVE

ENTACT

Project Name: 540 Degraw St, Brooklyn, NY - E9309

Project # N/A

Order ID # Q2033

Test Name: PCB

A. Number of Samples and Date of Receipt:

1 Water sample was received on 05/13/2025.

B. Parameters

According to the Chain of Custody document, the following analyses were requested: Anions Group2, BOD5, Flash Point, Hexavalent Chromium, Mercury, Metals Group4, PCB, pH, SVOCMS Group4, TKN, Total Nitrogen, TS, TSS and VOCMS Group4. This data package contains results for PCB.

C. Analytical Techniques:

The analyses were performed on instrument GCECD_P. The front column is ZB-MR1 which is 30 meters, 0.32 mm ID, 0.5 um df, Catalogue # 7HM-G016-17. The rear column is ZB-MR2 which is 30 meters, 0.32 mm ID, 0.25 µm; Catalogue # 7HM-G017-11. The analysis of PCBs was based on method 8082A and extraction was done based on method 3510.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Surrogate recoveries met the acceptable criteria.

The Retention Times were acceptable for all samples.

The RPD met criteria.

The Blank Spike met requirements for all samples.

The Blank Spike Duplicate met requirements for all samples.

The Blank analysis did not indicate the presence of lab contamination.

The Initial Calibration met the requirements.

The Continuous Calibration met the requirements.

E. Additional Comments:

F. Manual Integration Comments:

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.



284 Sheffield Street, Mountainside, NJ 07092
Phone: 908 789 8900 Fax: 908 789 8922

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature_____



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

CASE NARRATIVE

ENTACT

Project Name: 540 Degraw St, Brooklyn, NY - E9309

Project # N/A

Order ID # Q2033

Test Name: Mercury, Metals Group4

A. Number of Samples and Date of Receipt:

1 Water sample was received on 05/13/2025.

B. Parameters:

According to the Chain of Custody document, the following analyses were requested: Anions Group2, BOD5, Flash Point, Hexavalent Chromium, Mercury, Metals Group4, PCB, pH, SVOCMS Group4, TKN, Total Nitrogen, TS, TSS and VOCMS Group4. This data package contains results for Mercury, Metals Group4.

C. Analytical Techniques:

The analysis of Metals Group4 was based on method 6010D, digestion based on method 3010 (waters). The analysis and digestion of Mercury was based on method 7470A.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Blank Spike met requirements for all samples.

The Duplicate analysis met criteria for all samples.

The Matrix Spike (RW8-SP100-70-20250514MS) analysis met criteria for all samples except for Mercury, due to sample matrix interference.

The Matrix Spike Duplicate analysis met criteria for all samples.

The Blank analysis did not indicate the presence of lab contamination.

The Calibration met the requirements.

The Serial Dilution met the acceptable requirements.

E. Additional Comments:

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature_____

CASE NARRATIVE

ENTACT

Project Name: 540 Degraw St, Brooklyn, NY - E9309

Project # N/A

Order ID # Q2033

Test Name: Anions Group2,BOD5,Flash Point,Hexavalent Chromium,pH,TKN,Total Nitrogen,TS,TSS

A. Number of Samples and Date of Receipt:

1 Water sample was received on 05/13/2025.

B. Parameters:

According to the Chain of Custody document, the following analyses were requested: Anions Group2, BOD5, Flash Point, Hexavalent Chromium, Mercury, Metals Group4, PCB, pH, SVOCMS Group4, TKN, Total Nitrogen, TS, TSS and VOCMS Group4. This data package contains results for Anions Group2,BOD5,Flash Point,Hexavalent Chromium,pH,TKN,Total Nitrogen,TS,TSS.

C. Analytical Techniques:

The analysis of Flash Point was based on method 1010B, The analysis of Anions Group2 was based on method 300.0, The analysis of Hexavalent Chromium was based on method 7196A, The analysis of pH was based on method 9040C, The analysis of Total Nitrogen was based on method Cal, The analysis of TS was based on method SM2540 B, The analysis of TSS was based on method SM2540 D, The analysis of TKN was based on method SM4500 N Org B or C and The analysis of BOD5 was based on method SM5210 B.

D. QA/ QC Samples:

The Holding Times were met for all samples except for TW-WTS-08 of pH, As sample was received out of holding time.

Sample TW-WTS-08 was diluted due to high concentrations for TKN,Chloride.

The Blank Spike met requirements for all samples.

The Duplicate analysis met criteria for all samples.

The Matrix Spike met requirements for all samples.

The Matrix Spike Duplicate met requirements for all samples.

The Blank analysis did not indicate the presence of lab contamination.

The Calibration met the requirements.

**E. Additional Comments:**

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature_____

DATA REPORTING QUALIFIERS- INORGANIC

For reporting results, the following “ Results Qualifiers” are used:

J	Indicates the reported value was obtained from a reading that was less than the Contract Required Detection Limit (CRDL), but greater than or equal to the Instrument Detection Limit (IDL).
U	Indicates the analyte was analyzed for, but not detected.
ND	Indicates the analyte was analyzed for, but not detected
E	Indicates the reported value is estimated because of the presence of interference
M	Indicates Duplicate injection precision not met.
N	Indicates the spiked sample recovery is not within control limits.
S	Indicates the reported value was determined by the Method of Standard Addition (MSA).
*	Indicates that the duplicate analysis is not within control limits.
+	Indicates the correlation coefficient for the MSA is less than 0.995.
D	Indicates the reported value is from a secondary analysis with a dilution factor. The original analysis exceeded the calibration range.
M	Method qualifiers “P” for ICP instrument “PM” for ICP when Microwave Digestion is used “CV” for Manual Cold Vapor AA “AV” for automated Cold Vapor AA “CA” for MIDI-Distillation Spectrophotometric “AS” for Semi -Automated Spectrophotometric “C” for Manual Spectrophotometric “T” for Titrimetric “NR” for analyte not required to be analyzed
OR	Indicates the analyte’s concentration exceeds the calibrated range of the instrument for that specific analysis.
Q	Indicates the LCS did not meet the control limits requirements
H	Sample Analysis Out Of Hold Time

DATA REPORTING QUALIFIERS- ORGANIC

For reporting results, the following “ Results Qualifiers” are used:

Value	If the result is a value greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. “10 U”. This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
ND	Indicates the analyte was analyzed for, but not detected
J	Indicates an estimated value. This flag is used: <ul style="list-style-type: none"> (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3 ug/L was calculated report as 3 J. This flag is used when similar situation arise on any organic parameter i.e. Pest, PCB and others.
B	Indicates the analyte was found in the blank as well as the sample report as “12 B”.
E	Indicates the analyte ‘s concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide/PCB target analyte when there is >25% difference for detected concentrations between the two GC columns. The lower of the two values is reported on Form 1 and flagged with a “P”.
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
A	This flag indicates that a Tentatively Identified Compound is a suspected aldol-condensation product.
Q	Indicates the LCS did not meet the control limits requirements

APPENDIX A

QA REVIEW GENERAL DOCUMENTATION

Project #: Q2033

Completed

For thorough review, the report must have the following:

GENERAL:

Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)

✓

Check chain-of-custody for proper relinquish/return of samples

✓

Is the chain of custody signed and complete

✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

✓

Collect information for each project id from server. Were all requirements followed

✓

COVER PAGE:

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page

✓

Do lab numbers and client Ids on cover page agree with the Chain of Custody

✓

CHAIN OF CUSTODY:

Do requested analyses on Chain of Custody agree with form I results

✓

Do requested analyses on Chain of Custody agree with the log-in page

✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Custody

✓

Were the samples received within hold time

✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓

ANALYTICAL:

Was method requirement followed?

✓

Was client requirement followed?

✓

Does the case narrative summarize all QC failure?

✓

All runlogs and manual integration are reviewed for requirements

✓

All manual calculations and /or hand notations verified

✓

QA Review Signature: SOHIL JODHANI

Date: 05/22/2025

Hit Summary Sheet
SW-846

SDG No.: Q2033
Client: ENTACT

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID:	TW-WTS-08							
Q2033-01	TW-WTS-08	Water	Chloroform	0.80	J	0.25	1.00	ug/L
Q2033-01	TW-WTS-08	Water	Benzene	0.96	J	0.15	1.00	ug/L
Q2033-01	TW-WTS-08	Water	Toluene	0.61	J	0.14	1.00	ug/L
Q2033-01	TW-WTS-08	Water	Ethyl Benzene	0.96	J	0.13	1.00	ug/L
Q2033-01	TW-WTS-08	Water	Total Xylenes	0.81	J	0.36	3.00	ug/L
Total Voc :				4.14				
Total Concentration:				4.14				



SAMPLE DATA

Report of Analysis

Client:	ENTACT		Date Collected:	05/12/25	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	05/13/25	
Client Sample ID:	TW-WTS-08		SDG No.:	Q2033	
Lab Sample ID:	Q2033-01		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOCMS Group4	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX046195.D	1		05/14/25 15:32	VX051425

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	1.00	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	1.00	ug/L
67-66-3	Chloroform	0.80	J	0.25	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.20	U	0.20	1.00	ug/L
71-43-2	Benzene	0.96	J	0.15	1.00	ug/L
108-88-3	Toluene	0.61	J	0.14	1.00	ug/L
127-18-4	Tetrachloroethene	0.23	U	0.23	1.00	ug/L
100-41-4	Ethyl Benzene	0.96	J	0.13	1.00	ug/L
1330-20-7	Total Xylenes	0.81	J	0.36	3.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	52.8		70 (74) - 130 (125)	106%	SPK: 50
1868-53-7	Dibromofluoromethane	51.8		70 (75) - 130 (124)	104%	SPK: 50
2037-26-5	Toluene-d8	50.3		70 (86) - 130 (113)	101%	SPK: 50
460-00-4	4-Bromofluorobenzene	49.8		70 (77) - 130 (121)	100%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	64400	5.55			
540-36-3	1,4-Difluorobenzene	127000	6.757			
3114-55-4	Chlorobenzene-d5	119000	10.049			
3855-82-1	1,4-Dichlorobenzene-d4	50600	12.018			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

LAB CHRONICLE

OrderID:	Q2033	OrderDate:	5/13/2025 4:02:00 PM
Client:	ENTACT	Project:	540 Degraw St, Brooklyn, NY - E9309
Contact:	Jarod Stanfield	Location:	L41,VOA Ref. #3 Water

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q2033-01	TW-WTS-08	Water	VOCMS Group4	8260-Low	05/12/25		05/14/25	05/13/25



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Hit Summary Sheet
SW-846

SDG No.: Q2033

Client: ENTACT

Sample ID	Client ID		Parameter	Concentration	C	MDL	RDL	Units
Client ID :	TW-WTS-08							
Q2033-01	TW-WTS-08	WATER	Naphthalene	2.900	J	0.51	5.1	ug/L
			Total Svoc :			2.90		
			Total Concentration:			2.90		



SAMPLE DATA

Report of Analysis

Client:	ENTACT	Date Collected:	05/12/25
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	05/13/25
Client Sample ID:	TW-WTS-08	SDG No.:	Q2033
Lab Sample ID:	Q2033-01	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	980 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOCMS Group4
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP024694.D	1	05/19/25 08:42	05/19/25 18:19	PB168048

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
108-95-2	Phenol	0.93	U	0.93	5.10	ug/L
106-46-7	1,4-Dichlorobenzene	0.54	U	0.54	5.10	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.55	U	0.55	5.10	ug/L
91-20-3	Naphthalene	2.90	J	0.51	5.10	ug/L
SURROGATES						
367-12-4	2-Fluorophenol	68.4		15 (10) - 110 (139)	46%	SPK: 150
13127-88-3	Phenol-d6	40.9		15 (10) - 110 (134)	27%	SPK: 150
4165-60-0	Nitrobenzene-d5	79.2		30 (49) - 130 (133)	79%	SPK: 100
321-60-8	2-Fluorobiphenyl	76.9		30 (52) - 130 (132)	77%	SPK: 100
118-79-6	2,4,6-Tribromophenol	157		15 (44) - 110 (137)	104%	SPK: 150
1718-51-0	Terphenyl-d14	86.2		30 (48) - 130 (125)	86%	SPK: 100
INTERNAL STANDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	192000	7.658			
1146-65-2	Naphthalene-d8	773000	10.428			
15067-26-2	Acenaphthene-d10	506000	14.293			
1517-22-2	Phenanthrene-d10	1050000	17.087			
1719-03-5	Chrysene-d12	1190000	21.516			
1520-96-3	Perylene-d12	1250000	24.798			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

LAB CHRONICLE

OrderID:	Q2033	OrderDate:	5/13/2025 4:02:00 PM
Client:	ENTACT	Project:	540 Degraw St, Brooklyn, NY - E9309
Contact:	Jarod Stanfield	Location:	L41,VOA Ref. #3 Water

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q2033-01	TW-WTS-08	Water	SVOCMS Group4	8270E	05/12/25	05/19/25	05/19/25	05/13/25

Hit Summary Sheet
SW-846

SDG No.: Q2033

Order ID: Q2033

Client: ENTACT

Project ID: 540 Degraw St, Brooklyn, NY - E9309

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
-----------	-----------	--------	-----------	---------------	---	-----	-----	-------

Client ID :

Total Concentration: 0.000

A

B

C

D



SAMPLE DATA

Report of Analysis

Client:	ENTACT		Date Collected:	05/12/25	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	05/13/25	
Client Sample ID:	TW-WTS-08		SDG No.:	Q2033	
Lab Sample ID:	Q2033-01		Matrix:	WATER	
Analytical Method:	8082A		% Solid:	0	Decanted:
Sample Wt/Vol:	970	Units: mL	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	3510C				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PP072090.D	1	05/14/25 09:08	05/15/25 08:10	PB168005

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
12674-11-2	Aroclor-1016	0.10	U	0.10	0.52	ug/L
11104-28-2	Aroclor-1221	0.13	U	0.13	0.52	ug/L
11141-16-5	Aroclor-1232	0.099	U	0.099	0.52	ug/L
53469-21-9	Aroclor-1242	0.12	U	0.12	0.52	ug/L
12672-29-6	Aroclor-1248	0.073	U	0.073	0.52	ug/L
11097-69-1	Aroclor-1254	0.097	U	0.097	0.52	ug/L
37324-23-5	Aroclor-1262	0.14	U	0.14	0.52	ug/L
11100-14-4	Aroclor-1268	0.11	U	0.11	0.52	ug/L
11096-82-5	Aroclor-1260	0.084	U	0.084	0.52	ug/L
SURROGATES						
877-09-8	Tetrachloro-m-xylene	21.8		30 (16) - 150 (158)	109%	SPK: 20
2051-24-3	Decachlorobiphenyl	15.4		30 (10) - 150 (173)	77%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

LAB CHRONICLE

OrderID:	Q2033	OrderDate:	5/13/2025 4:02:00 PM
Client:	ENTACT	Project:	540 Degraw St, Brooklyn, NY - E9309
Contact:	Jarod Stanfield	Location:	L41,VOA Ref. #3 Water

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q2033-01	TW-WTS-08	WATER	PCB	8082A	05/12/25	05/14/25	05/15/25	05/13/25



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Hit Summary Sheet
SW-846

SDG No.:	Q2033	Order ID:	Q2033
Client:	ENTACT	Project ID:	540 Degraw St, Brooklyn, NY - E9309

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID : TW-WTS-08								
Q2033-01	TW-WTS-08	Water	Copper	19.1		2.30	10.0	ug/L
Q2033-01	TW-WTS-08	Water	Lead	4.28	J	1.15	6.00	ug/L
Q2033-01	TW-WTS-08	Water	Nickel	18.1	J	1.53	20.0	ug/L
Q2033-01	TW-WTS-08	Water	Zinc	8.68	J	8.33	20.0	ug/L



SAMPLE DATA

Report of Analysis

Client:	ENTACT	Date Collected:	05/12/25
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	05/13/25
Client Sample ID:	TW-WTS-08	SDG No.:	Q2033
Lab Sample ID:	Q2033-01	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-43-9	Cadmium	0.25	U	1	0.25	3.00	ug/L	05/16/25 10:30	05/19/25 18:16	6010D	SW3010
7440-50-8	Copper	19.1		1	2.30	10.0	ug/L	05/16/25 10:30	05/19/25 18:16	6010D	SW3010
7439-92-1	Lead	4.28	J	1	1.15	6.00	ug/L	05/16/25 10:30	05/19/25 18:16	6010D	SW3010
7439-97-6	Mercury	0.076	UN	1	0.076	0.20	ug/L	05/20/25 07:30	05/20/25 11:07	7470A	
7440-02-0	Nickel	18.1	J	1	1.53	20.0	ug/L	05/16/25 10:30	05/19/25 18:16	6010D	SW3010
7440-66-6	Zinc	8.68	J	1	8.33	20.0	ug/L	05/16/25 10:30	05/19/25 18:16	6010D	SW3010

Color Before:	Brown	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Mercury			

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

LAB CHRONICLE

OrderID:	Q2033	OrderDate:	5/13/2025 4:02:00 PM
Client:	ENTACT	Project:	540 Degraw St, Brooklyn, NY - E9309
Contact:	Jarod Stanfield	Location:	L41,VOA Ref. #3 Water

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q2033-01	TW-WTS-08	Water			05/12/25			05/13/25
			Mercury	7470A		05/20/25	05/20/25	
			Metals Group4	6010D		05/16/25	05/19/25	



SAMPLE DATA

Report of Analysis

Client:	ENTACT	Date Collected:	05/12/25 15:00
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	05/13/25
Client Sample ID:	TW-WTS-08	SDG No.:	Q2033
Lab Sample ID:	Q2033-01	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Chloride	19.3	OR	1	0.19	0.60	mg/L		05/14/25 12:58	300.0
Nitrite	0.42	J	1	0.074	0.60	mg/L		05/14/25 12:58	300.0
Nitrate	0.28	J	1	0.095	0.50	mg/L		05/14/25 12:58	300.0
BOD5	26.4		1	0.20	2.00	mg/L		05/14/25 14:30	SM 5210 B-16
Flash Point	>212		1	0	0	o F		05/15/25 09:10	1010B
Dissolved Hexavalent Chromium	0.0030	U	1	0.0030	0.010	mg/L		05/14/25 09:37	7196A
pH	12.3	H	1	0	0	pH		05/15/25 08:30	9040C
TKN	11.5	OR	1	0.11	0.50	mg/L	05/19/25 09:20	05/19/25 15:39	SM4500-N Org C-11 plus NH3 B plus G-11
Nitrogen	13.1		1	0.31	1.30	mg/L		05/19/25 16:28	SM 4500-N Org C-11 plus NH3 B plus G-11
TS	1790		1	1.00	5.00	mg/L		05/15/25 11:00	SM 2540 B-15
TSS	1.80	J	1	1.00	4.00	mg/L		05/16/25 11:25	SM 2540 D-15

Comments: Other method reference for flash point : Pensky-Martens Closed Cup Flash Point ASTM D 93 - IP 34, pH result reported at temperature

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ENTACT	Date Collected:	05/12/25 15:00
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	05/13/25
Client Sample ID:	TW-WTS-08DL	SDG No.:	Q2033
Lab Sample ID:	Q2033-01DL	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Chloride	17.9	D	5	0.95	3.00	mg/L		05/14/25 14:03	300.0
TKN	12.4	D	2	0.22	1.00	mg/L	05/19/25 09:20	05/19/25 16:28	SM4500-N Org C-11 plus NH3 B plus G-11

Comments: _____

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits

LAB CHRONICLE

OrderID:	Q2033	OrderDate:	5/13/2025 4:02:00 PM
Client:	ENTACT	Project:	540 Degraw St, Brooklyn, NY - E9309
Contact:	Jarod Stanfield	Location:	L41,VOA Ref. #3 Water

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q2033-01	TW-WTS-08	WATER			05/12/25 15:00			05/13/25
			Anions Group2	300.0			05/14/25 12:58	
			BOD5	SM5210 B			05/14/25 14:30	
			Flash Point	1010B			05/15/25 09:10	
			Hexavalent Chromium	7196A			05/14/25 09:37	
			pH	9040C			05/15/25 08:30	
			TKN	SM4500-N Org C-11 plus NH3 B plus G-11		05/19/25	05/19/25 15:39	
			Total Nitrogen	Cal			05/19/25 16:28	
			TS	SM2540 B			05/15/25 11:00	
			TSS	SM2540 D			05/16/25 11:25	
Q2033-01DL	TW-WTS-08DL	WATER			05/12/25 15:00			05/13/25
			Anions Group2	300.0			05/14/25 14:03	
			TKN	SM4500-N Org C-11 plus NH3 B plus G-11		05/19/25	05/19/25 16:28	



SHIPPING DOCUMENTS

CHAIN OF CUSTODY RECORD

Alliance Project Number:

Q2033

COC Number:

Page 1 of 1

CLIENT INFORMATION		PROJECT INFORMATION		BILLING INFORMATION																													
COMPANY: ENTACT, LLC		PROJECT NAME: 540 Degraw St Brooklyn, NY		BILL TO: ENTACT, LLC PO# E9309																													
ADDRESS: 150 Bay Street, Suite 806		PROJECT #: E9309 LOCATION: Brooklyn, NY		ADDRESS: 999 Oakmont Plaza Drive, Suite 300																													
CITY: Jersey City STATE: NJ ZIP: 07302		PROJECT-MANAGER: Austin Farmerie		CITY: Westmont STATE: IL ZIP: 60559																													
ATTENTION: Austin Farmerie		E-MAIL: afarmerie@entact.com		ATTENTION: Wendy Murray PHONE: 800-936-8228																													
PHONE: 412-716-1366 FAX:		PHONE: 412-716-1366 FAX:																															
DATA TURNAROUND INFORMATION		DATA DELIVERABLE INFORMATION		ANALYSIS																													
FAX: 5 DAYS*		<input type="checkbox"/> RESULTS ONLY <input type="checkbox"/> USEPA C1		<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td>SVOC-TCL</td> <td>Flash Point</td> <td>PCB</td> <td>BOD5</td> <td>TSS</td> <td>VOC-TCLVOA-10</td> <td>Metals ICP-TAL</td> </tr> <tr> <td>1</td> <td>2</td> <td>3</td> <td>4</td> <td>5</td> <td>6</td> <td>7</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </table>		SVOC-TCL	Flash Point	PCB	BOD5	TSS	VOC-TCLVOA-10	Metals ICP-TAL	1	2	3	4	5	6	7														
SVOC-TCL	Flash Point	PCB	BOD5			TSS	VOC-TCLVOA-10	Metals ICP-TAL																									
1	2	3	4			5	6	7																									
HARD COPY: 5 DAYS*		<input type="checkbox"/> RESULTS + QC <input type="checkbox"/> New York B"																															
EDD 5 DAYS*		<input type="checkbox"/> New Jersey REDUCED <input type="checkbox"/> New York State ASP "A"																															
* TO BE APPROVED BY ALLIANCE		<input type="checkbox"/> New Jersey CLP <input type="checkbox"/> Other																															
STANDARD TURNAROUND TIME IS 10 BUSINESS DAYS		<input type="checkbox"/> EDD Format																															
CHEMTECH SAMPLE ID		PROJECT SAMPLE IDENTIFICATION		PRESERVATIVES																													
		SAMPLE MATRIX																															
		SAMPLE TYPE																															
		COLLECTION																															
		DATE																															
		TIME																															
		# of Bottles																															
1.	TW-WTS-08	Surface Water																															
2.																																	
3.																																	
4.																																	
5.																																	
6.																																	
7.																																	
8.																																	
9.																																	
10.																																	
SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION INCLUDING COURIER DELIVERY																																	
RELINQUISHED BY SAMPLER		DATE/TIME		RECEIVED BY																													
1. Austin Farmerie		05/12/25 15:00		1. <i>[Signature]</i>																													
RELINQUISHED BY		DATE/TIME		RECEIVED BY																													
2. <i>[Signature]</i>				2. <i>[Signature]</i>																													
RELINQUISHED BY		DATE/TIME		RECEIVED FOR LAB BY																													
3. <i>[Signature]</i>		5-13-2025 1800		3. <i>[Signature]</i>																													
				Comments: <i>1547</i>																													
				Conditions of bottles or coolers at receipt: <input type="checkbox"/> Compliant <input type="checkbox"/> Non Compliant <input type="checkbox"/> Cooler Temp <i>3.1°C</i>																													
				<input checked="" type="checkbox"/> Ice in Cooler? <i>yes</i>																													
				<i>If Cool #1</i>																													
				SHIPPED VIA: CLIENT: <input type="checkbox"/> Hand Delivered <input type="checkbox"/> Overnight																													
				ALLIANCE: <input type="checkbox"/> Picked Up <input type="checkbox"/> Overnight																													
				Shipment Complete <input type="checkbox"/> YES <input type="checkbox"/> NO																													
WHITE - ALLIANCE COPY FOR RETURN TO CLIENT YELLOW - ALLIANCE COPY PINK - SAMPLER COPY																																	

Laboratory Certification

Certified By	License No.
CAS EPA CLP Contract	68HERH20D0011
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255424 Rev 1
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	T104704488

LOGIN REPORT/SAMPLE TRANSFER

Order ID : Q2033	ENTA05	Order Date : 5/13/2025 4:02:00 PM	Project Mgr :
Client Name : ENTACT		Project Name : 540 Degraw St, Brooklyn, N	Report Type : Level 1
Client Contact : Jarod Stanfield		Receive DateTime : 5/13/2025 12:00:00 AM	EDD Type : Excel NJ
Invoice Name : ENTACT		Purchase Order : 18:00	Hard Copy Date :
Invoice Contact : Jarod Stanfield			Date Signoff :

LAB ID	CLIENT ID	MATRIX	SAMPLE DATE	SAMPLE TIME	TEST	TEST GROUP	METHOD	FAX DATE	DUE DATES
Q2033-01	TW-WTS-08	Water	05/12/2025	15:00	VOCMS Group4		8260-Low		5 Bus. Days



Relinquished By :

Date / Time :


5/14/25 0940

Received By :

Date / Time :


05/14/25 9:40 

Storage Area : VOA Refridgerator Room