

284 Sheffield Street, Mountainside, New Jersey 07092, Phone: 908 789 8900,

Fax: 908 789 8922

Report of Analysis

Client: **PSEG** Date Collected: 05/13/25 14:00 Project: Date Received: PSEG Bergen Point 05/14/25 Client Sample ID: L3-WC-2 SDG No.: Q2034 SOIL Lab Sample ID: Q2034-05 Matrix: % Solid: 85.6

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weigl	nt) Prep Date	Date Ana.	Ana Met.
Hexavalent Chromium	0.23	J	1	0.080	0.46	mg/Kg	05/15/25 09:20	05/15/25 13:25	7196A
Ignitability	NO		1	0	0	oC		05/15/25 12:10	1030
Paint Filter	1.00	U	1	1.00	1.00	ml/100gm		05/15/25 14:04	9095B

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits