

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: Q2061

Client: Chemtech Consulting Group

Analytical Method: SW8260-Low

Datafile : VX046232.D

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	Low	Limits High	RPD
VX0516WBSD01	Dichlorodifluoromethane	20	18.5	ug/L	93	3		69	116	20
	Chloromethane	20	17.4	ug/L	87	10		65	116	20
	Vinyl chloride	20	17.4	ug/L	87	6		65	117	20
	Ethyl Acetate	20	21.2	ug/L	106	12		75	115	20
	Bromomethane	20	18.1	ug/L	91	0		58	125	20
	Chloroethane	20	19.6	ug/L	98	1		56	128	20
	Trichlorofluoromethane	20	19.2	ug/L	96	3		73	115	20
	1,1,2-Trichlorotrifluoroethane	20	19.2	ug/L	96	1		80	112	20
	Tert butyl alcohol	100	100	ug/L	100	1		73	124	20
	1,1-Dichloroethene	20	18.1	ug/L	91	2		74	110	20
	Acrolein	100	93.4	ug/L	93	4		51	143	20
	Acrylonitrile	100	110	ug/L	110	10		73	113	20
	Acetone	100	100	ug/L	100	1		60	125	20
	Carbon disulfide	20	15.6	ug/L	78	1		64	112	20
	Methyl tert-butyl Ether	20	19.9	ug/L	100	0		78	114	20
	Methyl Acetate	20	23.5	ug/L	117	0		67	125	20
	Methylene Chloride	20	18.3	ug/L	92	2		72	114	20
	trans-1,2-Dichloroethene	20	18.1	ug/L	91	3		75	108	20
	Vinyl Acetate	100	100	ug/L	100	1		76	115	20
	1,1-Dichloroethane	20	19.7	ug/L	99	2		78	112	20
	Cyclohexane	20	18.3	ug/L	92	1		75	110	20
	2-Butanone	100	110	ug/L	110	10		65	122	20
	Carbon Tetrachloride	20	19.2	ug/L	96	3		77	113	20
	2,2-Dichloropropane	20	18.7	ug/L	94	2		75	116	20
	cis-1,2-Dichloroethene	20	19.1	ug/L	96	2		77	110	20
	Bromochloromethane	20	19.0	ug/L	95	1		70	124	20
	Chloroform	20	19.8	ug/L	99	2		79	113	20
	1,1,1-Trichloroethane	20	19.5	ug/L	98	3		80	108	20
	Methylcyclohexane	20	18.5	ug/L	93	0		72	115	20
	1,1-Dichloropropene	20	19.2	ug/L	96	2		79	110	20
	Benzene	20	20.0	ug/L	100	1		82	109	20
	1,2-Dichloroethane	20	20.9	ug/L	104	1		80	115	20
	Trichloroethene	20	19.7	ug/L	99	0		77	113	20
	1,2-Dichloropropane	20	20.9	ug/L	104	2		83	111	20
	Dibromomethane	20	21.0	ug/L	105	3		82	110	20
	Bromodichloromethane	20	21.2	ug/L	106	2		83	110	20
	4-Methyl-2-Pentanone	100	110	ug/L	110	0		74	118	20
	Toluene	20	20.3	ug/L	102	1		82	110	20
	t-1,3-Dichloropropene	20	19.5	ug/L	98	2		79	110	20
	cis-1,3-Dichloropropene	20	20.3	ug/L	102	3		82	110	20
	1,1,2-Trichloroethane	20	20.9	ug/L	104	2		83	112	20
	1,3-Dichloropropane	20	20.5	ug/L	103	0		83	111	20
	2-Chloroethyl vinyl ether	100	100	ug/L	100	2		75	124	20
	2-Hexanone	100	110	ug/L	110	0		73	117	20
	Dibromochloromethane	20	21.1	ug/L	106	3		82	110	20
	1,2-Dibromoethane	20	21.3	ug/L	106	2		81	110	20
	Tetrachloroethene	20	20.2	ug/L	101	3		67	123	20
	Chlorobenzene	20	19.5	ug/L	98	1		82	109	20

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: Q2061

Client: Chemtech Consulting Group

Analytical Method: SW8260-Low

Datafile : VX046232.D

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	Low	Limits High	RPD
VX0516WBSD01	1,1,1,2-Tetrachloroethane	20	19.8	ug/L	99	0		84	111	20
	Hexachloroethane	20	18.9	ug/L	95	1		80	113	20
	Ethyl Benzene	20	19.7	ug/L	99	1		83	109	20
	m/p-Xylenes	40	40.0	ug/L	100	1		82	110	20
	o-Xylene	20	20.1	ug/L	101	1		83	109	20
	Styrene	20	20.3	ug/L	102	0		80	111	20
	Bromoform	20	19.7	ug/L	99	4		79	109	20
	Isopropylbenzene	20	20.4	ug/L	102	2		83	112	20
	1,1,2,2-Tetrachloroethane	20	20.2	ug/L	101	0		76	118	20
	1,2,3-Trichloropropane	20	20.8	ug/L	104	5		75	112	20
	Bromobenzene	20	20.1	ug/L	101	4		77	116	20
	N-propylbenzene	20	20.3	ug/L	102	2		83	112	20
	2-Chlorotoluene	20	20.0	ug/L	100	2		83	110	20
	1,3,5-Trimethylbenzene	20	20.8	ug/L	104	0		85	112	20
	4-Chlorotoluene	20	20.3	ug/L	102	2		82	110	20
	tert-Butylbenzene	20	20.1	ug/L	101	3		83	112	20
	1,2,4-Trimethylbenzene	20	20.4	ug/L	102	1		85	111	20
	Sec-butylbenzene	20	20.5	ug/L	103	2		81	114	20
	p-Isopropyltoluene	20	20.5	ug/L	103	3		78	116	20
	1,3-Dichlorobenzene	20	19.9	ug/L	100	2		82	108	20
	1,4-Dichlorobenzene	20	19.6	ug/L	98	2		82	107	20
	n-Butylbenzene	20	19.9	ug/L	100	2		75	115	20
	1,2-Dichlorobenzene	20	20.4	ug/L	102	0		82	109	20
	1,2-Dibromo-3-Chloropropane	20	21.2	ug/L	106	8		68	112	20
	1,2,4-Trichlorobenzene	20	19.0	ug/L	95	8		75	113	20
	Hexachlorobutadiene	20	19.6	ug/L	98	0		81	121	20
	Naphthalene	20	19.0	ug/L	95	3		78	119	20
	1,2,3-Trichlorobenzene	20	19.1	ug/L	96	2		76	114	20