

Hit Summary Sheet SW-846

SDG No.: Q2064 **Order ID:** Q2064
Client: Tetra Tech NUS, Inc. **Project ID:** NWIRP Bethpage 112G08005-WE13

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
Client ID : RW8-SP100-70-20250514									
Q2064-01	RW8-SP100-70-20250514	Water	Aluminum	87.2		5.67	40.0	50.0	ug/L
Q2064-01	RW8-SP100-70-20250514	Water	Calcium	2200		117	250	1000	ug/L
Q2064-01	RW8-SP100-70-20250514	Water	Cobalt	3.20	J	1.13	3.75	15.0	ug/L
Q2064-01	RW8-SP100-70-20250514	Water	Copper	2.73	J	2.30	8.00	10.0	ug/L
Q2064-01	RW8-SP100-70-20250514	Water	Iron	2720		11.7	40.0	50.0	ug/L
Q2064-01	RW8-SP100-70-20250514	Water	Lead	3.49	J	1.15	4.80	6.00	ug/L
Q2064-01	RW8-SP100-70-20250514	Water	Magnesium	869	J	122	250	1000	ug/L
Q2064-01	RW8-SP100-70-20250514	Water	Manganese	48.6		2.97	7.50	10.0	ug/L
Q2064-01	RW8-SP100-70-20250514	Water	Nickel	3.67	J	1.53	5.00	20.0	ug/L
Q2064-01	RW8-SP100-70-20250514	Water	Potassium	746	J	459	800	1000	ug/L
Q2064-01	RW8-SP100-70-20250514	Water	Sodium	7070		434	500	1000	ug/L
Q2064-01	RW8-SP100-70-20250514	Water	Zinc	10.1	J	8.33	7.50	20.0	ug/L
Client ID : RW8-SP303-70-20250514									
Q2064-04	RW8-SP303-70-20250514	Water	Aluminum	7.58	J	5.67	40.0	50.0	ug/L
Q2064-04	RW8-SP303-70-20250514	Water	Calcium	522	J	117	250	1000	ug/L
Q2064-04	RW8-SP303-70-20250514	Water	Copper	3.22	J	2.30	8.00	10.0	ug/L
Q2064-04	RW8-SP303-70-20250514	Water	Iron	247		11.7	40.0	50.0	ug/L
Q2064-04	RW8-SP303-70-20250514	Water	Lead	1.47	J	1.15	4.80	6.00	ug/L
Q2064-04	RW8-SP303-70-20250514	Water	Magnesium	275	J	122	250	1000	ug/L
Q2064-04	RW8-SP303-70-20250514	Water	Manganese	14.1		2.97	7.50	10.0	ug/L
Q2064-04	RW8-SP303-70-20250514	Water	Nickel	9.76	J	1.53	5.00	20.0	ug/L
Q2064-04	RW8-SP303-70-20250514	Water	Potassium	320000		459	800	1000	ug/L
Q2064-04	RW8-SP303-70-20250514	Water	Sodium	51100		434	500	1000	ug/L
Q2064-04	RW8-SP303-70-20250514	Water	Zinc	31.1		8.33	7.50	20.0	ug/L
Client ID : RW8-SP100-90-20250514									
Q2064-05	RW8-SP100-90-20250514	Water	Aluminum	32.9	J	5.67	40.0	50.0	ug/L
Q2064-05	RW8-SP100-90-20250514	Water	Calcium	2080		117	250	1000	ug/L
Q2064-05	RW8-SP100-90-20250514	Water	Cobalt	2.86	J	1.13	3.75	15.0	ug/L
Q2064-05	RW8-SP100-90-20250514	Water	Copper	23.6		2.30	8.00	10.0	ug/L
Q2064-05	RW8-SP100-90-20250514	Water	Iron	1440		11.7	40.0	50.0	ug/L
Q2064-05	RW8-SP100-90-20250514	Water	Lead	45.9		1.15	4.80	6.00	ug/L
Q2064-05	RW8-SP100-90-20250514	Water	Magnesium	796	J	122	250	1000	ug/L
Q2064-05	RW8-SP100-90-20250514	Water	Manganese	26.2		2.97	7.50	10.0	ug/L
Q2064-05	RW8-SP100-90-20250514	Water	Nickel	3.85	J	1.53	5.00	20.0	ug/L
Q2064-05	RW8-SP100-90-20250514	Water	Potassium	526	J	459	800	1000	ug/L
Q2064-05	RW8-SP100-90-20250514	Water	Sodium	5900		434	500	1000	ug/L

Hit Summary Sheet
SW-846

SDG No.: Q2064

Order ID: Q2064

Client: Tetra Tech NUS, Inc.

Project ID: NWIRP Bethpage 112G08005-WE13

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
Q2064-05	RW8-SP100-90-20250514	Water	Zinc	114		8.33	7.50	20.0	ug/L
Client ID : RW8-SP303-90-20250514									
Q2064-08	RW8-SP303-90-20250514	Water	Aluminum	9.84	J	5.67	40.0	50.0	ug/L
Q2064-08	RW8-SP303-90-20250514	Water	Barium	15.2	J	7.28	12.5	50.0	ug/L
Q2064-08	RW8-SP303-90-20250514	Water	Calcium	572	J	117	250	1000	ug/L
Q2064-08	RW8-SP303-90-20250514	Water	Iron	281		11.7	40.0	50.0	ug/L
Q2064-08	RW8-SP303-90-20250514	Water	Magnesium	284	J	122	250	1000	ug/L
Q2064-08	RW8-SP303-90-20250514	Water	Manganese	23.9		2.97	7.50	10.0	ug/L
Q2064-08	RW8-SP303-90-20250514	Water	Nickel	18.7	J	1.53	5.00	20.0	ug/L
Q2064-08	RW8-SP303-90-20250514	Water	Potassium	320000		459	800	1000	ug/L
Q2064-08	RW8-SP303-90-20250514	Water	Sodium	51400		434	500	1000	ug/L
Q2064-08	RW8-SP303-90-20250514	Water	Zinc	26.4		8.33	7.50	20.0	ug/L



SAMPLE DATA

A

B

C

D

Report of Analysis

Client:	Tetra Tech NUS, Inc.	Date Collected:	05/14/25
Project:	NWIRP Bethpage 112G08005-WE13	Date Received:	05/16/25
Client Sample ID:	RW8-SP100-70-20250514	SDG No.:	Q2064
Lab Sample ID:	Q2064-01	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7429-90-5	Aluminum	87.2		1	5.67	40.0	50.0	ug/L	05/16/25 10:30	05/19/25 18:52	6010D	SW3010
7440-36-0	Antimony	6.25	U	1	3.38	6.25	25.0	ug/L	05/16/25 10:30	05/19/25 18:52	6010D	SW3010
7440-38-2	Arsenic	7.50	U	1	2.56	7.50	10.0	ug/L	05/16/25 10:30	05/19/25 18:52	6010D	SW3010
7440-39-3	Barium	12.5	U	1	7.28	12.5	50.0	ug/L	05/16/25 10:30	05/19/25 18:52	6010D	SW3010
7440-41-7	Beryllium	0.75	U	1	0.28	0.75	3.00	ug/L	05/16/25 10:30	05/19/25 18:52	6010D	SW3010
7440-43-9	Cadmium	0.75	U	1	0.25	0.75	3.00	ug/L	05/16/25 10:30	05/19/25 18:52	6010D	SW3010
7440-70-2	Calcium	2200		1	117	250	1000	ug/L	05/16/25 10:30	05/19/25 18:52	6010D	SW3010
7440-47-3	Chromium	2.50	U	1	1.06	2.50	5.00	ug/L	05/16/25 10:30	05/19/25 18:52	6010D	SW3010
7440-48-4	Cobalt	3.20	J	1	1.13	3.75	15.0	ug/L	05/16/25 10:30	05/19/25 18:52	6010D	SW3010
7440-50-8	Copper	2.73	J	1	2.30	8.00	10.0	ug/L	05/16/25 10:30	05/19/25 18:52	6010D	SW3010
7439-89-6	Iron	2720	N	1	11.7	40.0	50.0	ug/L	05/16/25 10:30	05/19/25 18:52	6010D	SW3010
7439-92-1	Lead	3.49	J	1	1.15	4.80	6.00	ug/L	05/16/25 10:30	05/19/25 18:52	6010D	SW3010
7439-95-4	Magnesium	869	J	1	122	250	1000	ug/L	05/16/25 10:30	05/19/25 18:52	6010D	SW3010
7439-96-5	Manganese	48.6		1	2.97	7.50	10.0	ug/L	05/16/25 10:30	05/19/25 18:52	6010D	SW3010
7439-97-6	Mercury	0.16	UN	1	0.076	0.16	0.20	ug/L	05/16/25 14:20	05/20/25 11:13	7470A	
7440-02-0	Nickel	3.67	J	1	1.53	5.00	20.0	ug/L	05/16/25 10:30	05/19/25 18:52	6010D	SW3010
7440-09-7	Potassium	746	J	1	459	800	1000	ug/L	05/16/25 10:30	05/19/25 18:52	6010D	SW3010
7782-49-2	Selenium	8.00	U	1	4.82	8.00	10.0	ug/L	05/16/25 10:30	05/19/25 18:52	6010D	SW3010
7440-22-4	Silver	2.50	UN	1	0.81	2.50	5.00	ug/L	05/16/25 10:30	05/19/25 18:52	6010D	SW3010
7440-23-5	Sodium	7070		1	434	500	1000	ug/L	05/16/25 10:30	05/19/25 18:52	6010D	SW3010
7440-28-0	Thallium	10.0	U	1	2.19	10.0	20.0	ug/L	05/16/25 10:30	05/19/25 18:52	6010D	SW3010
7440-62-2	Vanadium	10.0	U	1	3.13	10.0	20.0	ug/L	05/16/25 10:30	05/19/25 18:52	6010D	SW3010
7440-66-6	Zinc	10.1	J	1	8.33	7.50	20.0	ug/L	05/16/25 10:30	05/19/25 18:52	6010D	SW3010

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	METALS-TAL			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Tetra Tech NUS, Inc.	Date Collected:	05/14/25
Project:	NWIRP Bethpage 112G08005-WE13	Date Received:	05/16/25
Client Sample ID:	RW8-SP303-70-20250514	SDG No.:	Q2064
Lab Sample ID:	Q2064-04	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7429-90-5	Aluminum	7.58	J	1	5.67	40.0	50.0	ug/L	05/16/25 10:30	05/19/25 18:56	6010D	SW3010
7440-36-0	Antimony	6.25	U	1	3.38	6.25	25.0	ug/L	05/16/25 10:30	05/19/25 18:56	6010D	SW3010
7440-38-2	Arsenic	7.50	U	1	2.56	7.50	10.0	ug/L	05/16/25 10:30	05/19/25 18:56	6010D	SW3010
7440-39-3	Barium	12.5	U	1	7.28	12.5	50.0	ug/L	05/16/25 10:30	05/19/25 18:56	6010D	SW3010
7440-41-7	Beryllium	0.75	U	1	0.28	0.75	3.00	ug/L	05/16/25 10:30	05/19/25 18:56	6010D	SW3010
7440-43-9	Cadmium	0.75	U	1	0.25	0.75	3.00	ug/L	05/16/25 10:30	05/19/25 18:56	6010D	SW3010
7440-70-2	Calcium	522	J	1	117	250	1000	ug/L	05/16/25 10:30	05/19/25 18:56	6010D	SW3010
7440-47-3	Chromium	2.50	U	1	1.06	2.50	5.00	ug/L	05/16/25 10:30	05/19/25 18:56	6010D	SW3010
7440-48-4	Cobalt	3.75	U	1	1.13	3.75	15.0	ug/L	05/16/25 10:30	05/19/25 18:56	6010D	SW3010
7440-50-8	Copper	3.22	J	1	2.30	8.00	10.0	ug/L	05/16/25 10:30	05/19/25 18:56	6010D	SW3010
7439-89-6	Iron	247	N	1	11.7	40.0	50.0	ug/L	05/16/25 10:30	05/19/25 18:56	6010D	SW3010
7439-92-1	Lead	1.47	J	1	1.15	4.80	6.00	ug/L	05/16/25 10:30	05/19/25 18:56	6010D	SW3010
7439-95-4	Magnesium	275	J	1	122	250	1000	ug/L	05/16/25 10:30	05/19/25 18:56	6010D	SW3010
7439-96-5	Manganese	14.1		1	2.97	7.50	10.0	ug/L	05/16/25 10:30	05/19/25 18:56	6010D	SW3010
7439-97-6	Mercury	0.16	UN	1	0.076	0.16	0.20	ug/L	05/16/25 14:20	05/20/25 11:23	7470A	
7440-02-0	Nickel	9.76	J	1	1.53	5.00	20.0	ug/L	05/16/25 10:30	05/19/25 18:56	6010D	SW3010
7440-09-7	Potassium	320000		1	459	800	1000	ug/L	05/16/25 10:30	05/19/25 18:56	6010D	SW3010
7782-49-2	Selenium	8.00	U	1	4.82	8.00	10.0	ug/L	05/16/25 10:30	05/19/25 18:56	6010D	SW3010
7440-22-4	Silver	2.50	UN	1	0.81	2.50	5.00	ug/L	05/16/25 10:30	05/19/25 18:56	6010D	SW3010
7440-23-5	Sodium	51100		1	434	500	1000	ug/L	05/16/25 10:30	05/19/25 18:56	6010D	SW3010
7440-28-0	Thallium	10.0	U	1	2.19	10.0	20.0	ug/L	05/16/25 10:30	05/19/25 18:56	6010D	SW3010
7440-62-2	Vanadium	10.0	U	1	3.13	10.0	20.0	ug/L	05/16/25 10:30	05/19/25 18:56	6010D	SW3010
7440-66-6	Zinc	31.1		1	8.33	7.50	20.0	ug/L	05/16/25 10:30	05/19/25 18:56	6010D	SW3010

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	METALS-TAL			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Tetra Tech NUS, Inc.	Date Collected:	05/14/25
Project:	NWIRP Bethpage 112G08005-WE13	Date Received:	05/16/25
Client Sample ID:	RW8-SP100-90-20250514	SDG No.:	Q2064
Lab Sample ID:	Q2064-05	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7429-90-5	Aluminum	32.9	J	1	5.67	40.0	50.0	ug/L	05/16/25 10:30	05/19/25 19:01	6010D	SW3010
7440-36-0	Antimony	6.25	U	1	3.38	6.25	25.0	ug/L	05/16/25 10:30	05/19/25 19:01	6010D	SW3010
7440-38-2	Arsenic	7.50	U	1	2.56	7.50	10.0	ug/L	05/16/25 10:30	05/19/25 19:01	6010D	SW3010
7440-39-3	Barium	12.5	U	1	7.28	12.5	50.0	ug/L	05/16/25 10:30	05/19/25 19:01	6010D	SW3010
7440-41-7	Beryllium	0.75	U	1	0.28	0.75	3.00	ug/L	05/16/25 10:30	05/19/25 19:01	6010D	SW3010
7440-43-9	Cadmium	0.75	U	1	0.25	0.75	3.00	ug/L	05/16/25 10:30	05/19/25 19:01	6010D	SW3010
7440-70-2	Calcium	2080		1	117	250	1000	ug/L	05/16/25 10:30	05/19/25 19:01	6010D	SW3010
7440-47-3	Chromium	2.50	U	1	1.06	2.50	5.00	ug/L	05/16/25 10:30	05/19/25 19:01	6010D	SW3010
7440-48-4	Cobalt	2.86	J	1	1.13	3.75	15.0	ug/L	05/16/25 10:30	05/19/25 19:01	6010D	SW3010
7440-50-8	Copper	23.6		1	2.30	8.00	10.0	ug/L	05/16/25 10:30	05/19/25 19:01	6010D	SW3010
7439-89-6	Iron	1440	N	1	11.7	40.0	50.0	ug/L	05/16/25 10:30	05/19/25 19:01	6010D	SW3010
7439-92-1	Lead	45.9		1	1.15	4.80	6.00	ug/L	05/16/25 10:30	05/19/25 19:01	6010D	SW3010
7439-95-4	Magnesium	796	J	1	122	250	1000	ug/L	05/16/25 10:30	05/19/25 19:01	6010D	SW3010
7439-96-5	Manganese	26.2		1	2.97	7.50	10.0	ug/L	05/16/25 10:30	05/19/25 19:01	6010D	SW3010
7439-97-6	Mercury	0.16	UN	1	0.076	0.16	0.20	ug/L	05/16/25 14:20	05/20/25 11:25	7470A	
7440-02-0	Nickel	3.85	J	1	1.53	5.00	20.0	ug/L	05/16/25 10:30	05/19/25 19:01	6010D	SW3010
7440-09-7	Potassium	526	J	1	459	800	1000	ug/L	05/16/25 10:30	05/19/25 19:01	6010D	SW3010
7782-49-2	Selenium	8.00	U	1	4.82	8.00	10.0	ug/L	05/16/25 10:30	05/19/25 19:01	6010D	SW3010
7440-22-4	Silver	2.50	UN	1	0.81	2.50	5.00	ug/L	05/16/25 10:30	05/19/25 19:01	6010D	SW3010
7440-23-5	Sodium	5900		1	434	500	1000	ug/L	05/16/25 10:30	05/19/25 19:01	6010D	SW3010
7440-28-0	Thallium	10.0	U	1	2.19	10.0	20.0	ug/L	05/16/25 10:30	05/19/25 19:01	6010D	SW3010
7440-62-2	Vanadium	10.0	U	1	3.13	10.0	20.0	ug/L	05/16/25 10:30	05/19/25 19:01	6010D	SW3010
7440-66-6	Zinc	114		1	8.33	7.50	20.0	ug/L	05/16/25 10:30	05/19/25 19:01	6010D	SW3010

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	METALS-TAL			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Tetra Tech NUS, Inc.	Date Collected:	05/14/25
Project:	NWIRP Bethpage 112G08005-WE13	Date Received:	05/16/25
Client Sample ID:	RW8-SP303-90-20250514	SDG No.:	Q2064
Lab Sample ID:	Q2064-08	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7429-90-5	Aluminum	9.84	J	1	5.67	40.0	50.0	ug/L	05/16/25 10:30	05/19/25 19:05	6010D	SW3010
7440-36-0	Antimony	6.25	U	1	3.38	6.25	25.0	ug/L	05/16/25 10:30	05/19/25 19:05	6010D	SW3010
7440-38-2	Arsenic	7.50	U	1	2.56	7.50	10.0	ug/L	05/16/25 10:30	05/19/25 19:05	6010D	SW3010
7440-39-3	Barium	15.2	J	1	7.28	12.5	50.0	ug/L	05/16/25 10:30	05/19/25 19:05	6010D	SW3010
7440-41-7	Beryllium	0.75	U	1	0.28	0.75	3.00	ug/L	05/16/25 10:30	05/19/25 19:05	6010D	SW3010
7440-43-9	Cadmium	0.75	U	1	0.25	0.75	3.00	ug/L	05/16/25 10:30	05/19/25 19:05	6010D	SW3010
7440-70-2	Calcium	572	J	1	117	250	1000	ug/L	05/16/25 10:30	05/19/25 19:05	6010D	SW3010
7440-47-3	Chromium	2.50	U	1	1.06	2.50	5.00	ug/L	05/16/25 10:30	05/19/25 19:05	6010D	SW3010
7440-48-4	Cobalt	3.75	U	1	1.13	3.75	15.0	ug/L	05/16/25 10:30	05/19/25 19:05	6010D	SW3010
7440-50-8	Copper	8.00	U	1	2.30	8.00	10.0	ug/L	05/16/25 10:30	05/19/25 19:05	6010D	SW3010
7439-89-6	Iron	281	N	1	11.7	40.0	50.0	ug/L	05/16/25 10:30	05/19/25 19:05	6010D	SW3010
7439-92-1	Lead	4.80	U	1	1.15	4.80	6.00	ug/L	05/16/25 10:30	05/19/25 19:05	6010D	SW3010
7439-95-4	Magnesium	284	J	1	122	250	1000	ug/L	05/16/25 10:30	05/19/25 19:05	6010D	SW3010
7439-96-5	Manganese	23.9		1	2.97	7.50	10.0	ug/L	05/16/25 10:30	05/19/25 19:05	6010D	SW3010
7439-97-6	Mercury	0.16	UN	1	0.076	0.16	0.20	ug/L	05/16/25 14:20	05/20/25 11:27	7470A	
7440-02-0	Nickel	18.7	J	1	1.53	5.00	20.0	ug/L	05/16/25 10:30	05/19/25 19:05	6010D	SW3010
7440-09-7	Potassium	320000		1	459	800	1000	ug/L	05/16/25 10:30	05/19/25 19:05	6010D	SW3010
7782-49-2	Selenium	8.00	U	1	4.82	8.00	10.0	ug/L	05/16/25 10:30	05/19/25 19:05	6010D	SW3010
7440-22-4	Silver	2.50	UN	1	0.81	2.50	5.00	ug/L	05/16/25 10:30	05/19/25 19:05	6010D	SW3010
7440-23-5	Sodium	51400		1	434	500	1000	ug/L	05/16/25 10:30	05/19/25 19:05	6010D	SW3010
7440-28-0	Thallium	10.0	U	1	2.19	10.0	20.0	ug/L	05/16/25 10:30	05/19/25 19:05	6010D	SW3010
7440-62-2	Vanadium	10.0	U	1	3.13	10.0	20.0	ug/L	05/16/25 10:30	05/19/25 19:05	6010D	SW3010
7440-66-6	Zinc	26.4		1	8.33	7.50	20.0	ug/L	05/16/25 10:30	05/19/25 19:05	6010D	SW3010

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	METALS-TAL			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N = Spiked sample recovery not within control limits

LAB CHRONICLE

OrderID:	Q2064	OrderDate:	5/16/2025 10:39:00 AM
Client:	Tetra Tech NUS, Inc.	Project:	NWIRP Bethpage 112G08005-WE13
Contact:	Ernie Wu	Location:	L41

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q2064-01	RW8-SP100-70-20250 514	Water			05/14/25			05/16/25
			Mercury	7470A		05/16/25	05/20/25	
			Metals ICP-TAL	6010D		05/16/25	05/19/25	
Q2064-04	RW8-SP303-70-20250 514	Water			05/14/25			05/16/25
			Mercury	7470A		05/16/25	05/20/25	
			Metals ICP-TAL	6010D		05/16/25	05/19/25	
Q2064-05	RW8-SP100-90-20250 514	Water			05/14/25			05/16/25
			Mercury	7470A		05/16/25	05/20/25	
			Metals ICP-TAL	6010D		05/16/25	05/19/25	
Q2064-08	RW8-SP303-90-20250 514	Water			05/14/25			05/16/25
			Mercury	7470A		05/16/25	05/20/25	
			Metals ICP-TAL	6010D		05/16/25	05/19/25	