

## Report of Analysis

Client:	CDM Smith	Date Collected:	05/16/25
Project:	South River WM Replacement	Date Received:	05/16/25
Client Sample ID:	TP-18	SDG No.:	Q2074
Lab Sample ID:	Q2074-08	Matrix:	SOIL
Analytical Method:	8015D DRO	% Solid:	78
Sample Wt/Vol:	30.07	Units:	g
Soil Aliquot Vol:			uL
Extraction Type:		Test:	Diesel Range Organics
GPC Factor :		Injection Volume :	
Prep Method :	SW3541		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
FF015887.D	1	05/20/25 10:15	05/21/25 16:40	PB168084

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
<b>TARGETS</b>						
DRO	DRO	1760	J	216	2130	ug/kg
<b>SURROGATES</b>						
16416-32-3	Tetracosane-d50	10.7		37 - 130	54%	SPK: 20

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit