

Report of Analysis

Client:	CDM Smith	Date Collected:	05/15/25
Project:	South River WM Replacement	Date Received:	05/16/25
Client Sample ID:	TP-7	SDG No.:	Q2074
Lab Sample ID:	Q2074-02	Matrix:	SOIL
Analytical Method:	8015D DRO	% Solid:	88.7
Sample Wt/Vol:	30.06	Units:	g
Soil Aliquot Vol:			uL
Extraction Type:		Final Vol:	1
GPC Factor :		PH :	
Prep Method :	SW3541	Decanted:	
		Test:	Diesel Range Organics
		Injection Volume :	

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
FG015880.D	1	05/20/25 10:15	05/21/25 17:38	PB168084

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
DRO	DRO	1650	J	190	1880	ug/kg
SURROGATES						
16416-32-3	Tetracosane-d50	20.0		37 - 130	100%	SPK: 20

Comments:

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 P = Indicates >25% difference for detected concentrations between the two GC columns
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.
 () = Laboratory InHouse Limit