

## Report of Analysis

|                    |                            |                    |          |
|--------------------|----------------------------|--------------------|----------|
| Client:            | CDM Smith                  | Date Collected:    | 05/15/25 |
| Project:           | South River WM Replacement | Date Received:     | 05/16/25 |
| Client Sample ID:  | TP-7                       | SDG No.:           | Q2074    |
| Lab Sample ID:     | Q2074-02                   | Matrix:            | SOIL     |
| Analytical Method: | 8082A                      | % Solid:           | 88.7     |
| Sample Wt/Vol:     | 30.03                      | Units:             | g        |
| Soil Aliquot Vol:  |                            |                    | uL       |
| Extraction Type:   |                            | Test:              | PCB      |
| GPC Factor :       | 1.0                        | Injection Volume : |          |
| Prep Method :      | SW3541B                    |                    |          |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| PP072211.D        | 1         | 05/20/25 08:45 | 05/20/25 14:38 | PB168074      |

| CAS Number        | Parameter            | Conc. | Qualifier | MDL      | LOQ / CRQL | Units(Dry Weight) |
|-------------------|----------------------|-------|-----------|----------|------------|-------------------|
| <b>TARGETS</b>    |                      |       |           |          |            |                   |
| 12674-11-2        | Aroclor-1016         | 4.40  | U         | 4.40     | 19.1       | ug/kg             |
| 11104-28-2        | Aroclor-1221         | 4.50  | U         | 4.50     | 19.1       | ug/kg             |
| 11141-16-5        | Aroclor-1232         | 4.20  | U         | 4.20     | 19.1       | ug/kg             |
| 53469-21-9        | Aroclor-1242         | 4.50  | U         | 4.50     | 19.1       | ug/kg             |
| 12672-29-6        | Aroclor-1248         | 6.70  | U         | 6.70     | 19.1       | ug/kg             |
| 11097-69-1        | Aroclor-1254         | 3.60  | U         | 3.60     | 19.1       | ug/kg             |
| 37324-23-5        | Aroclor-1262         | 5.70  | U         | 5.70     | 19.1       | ug/kg             |
| 11100-14-4        | Aroclor-1268         | 4.10  | U         | 4.10     | 19.1       | ug/kg             |
| 11096-82-5        | Aroclor-1260         | 3.60  | U         | 3.60     | 19.1       | ug/kg             |
| <b>SURROGATES</b> |                      |       |           |          |            |                   |
| 877-09-8          | Tetrachloro-m-xylene | 21.6  |           | 32 - 144 | 108%       | SPK: 20           |
| 2051-24-3         | Decachlorobiphenyl   | 21.0  |           | 32 - 175 | 105%       | SPK: 20           |

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit