

## **ANALYTICAL RESULTS SUMMARY**

SEMI-VOLATILE ORGANICS  
VOLATILE ORGANICS

**PROJECT NAME : CON ED UTEN MOUNT VERNON, NY**

**CDM SMITH**

**110 Fieldcrest Ave**

**Raritan Center**

**Edison, NJ - 08837**

**Phone No: 732-225-7000**

**ORDER ID : Q2075**

**ATTENTION : Marcie Ann Encinas**



**Laboratory Certification ID # 20012**



|                                    |     |
|------------------------------------|-----|
| 1) Signature Page                  | 3   |
| 2) Case Narrative                  | 9   |
| 2.1) VOCMS Group3- Case Narrative  | 9   |
| 2.2) SVOCMS Group3- Case Narrative | 11  |
| 3) Qualifier Page                  | 13  |
| 4) QA Checklist                    | 14  |
| 5) VOCMS Group3 Data               | 15  |
| 6) SVOCMS Group3 Data              | 74  |
| 7) Shipping Document               | 139 |
| 7.1) CHAIN OF CUSTODY              | 140 |
| 7.2) Lab Certificate               | 141 |
| 7.3) Internal COC                  | 142 |

|   |
|---|
| 1 |
| 2 |
| 3 |
| 4 |
| 5 |
| 6 |
| 7 |

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION  
FORM S-I

SAMPLE IDENTIFICATION AND ANALYTICAL REQUIREMENT SUMMARY

| NYSDEC Sample<br>ID/Code | Laboratory Sample<br>ID/Code | VOA GC/MS<br>(Method #) | BNA GC/MS<br>(Method #) | VOA GC<br>(Method #) | Pest PCBs<br>(Method #) | Metals<br>(Method #) | Other<br>(Method #) |
|--------------------------|------------------------------|-------------------------|-------------------------|----------------------|-------------------------|----------------------|---------------------|
| SS-10                    | Q2075-01                     | 8260D                   | 8270E                   |                      |                         |                      | Chemtech -SOP       |
| SS-910                   | Q2075-02                     | 8260D                   | 8270E                   |                      |                         |                      | Chemtech -SOP       |
| SS-11                    | Q2075-03                     | 8260D                   | 8270E                   |                      |                         |                      | Chemtech -SOP       |
| SS-MW1-11.5              | Q2075-06                     | 8260D                   | 8270E                   |                      |                         |                      | Chemtech -SOP       |
| FB-05152025              | Q2075-07                     | 8260D, 8260-Low         | 8270E                   |                      |                         |                      | Chemtech -SOP       |
| FB-05162025              | Q2075-08                     | 8260D, 8260-Low         | 8270E                   |                      |                         |                      | Chemtech -SOP       |

## NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

## FORM S-IIa

## SAMPLE PREPARATION AND ANALYSIS SUMMARY SEMIVOLATILE (BNA) ANALYSES

| Laboratory Sample ID | Matrix | Date Collected | Date Rec'd at Lab | Date Extracted | Date Analyzed |
|----------------------|--------|----------------|-------------------|----------------|---------------|
| Q2075-01             | SOIL   | 05/15/25       | 05/16/25          | 05/20/25       | 05/22/25      |
| Q2075-02             | SOIL   | 05/15/25       | 05/16/25          | 05/20/25       | 05/22/25      |
| Q2075-03             | SOIL   | 05/15/25       | 05/16/25          | 05/20/25       | 05/21/25      |
| Q2075-06             | SOIL   | 05/16/25       | 05/16/25          | 05/20/25       | 05/21/25      |
| Q2075-07             | Water  | 05/15/25       | 05/16/25          | 05/21/25       | 05/22/25      |
| Q2075-08             | Water  | 05/16/25       | 05/16/25          | 05/21/25       | 05/21/25      |

\* Details For Test : SVOCMS Group3

## NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

## FORM S-IIb

## SAMPLE PREPARATION AND ANALYSIS SUMMARY VOLATILE (VOA) ANALYSES

| Laboratory Sample ID | Matrix | Date Collected | Date Rec'd at Lab | Date Extracted | Date Analyzed |
|----------------------|--------|----------------|-------------------|----------------|---------------|
| Q2075-01             | SOIL   | 05/15/25       | 05/16/25          |                | 05/20/25      |
| Q2075-02             | SOIL   | 05/15/25       | 05/16/25          |                | 05/20/25      |
| Q2075-03             | SOIL   | 05/15/25       | 05/16/25          |                | 05/20/25      |
| Q2075-06             | SOIL   | 05/16/25       | 05/16/25          |                | 05/22/25      |
| Q2075-07             | Water  | 05/15/25       | 05/16/25          |                | 05/21/25      |
| Q2075-08             | Water  | 05/16/25       | 05/16/25          |                | 05/21/25      |

\* Details For Test : VOCMS Group3

## NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

## FORM S-III

## SAMPLE PREPARATION AND ANALYSIS SUMMARY MISCELLANEOUS ORGANIC ANALYSES

| Laboratory Sample ID | Matrix | Analytical Protocol | Extraction Method | Auxiliary Cleanup | Dil/Conc Factor |
|----------------------|--------|---------------------|-------------------|-------------------|-----------------|
| Q2075-01             | Solid  | 8260D               | 5035              |                   |                 |
| Q2075-02             | Solid  | 8260D               | 5035              |                   |                 |
| Q2075-03             | Solid  | 8260D               | 5035              |                   |                 |
| Q2075-04             | Solid  | 8260D               | 5035              |                   |                 |
| Q2075-05             | Solid  | 8260D               | 5035              |                   |                 |
| Q2075-06             | Solid  | 8260D               | 5035              |                   |                 |
| Q2075-07             | Water  | 8260-Low            | 5030              |                   |                 |
| Q2075-08             | Water  | 8260-Low            | 5030              |                   |                 |

## NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

## FORM S-III

## SAMPLE PREPARATION AND ANALYSIS SUMMARY MISCELLANEOUS ORGANIC ANALYSES

| Laboratory Sample ID | Matrix | Analytical Protocol | Extraction Method | Auxiliary Cleanup | Dil/Conc Factor |
|----------------------|--------|---------------------|-------------------|-------------------|-----------------|
| Q2075-01             | Solid  | 8270E               | NA                |                   |                 |
| Q2075-02             | Solid  | 8270E               | NA                |                   |                 |
| Q2075-03             | Solid  | 8270E               | NA                |                   |                 |
| Q2075-04             | Solid  | 8270E               | NA                |                   |                 |
| Q2075-05             | Solid  | 8270E               | NA                |                   |                 |
| Q2075-06             | Solid  | 8270E               | NA                |                   |                 |
| Q2075-07             | Water  | 8270E               | NA                |                   |                 |
| Q2075-08             | Water  | 8270E               | NA                |                   |                 |

## Cover Page

**Order ID :** Q2075

**Project ID :** Con Ed UTEN Mount Vernon, NY

**Client :** CDM Smith

### Lab Sample Number

Q2075-01  
Q2075-02  
Q2075-03  
Q2075-04  
Q2075-05  
Q2075-06  
Q2075-07  
Q2075-08

### Client Sample Number

SS-10  
SS-910  
SS-11  
SS-11MS  
SS-11MSD  
SS-MW1-11.5  
FB-05152025  
FB-05162025

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature : \_\_\_\_\_

Date: 5/27/2025

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012

## **CASE NARRATIVE**

**CDM Smith**

**Project Name: Con Ed UTEN Mount Vernon, NY**

**Project # N/A**

**Order ID # Q2075**

**Test Name: VOCMS Group3**

### **A. Number of Samples and Date of Receipt:**

6 Solid samples were received on 05/16/2025.

2 Water samples were received on 05/16/2025.

### **B. Parameters**

According to the Chain of Custody document, the following analyses were requested: SVOCMS Group3 and VOCMS Group3. This data package contains results for VOCMS Group3.

### **C. Analytical Techniques:**

The analysis performed on instrument MSVOA\_X were done using GC column DB-624UI 20m 0.18mm 1.0 um. Cat#121-1324UI The analysis performed on instrument MSVOA\_Y were done using GC column Rxi-624SIL MS 30m, 0.25mm, 1.4 um, Cat. #13868. The analysis of VOCMS Group3 was based on method 8260D.

### **D. QA/ QC Samples:**

The Holding Times were met for all analysis.

The Surrogate recoveries met the acceptable criteria.

The Internal Standards Areas met the acceptable requirements.

The Retention Times were acceptable for all samples.

The MS {Q2075-04MS} with File ID: VY022350.D recoveries met the requirements for all compounds except for m/p-Xylenes[148%], o-Xylene[162%] and 1,2,4-Trimethylbenzene[235%] due to matrix interference.

The MSD {Q2075-05MSD} with File ID: VY022351.D recoveries met the acceptable requirements except for Ethyl Benzene[136%], Toluene[138%] m/p-Xylenes[161%] and o-Xylene [180%] due to matrix interference.

The RPD for {Q2075-05MSD} with File ID: VY022351.D met criteria except for 1,2,4-Trimethylbenzene[36%], Benzene[30%], p-Isopropyltoluene[21%], tert-Butylbenzene[26%] and Toluene[29%] due to difference in results of MS and MSD.

The Blank Spike met requirements for all samples.

The Blank Spike Duplicate met requirements for all samples.

The Blank analysis did not indicate the presence of lab contamination.

The Initial Calibration met the requirements.  
The Continuous Calibration met the requirements.  
The Tuning criteria met requirements.

Sample SS-MW1-11.5 was diluted due to high concentration.

**E. Additional Comments:**

Trip Blank was not provided with this set of samples.

The soil samples results are based on a dry weight basis.

The Sample #SS-MW1-11.5ME have the concentration of target compound below Method detection limits, therefore it is not reported as Hit in Form1.

Please use %D calculated based on Avg RF and CCRF for all compounds using Average Response Factor when the %RSD value for a compound is <20% for the Initial Calibration curve and use %D calculated based on Amount added and Calculated amount for all compounds using Linear Regression when the %RSD value for a compound is > 20% for the Initial Calibration curve for SW-846 analysis.

**F. Manual Integration Comments:**

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

---

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature\_\_\_\_\_

## **CASE NARRATIVE**

**CDM Smith**

**Project Name: Con Ed UTEN Mount Vernon, NY**

**Project # N/A**

**Order ID # Q2075**

**Test Name: SVOCMS Group3**

### **A. Number of Samples and Date of Receipt:**

6 Solid samples were received on 05/16/2025.

2 Water samples were received on 05/16/2025.

### **B. Parameters**

According to the Chain of Custody document, the following analyses were requested: SVOCMS Group3 and VOCMS Group3. This data package contains results for SVOCMS Group3.

### **C. Analytical Techniques:**

The samples were analyzed on instrument BNA\_F using GC Column DB-UI 8270D which is 20 meters, 0.18 mm ID, 0.36 um df. The samples were analyzed on instrument BNA\_P using GC Column ZB-SemiVolatiles Guardian which is 30 meters, 0.25 mm ID, 0.5 um df, Catalog # 7HG-G027-17-GG. The analysis of SVOCMS Group3 was based on method 8270E and extraction was done based on method 3510.

### **D. QA/ QC Samples:**

The Holding Times were met for all analysis.

The Surrogate recoveries met the acceptable criteria.

The Internal Standards Areas met the acceptable requirements except for SS-11MS and SS-11MSD. Due to matrix interference, hence no corrective action is required.

and

SS-MW1-11.5 due to the presence of non-targeted hydrocarbons which can be observed by the abnormal chromatogram. Hence no corrective action is required.

The Retention Times were acceptable for all samples.

The MS recoveries met the requirements for all compounds.

The MSD recoveries met the acceptable requirements.

The RPD met criteria.

The Blank Spike met requirements for all samples.

The Blank Spike Duplicate met requirements for all samples.

The Blank analysis did not indicate the presence of lab contamination.

The Initial Calibration met the requirements.



The Continuous Calibration met the requirements.  
The Tuning criteria met requirements.

**E. Additional Comments:**

The Form 6 is not included in the data package because the Initial Calibration was performed using 7 points.

The soil samples results are based on a dry weight basis.

Please use %D calculated based on Avg RF and CCRF for all compounds using Average Response Factor when the %RSD value for a compound is <20% for the Initial Calibration curve and use %D calculated based on Amount added and Calculated amount for all compounds using Linear Regression when the %RSD value for a compound is > 20% for the Initial Calibration curve for SW-846 analysis.

**F. Manual Integration Comments:**

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

---

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature\_\_\_\_\_

## DATA REPORTING QUALIFIERS- ORGANIC

For reporting results, the following “ Results Qualifiers” are used:

|           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|-----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Value     | If the result is a value greater than or equal to the detection limit, report the value                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>U</b>  | Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. “10 U”. This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.                                                                                                                                                                                                                                                                                      |
| <b>ND</b> | Indicates the analyte was analyzed for, but not detected                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>J</b>  | Indicates an estimated value. This flag is used: <ol style="list-style-type: none"> <li>(1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.)</li> <li>(2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3 ug/L was calculated report as 3 J. This flag is used when similar situation arise on any organic parameter i.e. Pest, PCB and others.</li> </ol> |
| <b>B</b>  | Indicates the analyte was found in the blank as well as the sample report as “12 B”.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>E</b>  | Indicates the analyte ‘s concentration exceeds the calibrated range of the instrument for that specific analysis.                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>D</b>  | This flag identifies all compounds identified in an analysis at a secondary dilution factor.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>P</b>  | This flag is used for Pesticide/PCB target analyte when there is >25% difference for detected concentrations between the two GC columns. The lower of the two values is reported on Form 1 and flagged with a “P”.                                                                                                                                                                                                                                                                                                                                                                             |
| <b>N</b>  | This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.                                                                                                                                                                                                                                                                       |
| <b>A</b>  | This flag indicates that a Tentatively Identified Compound is a suspected aldol-condensation product.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Q</b>  | Indicates the LCS did not meet the control limits requirements                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |

## APPENDIX A

### QA REVIEW GENERAL DOCUMENTATION

Project #: Q2075

Completed

For thorough review, the report must have the following:

#### GENERAL:

Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)

✓

Check chain-of-custody for proper relinquish/return of samples

✓

Is the chain of custody signed and complete

✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

✓

Collect information for each project id from server. Were all requirements followed

✓

#### COVER PAGE:

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page

✓

Do lab numbers and client Ids on cover page agree with the Chain of Custody

✓

#### CHAIN OF CUSTODY:

Do requested analyses on Chain of Custody agree with form I results

✓

Do requested analyses on Chain of Custody agree with the log-in page

✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Custody

✓

Were the samples received within hold time

✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓

#### ANALYTICAL:

Was method requirement followed?

✓

Was client requirement followed?

✓

Does the case narrative summarize all QC failure?

✓

All runlogs and manual integration are reviewed for requirements

✓

All manual calculations and /or hand notations verified

✓

QA Review Signature: SOHIL JODHANI

Date: 05/27/2025

## LAB CHRONICLE

|                 |                    |                   |                                        |
|-----------------|--------------------|-------------------|----------------------------------------|
| <b>OrderID:</b> | Q2075              | <b>OrderDate:</b> | 5/16/2025 4:10:00 PM                   |
| <b>Client:</b>  | CDM Smith          | <b>Project:</b>   | Con Ed UTEN Mount Vernon, NY           |
| <b>Contact:</b> | Marcie Ann Encinas | <b>Location:</b>  | L41,VOA Ref. #2 Soil,VOA Ref. #3 Water |

| LabID             | ClientID             | Matrix       | Test         | Method   | Sample Date     | Prep Date | Anal Date | Received        |
|-------------------|----------------------|--------------|--------------|----------|-----------------|-----------|-----------|-----------------|
| <b>Q2075-01</b>   | <b>SS-10</b>         | <b>SOIL</b>  | VOCMS Group3 | 8260D    | <b>05/15/25</b> |           | 05/20/25  | <b>05/16/25</b> |
| <b>Q2075-02</b>   | <b>SS-910</b>        | <b>SOIL</b>  | VOCMS Group3 | 8260D    | <b>05/15/25</b> |           | 05/20/25  | <b>05/16/25</b> |
| <b>Q2075-03</b>   | <b>SS-11</b>         | <b>SOIL</b>  | VOCMS Group3 | 8260D    | <b>05/15/25</b> |           | 05/20/25  | <b>05/16/25</b> |
| <b>Q2075-06</b>   | <b>SS-MW1-11.5</b>   | <b>SOIL</b>  | VOCMS Group3 | 8260D    | <b>05/16/25</b> |           | 05/22/25  | <b>05/16/25</b> |
| <b>Q2075-06ME</b> | <b>SS-MW1-11.5ME</b> | <b>SOIL</b>  | VOCMS Group3 | 8260D    | <b>05/16/25</b> |           | 05/23/25  | <b>05/16/25</b> |
| <b>Q2075-07</b>   | <b>FB-05152025</b>   | <b>Water</b> | VOCMS Group3 | 8260-Low | <b>05/15/25</b> |           | 05/21/25  | <b>05/16/25</b> |
| <b>Q2075-08</b>   | <b>FB-05162025</b>   | <b>Water</b> | VOCMS Group3 | 8260-Low | <b>05/16/25</b> |           | 05/21/25  | <b>05/16/25</b> |

**Hit Summary Sheet**  
**SW-846**

**SDG No.:** Q2075  
**Client:** CDM Smith

| Sample ID         | Client ID          | Matrix | Parameter                   | Concentration | C    | MDL  | RDL  | Units |
|-------------------|--------------------|--------|-----------------------------|---------------|------|------|------|-------|
| <b>Client ID:</b> | <b>SS-10</b>       |        |                             |               |      |      |      |       |
| Q2075-01          | SS-10              | SOIL   | Ethyl Benzene               | 21.1          |      | 0.54 | 4.00 | ug/Kg |
| Q2075-01          | SS-10              | SOIL   | Total Xylenes               | 93.8          |      | 1.66 | 12.1 | ug/Kg |
| Q2075-01          | SS-10              | SOIL   | Isopropylbenzene            | 5.70          |      | 0.63 | 4.00 | ug/Kg |
| Q2075-01          | SS-10              | SOIL   | n-propylbenzene             | 13.1          |      | 0.59 | 4.00 | ug/Kg |
| Q2075-01          | SS-10              | SOIL   | 1,3,5-Trimethylbenzene      | 23.4          |      | 0.66 | 4.00 | ug/Kg |
| Q2075-01          | SS-10              | SOIL   | 1,2,4-Trimethylbenzene      | 90.2          |      | 0.52 | 4.00 | ug/Kg |
| Q2075-01          | SS-10              | SOIL   | sec-Butylbenzene            | 3.50          | J    | 0.53 | 4.00 | ug/Kg |
| Q2075-01          | SS-10              | SOIL   | p-Isopropyltoluene          | 2.10          | J    | 0.50 | 4.00 | ug/Kg |
| Q2075-01          | SS-10              | SOIL   | n-Butylbenzene              | 3.70          | J    | 1.20 | 4.00 | ug/Kg |
|                   |                    |        | <b>Total Voc :</b>          |               | 257  |      |      |       |
|                   |                    |        | <b>Total Concentration:</b> |               | 257  |      |      |       |
| <b>Client ID:</b> | <b>SS-910</b>      |        |                             |               |      |      |      |       |
| Q2075-02          | SS-910             | SOIL   | Ethyl Benzene               | 5.40          |      | 0.51 | 3.80 | ug/Kg |
| Q2075-02          | SS-910             | SOIL   | Total Xylenes               | 26.5          |      | 1.58 | 11.5 | ug/Kg |
| Q2075-02          | SS-910             | SOIL   | Isopropylbenzene            | 2.10          | J    | 0.60 | 3.80 | ug/Kg |
| Q2075-02          | SS-910             | SOIL   | n-propylbenzene             | 5.00          |      | 0.56 | 3.80 | ug/Kg |
| Q2075-02          | SS-910             | SOIL   | 1,3,5-Trimethylbenzene      | 9.10          |      | 0.63 | 3.80 | ug/Kg |
| Q2075-02          | SS-910             | SOIL   | 1,2,4-Trimethylbenzene      | 32.9          |      | 0.49 | 3.80 | ug/Kg |
| Q2075-02          | SS-910             | SOIL   | sec-Butylbenzene            | 1.50          | J    | 0.51 | 3.80 | ug/Kg |
| Q2075-02          | SS-910             | SOIL   | p-Isopropyltoluene          | 0.99          | J    | 0.48 | 3.80 | ug/Kg |
| Q2075-02          | SS-910             | SOIL   | n-Butylbenzene              | 1.70          | J    | 1.10 | 3.80 | ug/Kg |
|                   |                    |        | <b>Total Voc :</b>          |               | 85.2 |      |      |       |
|                   |                    |        | <b>Total Concentration:</b> |               | 85.2 |      |      |       |
| <b>Client ID:</b> | <b>SS-11</b>       |        |                             |               |      |      |      |       |
| Q2075-03          | SS-11              | SOIL   | Toluene                     | 5.20          |      | 0.78 | 5.00 | ug/Kg |
| Q2075-03          | SS-11              | SOIL   | Ethyl Benzene               | 7.80          |      | 0.67 | 5.00 | ug/Kg |
| Q2075-03          | SS-11              | SOIL   | Total Xylenes               | 46.3          |      | 2.02 | 14.9 | ug/Kg |
| Q2075-03          | SS-11              | SOIL   | Isopropylbenzene            | 2.10          | J    | 0.78 | 5.00 | ug/Kg |
| Q2075-03          | SS-11              | SOIL   | n-propylbenzene             | 5.40          |      | 0.73 | 5.00 | ug/Kg |
| Q2075-03          | SS-11              | SOIL   | 1,3,5-Trimethylbenzene      | 9.80          |      | 0.82 | 5.00 | ug/Kg |
| Q2075-03          | SS-11              | SOIL   | 1,2,4-Trimethylbenzene      | 40.2          |      | 0.64 | 5.00 | ug/Kg |
| Q2075-03          | SS-11              | SOIL   | sec-Butylbenzene            | 1.40          | J    | 0.66 | 5.00 | ug/Kg |
| Q2075-03          | SS-11              | SOIL   | n-Butylbenzene              | 1.40          | J    | 1.40 | 5.00 | ug/Kg |
|                   |                    |        | <b>Total Voc :</b>          |               | 120  |      |      |       |
|                   |                    |        | <b>Total Concentration:</b> |               | 120  |      |      |       |
| <b>Client ID:</b> | <b>SS-MW1-11.5</b> |        |                             |               |      |      |      |       |
| Q2075-06          | SS-MW1-11.5        | SOIL   | Benzene                     | 9.40          |      | 0.62 | 3.90 | ug/Kg |

### Hit Summary Sheet SW-846

**SDG No.:** Q2075

**Client:** CDM Smith

| Sample ID            | Client ID     | Matrix | Parameter              | Concentration | C  | MDL  | RDL  | Units |
|----------------------|---------------|--------|------------------------|---------------|----|------|------|-------|
| Q2075-06             | SS-MW1-11.5   | SOIL   | Toluene                | 44.7          |    | 0.61 | 3.90 | ug/Kg |
| Q2075-06             | SS-MW1-11.5   | SOIL   | Ethyl Benzene          | 18.9          |    | 0.52 | 3.90 | ug/Kg |
| Q2075-06             | SS-MW1-11.5   | SOIL   | Total Xylenes          | 1510          | E  | 1.61 | 11.7 | ug/Kg |
| Q2075-06             | SS-MW1-11.5   | SOIL   | Isopropylbenzene       | 40.5          |    | 0.61 | 3.90 | ug/Kg |
| Q2075-06             | SS-MW1-11.5   | SOIL   | n-propylbenzene        | 56.3          |    | 0.57 | 3.90 | ug/Kg |
| Q2075-06             | SS-MW1-11.5   | SOIL   | 1,3,5-Trimethylbenzene | 770           | E  | 0.64 | 3.90 | ug/Kg |
| Q2075-06             | SS-MW1-11.5   | SOIL   | 1,2,4-Trimethylbenzene | 740           | E  | 0.50 | 3.90 | ug/Kg |
| Q2075-06             | SS-MW1-11.5   | SOIL   | sec-Butylbenzene       | 66.3          |    | 0.52 | 3.90 | ug/Kg |
| Q2075-06             | SS-MW1-11.5   | SOIL   | p-Isopropyltoluene     | 52.3          |    | 0.48 | 3.90 | ug/Kg |
| Q2075-06             | SS-MW1-11.5   | SOIL   | n-Butylbenzene         | 71.9          |    | 1.10 | 3.90 | ug/Kg |
| Total Voc :          |               |        |                        | 3380          |    |      |      |       |
| Total Concentration: |               |        |                        | 3380          |    |      |      |       |
| Client ID:           | SS-MW1-11.5ME |        |                        |               |    |      |      |       |
| Q2075-06ME           | SS-MW1-11.5ME | SOIL   | Toluene                | 83.3          | JD | 25.6 | 160  | ug/Kg |
| Q2075-06ME           | SS-MW1-11.5ME | SOIL   | Ethyl Benzene          | 110           | JD | 22.0 | 160  | ug/Kg |
| Q2075-06ME           | SS-MW1-11.5ME | SOIL   | Total Xylenes          | 630           | D  | 67.6 | 490  | ug/Kg |
| Q2075-06ME           | SS-MW1-11.5ME | SOIL   | Isopropylbenzene       | 42.8          | JD | 25.6 | 160  | ug/Kg |
| Q2075-06ME           | SS-MW1-11.5ME | SOIL   | n-propylbenzene        | 130           | JD | 24.0 | 160  | ug/Kg |
| Q2075-06ME           | SS-MW1-11.5ME | SOIL   | 1,3,5-Trimethylbenzene | 220           | D  | 26.9 | 160  | ug/Kg |
| Q2075-06ME           | SS-MW1-11.5ME | SOIL   | 1,2,4-Trimethylbenzene | 810           | D  | 21.0 | 160  | ug/Kg |
| Q2075-06ME           | SS-MW1-11.5ME | SOIL   | sec-Butylbenzene       | 63.9          | JD | 21.7 | 160  | ug/Kg |
| Q2075-06ME           | SS-MW1-11.5ME | SOIL   | p-Isopropyltoluene     | 43.7          | JD | 20.4 | 160  | ug/Kg |
| Q2075-06ME           | SS-MW1-11.5ME | SOIL   | n-Butylbenzene         | 180           | D  | 47.6 | 160  | ug/Kg |
| Total Voc :          |               |        |                        | 2310          |    |      |      |       |
| Total Concentration: |               |        |                        | 2310          |    |      |      |       |



# SAMPLE DATA

## Report of Analysis

|                    |                                   |                 |                      |
|--------------------|-----------------------------------|-----------------|----------------------|
| Client:            | CDM Smith                         | Date Collected: | 05/15/25             |
| Project:           | Con Ed UTEN Mount Vernon, NY      | Date Received:  | 05/16/25             |
| Client Sample ID:  | SS-10                             | SDG No.:        | Q2075                |
| Lab Sample ID:     | Q2075-01                          | Matrix:         | SOIL                 |
| Analytical Method: | 8260D                             | % Solid:        | 79.8                 |
| Sample Wt/Vol:     | 7.75      Units:    g             | Final Vol:      | 5000              uL |
| Soil Aliquot Vol:  | uL                                | Test:           | VOCMS Group3         |
| GC Column:         | RXI-624              ID :    0.25 | Level :         | LOW                  |
| Prep Method :      |                                   |                 |                      |

|                   |           |           |                |               |
|-------------------|-----------|-----------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date | Date Analyzed  | Prep Batch ID |
| VY022343.D        | 1         |           | 05/20/25 15:22 | VY052025      |

| CAS Number                | Parameter              | Conc.  | Qualifier | MDL      | LOQ / CRQL | Units(Dry Weight) |
|---------------------------|------------------------|--------|-----------|----------|------------|-------------------|
| <b>TARGETS</b>            |                        |        |           |          |            |                   |
| 71-43-2                   | Benzene                | 4.00   | U         | 0.64     | 4.00       | ug/Kg             |
| 108-88-3                  | Toluene                | 4.00   | U         | 0.63     | 4.00       | ug/Kg             |
| 100-41-4                  | Ethyl Benzene          | 21.1   |           | 0.54     | 4.00       | ug/Kg             |
| 1330-20-7                 | Total Xylenes          | 93.8   |           | 1.66     | 12.1       | ug/Kg             |
| 98-82-8                   | Isopropylbenzene       | 5.70   |           | 0.63     | 4.00       | ug/Kg             |
| 103-65-1                  | n-propylbenzene        | 13.1   |           | 0.59     | 4.00       | ug/Kg             |
| 108-67-8                  | 1,3,5-Trimethylbenzene | 23.4   |           | 0.66     | 4.00       | ug/Kg             |
| 98-06-6                   | tert-Butylbenzene      | 4.00   | U         | 0.54     | 4.00       | ug/Kg             |
| 95-63-6                   | 1,2,4-Trimethylbenzene | 90.2   |           | 0.52     | 4.00       | ug/Kg             |
| 135-98-8                  | sec-Butylbenzene       | 3.50   | J         | 0.53     | 4.00       | ug/Kg             |
| 99-87-6                   | p-Isopropyltoluene     | 2.10   | J         | 0.50     | 4.00       | ug/Kg             |
| 104-51-8                  | n-Butylbenzene         | 3.70   | J         | 1.20     | 4.00       | ug/Kg             |
| <b>SURROGATES</b>         |                        |        |           |          |            |                   |
| 17060-07-0                | 1,2-Dichloroethane-d4  | 53.3   |           | 63 - 155 | 107%       | SPK: 50           |
| 1868-53-7                 | Dibromofluoromethane   | 51.9   |           | 70 - 134 | 104%       | SPK: 50           |
| 2037-26-5                 | Toluene-d8             | 50.7   |           | 74 - 123 | 101%       | SPK: 50           |
| 460-00-4                  | 4-Bromofluorobenzene   | 42.9   |           | 38 - 136 | 86%        | SPK: 50           |
| <b>INTERNAL STANDARDS</b> |                        |        |           |          |            |                   |
| 363-72-4                  | Pentafluorobenzene     | 237000 | 7.707     |          |            |                   |
| 540-36-3                  | 1,4-Difluorobenzene    | 426000 | 8.616     |          |            |                   |
| 3114-55-4                 | Chlorobenzene-d5       | 353000 | 11.414    |          |            |                   |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4 | 139000 | 13.346    |          |            |                   |

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

## Report of Analysis

|                    |                                   |                 |                      |
|--------------------|-----------------------------------|-----------------|----------------------|
| Client:            | CDM Smith                         | Date Collected: | 05/15/25             |
| Project:           | Con Ed UTEN Mount Vernon, NY      | Date Received:  | 05/16/25             |
| Client Sample ID:  | SS-910                            | SDG No.:        | Q2075                |
| Lab Sample ID:     | Q2075-02                          | Matrix:         | SOIL                 |
| Analytical Method: | 8260D                             | % Solid:        | 81.3                 |
| Sample Wt/Vol:     | 8.02      Units:    g             | Final Vol:      | 5000              uL |
| Soil Aliquot Vol:  | uL                                | Test:           | VOCMS Group3         |
| GC Column:         | RXI-624              ID :    0.25 | Level :         | LOW                  |
| Prep Method :      |                                   |                 |                      |

|                   |           |           |                |               |
|-------------------|-----------|-----------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date | Date Analyzed  | Prep Batch ID |
| VY022344.D        | 1         |           | 05/20/25 15:45 | VY052025      |

| CAS Number                | Parameter              | Conc.  | Qualifier | MDL      | LOQ / CRQL | Units(Dry Weight) |
|---------------------------|------------------------|--------|-----------|----------|------------|-------------------|
| <b>TARGETS</b>            |                        |        |           |          |            |                   |
| 71-43-2                   | Benzene                | 3.80   | U         | 0.61     | 3.80       | ug/Kg             |
| 108-88-3                  | Toluene                | 3.80   | U         | 0.60     | 3.80       | ug/Kg             |
| 100-41-4                  | Ethyl Benzene          | 5.40   |           | 0.51     | 3.80       | ug/Kg             |
| 1330-20-7                 | Total Xylenes          | 26.5   |           | 1.58     | 11.5       | ug/Kg             |
| 98-82-8                   | Isopropylbenzene       | 2.10   | J         | 0.60     | 3.80       | ug/Kg             |
| 103-65-1                  | n-propylbenzene        | 5.00   |           | 0.56     | 3.80       | ug/Kg             |
| 108-67-8                  | 1,3,5-Trimethylbenzene | 9.10   |           | 0.63     | 3.80       | ug/Kg             |
| 98-06-6                   | tert-Butylbenzene      | 3.80   | U         | 0.51     | 3.80       | ug/Kg             |
| 95-63-6                   | 1,2,4-Trimethylbenzene | 32.9   |           | 0.49     | 3.80       | ug/Kg             |
| 135-98-8                  | sec-Butylbenzene       | 1.50   | J         | 0.51     | 3.80       | ug/Kg             |
| 99-87-6                   | p-Isopropyltoluene     | 0.99   | J         | 0.48     | 3.80       | ug/Kg             |
| 104-51-8                  | n-Butylbenzene         | 1.70   | J         | 1.10     | 3.80       | ug/Kg             |
| <b>SURROGATES</b>         |                        |        |           |          |            |                   |
| 17060-07-0                | 1,2-Dichloroethane-d4  | 48.7   |           | 63 - 155 | 97%        | SPK: 50           |
| 1868-53-7                 | Dibromofluoromethane   | 49.6   |           | 70 - 134 | 99%        | SPK: 50           |
| 2037-26-5                 | Toluene-d8             | 48.7   |           | 74 - 123 | 97%        | SPK: 50           |
| 460-00-4                  | 4-Bromofluorobenzene   | 39.8   |           | 38 - 136 | 80%        | SPK: 50           |
| <b>INTERNAL STANDARDS</b> |                        |        |           |          |            |                   |
| 363-72-4                  | Pentafluorobenzene     | 242000 | 7.707     |          |            |                   |
| 540-36-3                  | 1,4-Difluorobenzene    | 431000 | 8.616     |          |            |                   |
| 3114-55-4                 | Chlorobenzene-d5       | 344000 | 11.414    |          |            |                   |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4 | 127000 | 13.347    |          |            |                   |

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

## Report of Analysis

|                    |                                   |                 |                      |
|--------------------|-----------------------------------|-----------------|----------------------|
| Client:            | CDM Smith                         | Date Collected: | 05/15/25             |
| Project:           | Con Ed UTEN Mount Vernon, NY      | Date Received:  | 05/16/25             |
| Client Sample ID:  | SS-11                             | SDG No.:        | Q2075                |
| Lab Sample ID:     | Q2075-03                          | Matrix:         | SOIL                 |
| Analytical Method: | 8260D                             | % Solid:        | 87.4                 |
| Sample Wt/Vol:     | 5.75      Units:    g             | Final Vol:      | 5000              uL |
| Soil Aliquot Vol:  | uL                                | Test:           | VOCMS Group3         |
| GC Column:         | RXI-624              ID :    0.25 | Level :         | LOW                  |
| Prep Method :      |                                   |                 |                      |

|                   |           |           |                |               |
|-------------------|-----------|-----------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date | Date Analyzed  | Prep Batch ID |
| VY022345.D        | 1         |           | 05/20/25 16:09 | VY052025      |

| CAS Number                | Parameter              | Conc.  | Qualifier | MDL      | LOQ / CRQL | Units(Dry Weight) |
|---------------------------|------------------------|--------|-----------|----------|------------|-------------------|
| <b>TARGETS</b>            |                        |        |           |          |            |                   |
| 71-43-2                   | Benzene                | 5.00   | U         | 0.79     | 5.00       | ug/Kg             |
| 108-88-3                  | Toluene                | 5.20   |           | 0.78     | 5.00       | ug/Kg             |
| 100-41-4                  | Ethyl Benzene          | 7.80   |           | 0.67     | 5.00       | ug/Kg             |
| 1330-20-7                 | Total Xylenes          | 46.3   |           | 2.02     | 14.9       | ug/Kg             |
| 98-82-8                   | Isopropylbenzene       | 2.10   | J         | 0.78     | 5.00       | ug/Kg             |
| 103-65-1                  | n-propylbenzene        | 5.40   |           | 0.73     | 5.00       | ug/Kg             |
| 108-67-8                  | 1,3,5-Trimethylbenzene | 9.80   |           | 0.82     | 5.00       | ug/Kg             |
| 98-06-6                   | tert-Butylbenzene      | 5.00   | U         | 0.67     | 5.00       | ug/Kg             |
| 95-63-6                   | 1,2,4-Trimethylbenzene | 40.2   |           | 0.64     | 5.00       | ug/Kg             |
| 135-98-8                  | sec-Butylbenzene       | 1.40   | J         | 0.66     | 5.00       | ug/Kg             |
| 99-87-6                   | p-Isopropyltoluene     | 5.00   | U         | 0.62     | 5.00       | ug/Kg             |
| 104-51-8                  | n-Butylbenzene         | 1.40   | J         | 1.40     | 5.00       | ug/Kg             |
| <b>SURROGATES</b>         |                        |        |           |          |            |                   |
| 17060-07-0                | 1,2-Dichloroethane-d4  | 46.7   |           | 63 - 155 | 93%        | SPK: 50           |
| 1868-53-7                 | Dibromofluoromethane   | 48.8   |           | 70 - 134 | 98%        | SPK: 50           |
| 2037-26-5                 | Toluene-d8             | 48.7   |           | 74 - 123 | 97%        | SPK: 50           |
| 460-00-4                  | 4-Bromofluorobenzene   | 39.5   |           | 38 - 136 | 79%        | SPK: 50           |
| <b>INTERNAL STANDARDS</b> |                        |        |           |          |            |                   |
| 363-72-4                  | Pentafluorobenzene     | 240000 | 7.707     |          |            |                   |
| 540-36-3                  | 1,4-Difluorobenzene    | 433000 | 8.615     |          |            |                   |
| 3114-55-4                 | Chlorobenzene-d5       | 346000 | 11.414    |          |            |                   |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4 | 131000 | 13.346    |          |            |                   |

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

## Report of Analysis

|                    |                              |                 |              |
|--------------------|------------------------------|-----------------|--------------|
| Client:            | CDM Smith                    | Date Collected: | 05/16/25     |
| Project:           | Con Ed UTEN Mount Vernon, NY | Date Received:  | 05/16/25     |
| Client Sample ID:  | SS-MW1-11.5                  | SDG No.:        | Q2075        |
| Lab Sample ID:     | Q2075-06                     | Matrix:         | SOIL         |
| Analytical Method: | 8260D                        | % Solid:        | 91           |
| Sample Wt/Vol:     | 7.04 Units: g                | Final Vol:      | 5000 uL      |
| Soil Aliquot Vol:  | uL                           | Test:           | VOCMS Group3 |
| GC Column:         | RXI-624 ID : 0.25            | Level :         | LOW          |
| Prep Method :      |                              |                 |              |

|                   |           |           |                |               |
|-------------------|-----------|-----------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date | Date Analyzed  | Prep Batch ID |
| VY022403.D        | 1         |           | 05/22/25 18:03 | VY052225      |

| CAS Number                | Parameter              | Conc.  | Qualifier | MDL      | LOQ / CRQL | Units(Dry Weight) |
|---------------------------|------------------------|--------|-----------|----------|------------|-------------------|
| <b>TARGETS</b>            |                        |        |           |          |            |                   |
| 71-43-2                   | Benzene                | 9.40   |           | 0.62     | 3.90       | ug/Kg             |
| 108-88-3                  | Toluene                | 44.7   |           | 0.61     | 3.90       | ug/Kg             |
| 100-41-4                  | Ethyl Benzene          | 18.9   |           | 0.52     | 3.90       | ug/Kg             |
| 1330-20-7                 | Total Xylenes          | 1510   | E         | 1.61     | 11.7       | ug/Kg             |
| 98-82-8                   | Isopropylbenzene       | 40.5   |           | 0.61     | 3.90       | ug/Kg             |
| 103-65-1                  | n-propylbenzene        | 56.3   |           | 0.57     | 3.90       | ug/Kg             |
| 108-67-8                  | 1,3,5-Trimethylbenzene | 770    | E         | 0.64     | 3.90       | ug/Kg             |
| 98-06-6                   | tert-Butylbenzene      | 3.90   | U         | 0.52     | 3.90       | ug/Kg             |
| 95-63-6                   | 1,2,4-Trimethylbenzene | 740    | E         | 0.50     | 3.90       | ug/Kg             |
| 135-98-8                  | sec-Butylbenzene       | 66.3   |           | 0.52     | 3.90       | ug/Kg             |
| 99-87-6                   | p-Isopropyltoluene     | 52.3   |           | 0.48     | 3.90       | ug/Kg             |
| 104-51-8                  | n-Butylbenzene         | 71.9   |           | 1.10     | 3.90       | ug/Kg             |
| <b>SURROGATES</b>         |                        |        |           |          |            |                   |
| 17060-07-0                | 1,2-Dichloroethane-d4  | 44.5   |           | 63 - 155 | 89%        | SPK: 50           |
| 1868-53-7                 | Dibromofluoromethane   | 50.4   |           | 70 - 134 | 101%       | SPK: 50           |
| 2037-26-5                 | Toluene-d8             | 55.4   |           | 74 - 123 | 111%       | SPK: 50           |
| 460-00-4                  | 4-Bromofluorobenzene   | 49.9   |           | 38 - 136 | 100%       | SPK: 50           |
| <b>INTERNAL STANDARDS</b> |                        |        |           |          |            |                   |
| 363-72-4                  | Pentafluorobenzene     | 235000 | 7.719     |          |            |                   |
| 540-36-3                  | 1,4-Difluorobenzene    | 408000 | 8.622     |          |            |                   |
| 3114-55-4                 | Chlorobenzene-d5       | 331000 | 11.42     |          |            |                   |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4 | 156000 | 13.353    |          |            |                   |

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

## Report of Analysis

|                    |                              |                 |                      |
|--------------------|------------------------------|-----------------|----------------------|
| Client:            | CDM Smith                    | Date Collected: | 05/16/25             |
| Project:           | Con Ed UTEN Mount Vernon, NY | Date Received:  | 05/16/25             |
| Client Sample ID:  | SS-MW1-11.5ME                | SDG No.:        | Q2075                |
| Lab Sample ID:     | Q2075-06ME                   | Matrix:         | SOIL                 |
| Analytical Method: | 8260D                        | % Solid:        | 91                   |
| Sample Wt/Vol:     | 8.36      Units:    g        | Final Vol:      | 5000              uL |
| Soil Aliquot Vol:  | 100                      uL  | Test:           | VOCMS Group3         |
| GC Column:         | DB-624UI      ID :    0.18   | Level :         | MED                  |
| Prep Method :      |                              |                 |                      |

|                   |           |           |                |               |
|-------------------|-----------|-----------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date | Date Analyzed  | Prep Batch ID |
| VX046336.D        | 1         |           | 05/23/25 11:46 | VX052325      |

| CAS Number                | Parameter              | Conc.  | Qualifier | MDL      | LOQ / CRQL | Units(Dry Weight) |
|---------------------------|------------------------|--------|-----------|----------|------------|-------------------|
| <b>TARGETS</b>            |                        |        |           |          |            |                   |
| 71-43-2                   | Benzene                | 160    | UD        | 26.0     | 160        | ug/Kg             |
| 108-88-3                  | Toluene                | 83.3   | JD        | 25.6     | 160        | ug/Kg             |
| 100-41-4                  | Ethyl Benzene          | 110    | JD        | 22.0     | 160        | ug/Kg             |
| 1330-20-7                 | Total Xylenes          | 630    | D         | 67.6     | 490        | ug/Kg             |
| 98-82-8                   | Isopropylbenzene       | 42.8   | JD        | 25.6     | 160        | ug/Kg             |
| 103-65-1                  | n-propylbenzene        | 130    | JD        | 24.0     | 160        | ug/Kg             |
| 108-67-8                  | 1,3,5-Trimethylbenzene | 220    | D         | 26.9     | 160        | ug/Kg             |
| 98-06-6                   | tert-Butylbenzene      | 160    | UD        | 22.0     | 160        | ug/Kg             |
| 95-63-6                   | 1,2,4-Trimethylbenzene | 810    | D         | 21.0     | 160        | ug/Kg             |
| 135-98-8                  | sec-Butylbenzene       | 63.9   | JD        | 21.7     | 160        | ug/Kg             |
| 99-87-6                   | p-Isopropyltoluene     | 43.7   | JD        | 20.4     | 160        | ug/Kg             |
| 104-51-8                  | n-Butylbenzene         | 180    | D         | 47.6     | 160        | ug/Kg             |
| <b>SURROGATES</b>         |                        |        |           |          |            |                   |
| 17060-07-0                | 1,2-Dichloroethane-d4  | 51.0   |           | 63 - 155 | 102%       | SPK: 50           |
| 1868-53-7                 | Dibromofluoromethane   | 48.4   |           | 70 - 134 | 97%        | SPK: 50           |
| 2037-26-5                 | Toluene-d8             | 50.7   |           | 74 - 123 | 101%       | SPK: 50           |
| 460-00-4                  | 4-Bromofluorobenzene   | 51.5   |           | 38 - 136 | 103%       | SPK: 50           |
| <b>INTERNAL STANDARDS</b> |                        |        |           |          |            |                   |
| 363-72-4                  | Pentafluorobenzene     | 61400  | 5.544     |          |            |                   |
| 540-36-3                  | 1,4-Difluorobenzene    | 119000 | 6.757     |          |            |                   |
| 3114-55-4                 | Chlorobenzene-d5       | 110000 | 10.049    |          |            |                   |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4 | 48700  | 12.024    |          |            |                   |

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

## Report of Analysis

|                    |                              |                 |              |
|--------------------|------------------------------|-----------------|--------------|
| Client:            | CDM Smith                    | Date Collected: | 05/15/25     |
| Project:           | Con Ed UTEN Mount Vernon, NY | Date Received:  | 05/16/25     |
| Client Sample ID:  | FB-05152025                  | SDG No.:        | Q2075        |
| Lab Sample ID:     | Q2075-07                     | Matrix:         | Water        |
| Analytical Method: | 8260D                        | % Solid:        | 0            |
| Sample Wt/Vol:     | 5 Units: mL                  | Final Vol:      | 5000 uL      |
| Soil Aliquot Vol:  | uL                           | Test:           | VOCMS Group3 |
| GC Column:         | DB-624UI ID : 0.18           | Level :         | LOW          |
| Prep Method :      |                              |                 |              |

|                   |           |           |                |               |
|-------------------|-----------|-----------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date | Date Analyzed  | Prep Batch ID |
| VX046292.D        | 1         |           | 05/21/25 13:09 | VX052125      |

| CAS Number                | Parameter              | Conc.  | Qualifier | MDL      | LOQ / CRQL | Units   |
|---------------------------|------------------------|--------|-----------|----------|------------|---------|
| <b>TARGETS</b>            |                        |        |           |          |            |         |
| 71-43-2                   | Benzene                | 1.00   | U         | 0.15     | 1.00       | ug/L    |
| 108-88-3                  | Toluene                | 1.00   | U         | 0.14     | 1.00       | ug/L    |
| 100-41-4                  | Ethyl Benzene          | 1.00   | U         | 0.13     | 1.00       | ug/L    |
| 1330-20-7                 | Total Xylenes          | 3.00   | U         | 0.36     | 3.00       | ug/L    |
| 98-82-8                   | Isopropylbenzene       | 1.00   | U         | 0.12     | 1.00       | ug/L    |
| 103-65-1                  | n-propylbenzene        | 1.00   | U         | 0.13     | 1.00       | ug/L    |
| 108-67-8                  | 1,3,5-Trimethylbenzene | 1.00   | U         | 0.15     | 1.00       | ug/L    |
| 98-06-6                   | tert-Butylbenzene      | 1.00   | U         | 0.14     | 1.00       | ug/L    |
| 95-63-6                   | 1,2,4-Trimethylbenzene | 1.00   | U         | 0.14     | 1.00       | ug/L    |
| 135-98-8                  | sec-Butylbenzene       | 1.00   | U         | 0.13     | 1.00       | ug/L    |
| 99-87-6                   | p-Isopropyltoluene     | 1.00   | U         | 0.13     | 1.00       | ug/L    |
| 104-51-8                  | n-Butylbenzene         | 1.00   | U         | 0.15     | 1.00       | ug/L    |
| <b>SURROGATES</b>         |                        |        |           |          |            |         |
| 17060-07-0                | 1,2-Dichloroethane-d4  | 53.2   |           | 74 - 125 | 106%       | SPK: 50 |
| 1868-53-7                 | Dibromofluoromethane   | 49.3   |           | 75 - 124 | 99%        | SPK: 50 |
| 2037-26-5                 | Toluene-d8             | 50.7   |           | 86 - 113 | 101%       | SPK: 50 |
| 460-00-4                  | 4-Bromofluorobenzene   | 52.0   |           | 77 - 121 | 104%       | SPK: 50 |
| <b>INTERNAL STANDARDS</b> |                        |        |           |          |            |         |
| 363-72-4                  | Pentafluorobenzene     | 63600  | 5.55      |          |            |         |
| 540-36-3                  | 1,4-Difluorobenzene    | 127000 | 6.757     |          |            |         |
| 3114-55-4                 | Chlorobenzene-d5       | 121000 | 10.049    |          |            |         |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4 | 52600  | 12.018    |          |            |         |

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

## Report of Analysis

|                    |                              |                 |              |
|--------------------|------------------------------|-----------------|--------------|
| Client:            | CDM Smith                    | Date Collected: | 05/16/25     |
| Project:           | Con Ed UTEN Mount Vernon, NY | Date Received:  | 05/16/25     |
| Client Sample ID:  | FB-05162025                  | SDG No.:        | Q2075        |
| Lab Sample ID:     | Q2075-08                     | Matrix:         | Water        |
| Analytical Method: | 8260D                        | % Solid:        | 0            |
| Sample Wt/Vol:     | 5 Units: mL                  | Final Vol:      | 5000 uL      |
| Soil Aliquot Vol:  | uL                           | Test:           | VOCMS Group3 |
| GC Column:         | DB-624UI ID : 0.18           | Level :         | LOW          |
| Prep Method :      |                              |                 |              |

|                   |           |           |                |               |
|-------------------|-----------|-----------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date | Date Analyzed  | Prep Batch ID |
| VX046293.D        | 1         |           | 05/21/25 13:32 | VX052125      |

| CAS Number                | Parameter              | Conc.  | Qualifier | MDL      | LOQ / CRQL | Units   |
|---------------------------|------------------------|--------|-----------|----------|------------|---------|
| <b>TARGETS</b>            |                        |        |           |          |            |         |
| 71-43-2                   | Benzene                | 1.00   | U         | 0.15     | 1.00       | ug/L    |
| 108-88-3                  | Toluene                | 1.00   | U         | 0.14     | 1.00       | ug/L    |
| 100-41-4                  | Ethyl Benzene          | 1.00   | U         | 0.13     | 1.00       | ug/L    |
| 1330-20-7                 | Total Xylenes          | 3.00   | U         | 0.36     | 3.00       | ug/L    |
| 98-82-8                   | Isopropylbenzene       | 1.00   | U         | 0.12     | 1.00       | ug/L    |
| 103-65-1                  | n-propylbenzene        | 1.00   | U         | 0.13     | 1.00       | ug/L    |
| 108-67-8                  | 1,3,5-Trimethylbenzene | 1.00   | U         | 0.15     | 1.00       | ug/L    |
| 98-06-6                   | tert-Butylbenzene      | 1.00   | U         | 0.14     | 1.00       | ug/L    |
| 95-63-6                   | 1,2,4-Trimethylbenzene | 1.00   | U         | 0.14     | 1.00       | ug/L    |
| 135-98-8                  | sec-Butylbenzene       | 1.00   | U         | 0.13     | 1.00       | ug/L    |
| 99-87-6                   | p-Isopropyltoluene     | 1.00   | U         | 0.13     | 1.00       | ug/L    |
| 104-51-8                  | n-Butylbenzene         | 1.00   | U         | 0.15     | 1.00       | ug/L    |
| <b>SURROGATES</b>         |                        |        |           |          |            |         |
| 17060-07-0                | 1,2-Dichloroethane-d4  | 52.2   |           | 74 - 125 | 104%       | SPK: 50 |
| 1868-53-7                 | Dibromofluoromethane   | 50.1   |           | 75 - 124 | 100%       | SPK: 50 |
| 2037-26-5                 | Toluene-d8             | 50.2   |           | 86 - 113 | 100%       | SPK: 50 |
| 460-00-4                  | 4-Bromofluorobenzene   | 51.7   |           | 77 - 121 | 103%       | SPK: 50 |
| <b>INTERNAL STANDARDS</b> |                        |        |           |          |            |         |
| 363-72-4                  | Pentafluorobenzene     | 68000  | 5.55      |          |            |         |
| 540-36-3                  | 1,4-Difluorobenzene    | 135000 | 6.757     |          |            |         |
| 3114-55-4                 | Chlorobenzene-d5       | 128000 | 10.049    |          |            |         |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4 | 56000  | 12.018    |          |            |         |

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products



# QC SUMMARY

### Surrogate Summary

SDG No.: Q2075

Client: CDM Smith

Analytical Method: SW8260D

| Lab Sample ID | Client ID     | Parameter             | Spike | Result | RecoveryQual | Limits |      |
|---------------|---------------|-----------------------|-------|--------|--------------|--------|------|
|               |               |                       |       |        |              | Low    | High |
| Q2075-01      | SS-10         | 1,2-Dichloroethane-d4 | 50    | 53.3   | 107          | 63     | 155  |
|               |               | Dibromofluoromethane  | 50    | 51.9   | 104          | 70     | 134  |
|               |               | Toluene-d8            | 50    | 50.7   | 101          | 74     | 123  |
|               |               | 4-Bromofluorobenzene  | 50    | 42.9   | 86           | 38     | 136  |
| Q2075-02      | SS-910        | 1,2-Dichloroethane-d4 | 50    | 48.7   | 97           | 63     | 155  |
|               |               | Dibromofluoromethane  | 50    | 49.5   | 99           | 70     | 134  |
|               |               | Toluene-d8            | 50    | 48.7   | 97           | 74     | 123  |
|               |               | 4-Bromofluorobenzene  | 50    | 39.8   | 80           | 38     | 136  |
| Q2075-03      | SS-11         | 1,2-Dichloroethane-d4 | 50    | 46.7   | 93           | 63     | 155  |
|               |               | Dibromofluoromethane  | 50    | 48.8   | 98           | 70     | 134  |
|               |               | Toluene-d8            | 50    | 48.7   | 97           | 74     | 123  |
|               |               | 4-Bromofluorobenzene  | 50    | 39.5   | 79           | 38     | 136  |
| Q2075-04MS    | SS-11MS       | 1,2-Dichloroethane-d4 | 50    | 49.2   | 98           | 63     | 155  |
|               |               | Dibromofluoromethane  | 50    | 42.1   | 84           | 70     | 134  |
|               |               | Toluene-d8            | 50    | 39.0   | 78           | 74     | 123  |
|               |               | 4-Bromofluorobenzene  | 50    | 36.5   | 73           | 38     | 136  |
| Q2075-05MSD   | SS-11MSD      | 1,2-Dichloroethane-d4 | 50    | 62.7   | 125          | 63     | 155  |
|               |               | Dibromofluoromethane  | 50    | 51.3   | 103          | 70     | 134  |
|               |               | Toluene-d8            | 50    | 45.1   | 90           | 74     | 123  |
|               |               | 4-Bromofluorobenzene  | 50    | 45.4   | 91           | 38     | 136  |
| Q2075-06      | SS-MW1-11.5   | 1,2-Dichloroethane-d4 | 50    | 44.5   | 89           | 63     | 155  |
|               |               | Dibromofluoromethane  | 50    | 50.4   | 101          | 70     | 134  |
|               |               | Toluene-d8            | 50    | 55.4   | 111          | 74     | 123  |
|               |               | 4-Bromofluorobenzene  | 50    | 49.9   | 100          | 38     | 136  |
| Q2075-06ME    | SS-MW1-11.5ME | 1,2-Dichloroethane-d4 | 50    | 51.0   | 102          | 63     | 155  |
|               |               | Dibromofluoromethane  | 50    | 48.4   | 97           | 70     | 134  |
|               |               | Toluene-d8            | 50    | 50.7   | 101          | 74     | 123  |
|               |               | 4-Bromofluorobenzene  | 50    | 51.5   | 103          | 38     | 136  |
| VX0523MBL01   | VX0523MBL01   | 1,2-Dichloroethane-d4 | 50    | 53.1   | 106          | 63     | 155  |
|               |               | Dibromofluoromethane  | 50    | 50.8   | 102          | 70     | 134  |
|               |               | Toluene-d8            | 50    | 50.0   | 100          | 74     | 123  |
|               |               | 4-Bromofluorobenzene  | 50    | 51.6   | 103          | 38     | 136  |
| VX0523MBS01   | VX0523MBS01   | 1,2-Dichloroethane-d4 | 50    | 52.0   | 104          | 63     | 155  |
|               |               | Dibromofluoromethane  | 50    | 52.4   | 105          | 70     | 134  |
|               |               | Toluene-d8            | 50    | 50.3   | 101          | 74     | 123  |
|               |               | 4-Bromofluorobenzene  | 50    | 51.8   | 104          | 38     | 136  |
| VY0520SBL01   | VY0520SBL01   | 1,2-Dichloroethane-d4 | 50    | 45.7   | 91           | 63     | 155  |
|               |               | Dibromofluoromethane  | 50    | 48.4   | 97           | 70     | 134  |
|               |               | Toluene-d8            | 50    | 48.6   | 97           | 74     | 123  |
|               |               | 4-Bromofluorobenzene  | 50    | 52.5   | 105          | 38     | 136  |
| VY0520SBS01   | VY0520SBS01   | 1,2-Dichloroethane-d4 | 50    | 52.8   | 106          | 63     | 155  |
|               |               | Dibromofluoromethane  | 50    | 52.0   | 104          | 70     | 134  |
|               |               | Toluene-d8            | 50    | 51.5   | 103          | 74     | 123  |
|               |               | 4-Bromofluorobenzene  | 50    | 47.7   | 95           | 38     | 136  |
| VY0522SBL01   | VY0522SBL01   | 1,2-Dichloroethane-d4 | 50    | 48.9   | 98           | 63     | 155  |
|               |               | Dibromofluoromethane  | 50    | 49.8   | 100          | 70     | 134  |
|               |               | Toluene-d8            | 50    | 48.7   | 97           | 74     | 123  |
|               |               | 4-Bromofluorobenzene  | 50    | 39.5   | 79           | 38     | 136  |
| VY0522SBS01   | VY0522SBS01   | 1,2-Dichloroethane-d4 | 50    | 48.4   | 97           | 63     | 155  |
|               |               | Dibromofluoromethane  | 50    | 50.3   | 101          | 70     | 134  |

**Surrogate Summary**

**SDG No.:** Q2075

**Client:** CDM Smith

**Analytical Method:** SW8260D

| Lab Sample ID | Client ID   | Parameter            | Spike | Result | RecoveryQual | Limits |      |
|---------------|-------------|----------------------|-------|--------|--------------|--------|------|
|               |             |                      |       |        |              | Low    | High |
| VY0522SBS01   | VY0522SBS01 | Toluene-d8           | 50    | 50.3   | 101          | 74     | 123  |
|               |             | 4-Bromofluorobenzene | 50    | 47.7   | 95           | 38     | 136  |

A

B

C

D

E

F

G

## Surrogate Summary

SDG No.: Q2075

Client: CDM Smith

Analytical Method: SW8260-Low

| Lab Sample ID | Client ID    | Parameter             | Spike | Result | RecoveryQual | Limits |      |
|---------------|--------------|-----------------------|-------|--------|--------------|--------|------|
|               |              |                       |       |        |              | Low    | High |
| Q2075-07      | FB-05152025  | 1,2-Dichloroethane-d4 | 50    | 53.2   | 106          | 74     | 125  |
|               |              | Dibromofluoromethane  | 50    | 49.3   | 99           | 75     | 124  |
|               |              | Toluene-d8            | 50    | 50.7   | 101          | 86     | 113  |
|               |              | 4-Bromofluorobenzene  | 50    | 52.0   | 104          | 77     | 121  |
| Q2075-08      | FB-05162025  | 1,2-Dichloroethane-d4 | 50    | 52.2   | 104          | 74     | 125  |
|               |              | Dibromofluoromethane  | 50    | 50.1   | 100          | 75     | 124  |
|               |              | Toluene-d8            | 50    | 50.2   | 100          | 86     | 113  |
|               |              | 4-Bromofluorobenzene  | 50    | 51.7   | 103          | 77     | 121  |
| VX0521WBL01   | VX0521WBL01  | 1,2-Dichloroethane-d4 | 50    | 53.5   | 107          | 74     | 125  |
|               |              | Dibromofluoromethane  | 50    | 50.9   | 102          | 75     | 124  |
|               |              | Toluene-d8            | 50    | 50.8   | 102          | 86     | 113  |
|               |              | 4-Bromofluorobenzene  | 50    | 50.7   | 101          | 77     | 121  |
| VX0521WBS01   | VX0521WBS01  | 1,2-Dichloroethane-d4 | 50    | 53.6   | 107          | 74     | 125  |
|               |              | Dibromofluoromethane  | 50    | 54.3   | 109          | 75     | 124  |
|               |              | Toluene-d8            | 50    | 52.4   | 105          | 86     | 113  |
|               |              | 4-Bromofluorobenzene  | 50    | 55.0   | 110          | 77     | 121  |
| VX0521WBSD0   | VX0521WBSD01 | 1,2-Dichloroethane-d4 | 50    | 54.2   | 108          | 74     | 125  |
|               |              | Dibromofluoromethane  | 50    | 55.1   | 110          | 75     | 124  |
|               |              | Toluene-d8            | 50    | 54.1   | 108          | 86     | 113  |
|               |              | 4-Bromofluorobenzene  | 50    | 55.8   | 112          | 77     | 121  |

### Matrix Spike/Matrix Spike Duplicate Summary

SW-846

SDG No.: Q2075

Client: CDM Smith

Analytical Method: SW8260D

| Parameter              | Spike      | Sample             | Result  | Units | Rec  |     |      | RPD        | Limits     |     |  |
|------------------------|------------|--------------------|---------|-------|------|-----|------|------------|------------|-----|--|
|                        |            | Rec                |         |       | Qual | RPD | Qual | Low        | High       | RPD |  |
| Lab Sample ID :        | Q2075-04MS | Client Sample ID : | SS-11MS |       |      |     |      | Datafile : | VY022350.D |     |  |
| Benzene                | 34         | 0                  | 31.6    | ug/Kg | 93   |     |      |            | 59         | 140 |  |
| Toluene                | 34         | 5.20               | 40.1    | ug/Kg | 103  |     |      |            | 61         | 134 |  |
| Ethyl Benzene          | 34         | 7.80               | 46.5    | ug/Kg | 114  |     |      |            | 54         | 134 |  |
| m/p-Xylenes            | 67.9       | 29.5               | 130     | ug/Kg | 148  | *   |      |            | 51         | 137 |  |
| o-Xylene               | 34         | 16.8               | 71.9    | ug/Kg | 162  | *   |      |            | 57         | 139 |  |
| Isopropylbenzene       | 34         | 2.10               | 34.0    | ug/Kg | 94   |     |      |            | 44         | 160 |  |
| N-propylbenzene        | 34         | 5.40               | 39.5    | ug/Kg | 100  |     |      |            | 10         | 173 |  |
| 1,3,5-Trimethylbenzene | 34         | 9.80               | 47.6    | ug/Kg | 111  |     |      |            | 10         | 175 |  |
| tert-Butylbenzene      | 34         | 0                  | 28.7    | ug/Kg | 84   |     |      |            | 10         | 173 |  |
| 1,2,4-Trimethylbenzene | 34         | 40.2               | 120     | ug/Kg | 235  | *   |      |            | 10         | 175 |  |
| Sec-butylbenzene       | 34         | 1.40               | 30.9    | ug/Kg | 87   |     |      |            | 10         | 172 |  |
| p-Isopropyltoluene     | 34         | 0                  | 29.0    | ug/Kg | 85   |     |      |            | 26         | 153 |  |
| n-Butylbenzene         | 34         | 1.40               | 30.5    | ug/Kg | 86   |     |      |            | 10         | 175 |  |

# Matrix Spike/Matrix Spike Duplicate Summary

SW-846

SDG No.: Q2075

Client: CDM Smith

Analytical Method: SW8260D

| Limits                 |             |                    |          |       |     |      |     |            |            |     |      |
|------------------------|-------------|--------------------|----------|-------|-----|------|-----|------------|------------|-----|------|
| Parameter              | Spike       | Sample Result      | Result   | Units | Rec |      | RPD | RPD        |            | RPD |      |
|                        |             |                    |          |       | Rec | Qual |     | Qual       | Low        |     | High |
| Lab Sample ID :        | Q2075-05MSD | Client Sample ID : | SS-11MSD |       |     |      |     | Datafile : | VY022351.D |     |      |
| Benzene                | 34.3        | 0                  | 43.1     | ug/Kg | 126 |      | 30  | *          | 59         | 140 | 20   |
| Toluene                | 34.3        | 5.20               | 52.7     | ug/Kg | 138 | *    | 29  | *          | 61         | 134 | 20   |
| Ethyl Benzene          | 34.3        | 7.80               | 54.6     | ug/Kg | 136 | *    | 18  |            | 54         | 134 | 20   |
| m/p-Xylenes            | 68.7        | 29.5               | 140      | ug/Kg | 161 | *    | 8   |            | 51         | 137 | 20   |
| o-Xylene               | 34.3        | 16.8               | 78.5     | ug/Kg | 180 | *    | 11  |            | 57         | 139 | 20   |
| Isopropylbenzene       | 34.3        | 2.10               | 40.5     | ug/Kg | 112 |      | 17  |            | 44         | 160 | 20   |
| N-propylbenzene        | 34.3        | 5.40               | 43.6     | ug/Kg | 111 |      | 10  |            | 10         | 173 | 20   |
| 1,3,5-Trimethylbenzene | 34.3        | 9.80               | 49.0     | ug/Kg | 114 |      | 3   |            | 10         | 175 | 20   |
| tert-Butylbenzene      | 34.3        | 0                  | 37.7     | ug/Kg | 110 |      | 26  | *          | 10         | 173 | 20   |
| 1,2,4-Trimethylbenzene | 34.3        | 40.2               | 96.4     | ug/Kg | 164 |      | 36  | *          | 10         | 175 | 20   |
| Sec-butylbenzene       | 34.3        | 1.40               | 37.6     | ug/Kg | 106 |      | 20  |            | 10         | 172 | 20   |
| p-Isopropyltoluene     | 34.3        | 0                  | 36.2     | ug/Kg | 106 |      | 21  | *          | 26         | 153 | 20   |
| n-Butylbenzene         | 34.3        | 1.40               | 36.4     | ug/Kg | 102 |      | 17  |            | 10         | 175 | 20   |

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: Q2075

Client: CDM Smith

Analytical Method: SW8260-Low

Datafile : VX046287.D

| Lab Sample ID | Parameter              | Spike | Result | Unit | Rec | RPD | Qual | Low | Limits | RPD |
|---------------|------------------------|-------|--------|------|-----|-----|------|-----|--------|-----|
|               |                        |       |        |      |     |     |      |     | High   |     |
| VX0521WBS01   | Benzene                | 20    | 20.3   | ug/L | 102 |     |      | 82  | 109    |     |
|               | Toluene                | 20    | 20.5   | ug/L | 103 |     |      | 82  | 110    |     |
|               | Ethyl Benzene          | 20    | 20.1   | ug/L | 101 |     |      | 83  | 109    |     |
|               | m/p-Xylenes            | 40    | 40.3   | ug/L | 101 |     |      | 82  | 110    |     |
|               | o-Xylene               | 20    | 20.9   | ug/L | 104 |     |      | 83  | 109    |     |
|               | Isopropylbenzene       | 20    | 20.4   | ug/L | 102 |     |      | 83  | 112    |     |
|               | N-propylbenzene        | 20    | 20.4   | ug/L | 102 |     |      | 83  | 112    |     |
|               | 1,3,5-Trimethylbenzene | 20    | 21.1   | ug/L | 106 |     |      | 85  | 112    |     |
|               | tert-Butylbenzene      | 20    | 20.2   | ug/L | 101 |     |      | 83  | 112    |     |
|               | 1,2,4-Trimethylbenzene | 20    | 20.7   | ug/L | 104 |     |      | 85  | 111    |     |
|               | Sec-butylbenzene       | 20    | 20.3   | ug/L | 102 |     |      | 81  | 114    |     |
|               | p-Isopropyltoluene     | 20    | 20.5   | ug/L | 103 |     |      | 78  | 116    |     |
|               | n-Butylbenzene         | 20    | 19.7   | ug/L | 99  |     |      | 75  | 115    |     |

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: Q2075

Client: CDM Smith

Analytical Method: SW8260-Low

Datafile : VX046288.D

| Lab Sample ID | Parameter              | Spike | Result | Unit | Rec | RPD | Qual | Low | Limits<br>High | RPD |
|---------------|------------------------|-------|--------|------|-----|-----|------|-----|----------------|-----|
| VX0521WBSD01  | Benzene                | 20    | 20.4   | ug/L | 102 | 0   |      | 82  | 109            | 20  |
|               | Toluene                | 20    | 21.1   | ug/L | 106 | 3   |      | 82  | 110            | 20  |
|               | Ethyl Benzene          | 20    | 20.4   | ug/L | 102 | 1   |      | 83  | 109            | 20  |
|               | m/p-Xylenes            | 40    | 41.1   | ug/L | 103 | 2   |      | 82  | 110            | 20  |
|               | o-Xylene               | 20    | 21.0   | ug/L | 105 | 1   |      | 83  | 109            | 20  |
|               | Isopropylbenzene       | 20    | 20.8   | ug/L | 104 | 2   |      | 83  | 112            | 20  |
|               | N-propylbenzene        | 20    | 20.7   | ug/L | 104 | 2   |      | 83  | 112            | 20  |
|               | 1,3,5-Trimethylbenzene | 20    | 21.0   | ug/L | 105 | 1   |      | 85  | 112            | 20  |
|               | tert-Butylbenzene      | 20    | 20.5   | ug/L | 103 | 2   |      | 83  | 112            | 20  |
|               | 1,2,4-Trimethylbenzene | 20    | 20.9   | ug/L | 104 | 0   |      | 85  | 111            | 20  |
|               | Sec-butylbenzene       | 20    | 21.1   | ug/L | 106 | 4   |      | 81  | 114            | 20  |
|               | p-Isopropyltoluene     | 20    | 20.7   | ug/L | 104 | 1   |      | 78  | 116            | 20  |
|               | n-Butylbenzene         | 20    | 20.2   | ug/L | 101 | 2   |      | 75  | 115            | 20  |

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: Q2075  
Client: CDM Smith  
Analytical Method: SW8260D Datafile : VX046335.D

| Lab Sample ID | Parameter              | Spike | Result | Unit  | Rec | RPD | Qual | Low | Limits | RPD |
|---------------|------------------------|-------|--------|-------|-----|-----|------|-----|--------|-----|
|               |                        |       |        |       |     |     |      |     | High   |     |
| VX0523MBS01   | Benzene                | 2000  | 2000   | ug/Kg | 100 |     |      | 84  | 121    |     |
|               | Toluene                | 2000  | 2000   | ug/Kg | 100 |     |      | 83  | 122    |     |
|               | Ethyl Benzene          | 2000  | 2000   | ug/Kg | 100 |     |      | 82  | 124    |     |
|               | m/p-Xylenes            | 4000  | 4000   | ug/Kg | 100 |     |      | 83  | 124    |     |
|               | o-Xylene               | 2000  | 2100   | ug/Kg | 105 |     |      | 83  | 123    |     |
|               | Isopropylbenzene       | 2000  | 2000   | ug/Kg | 100 |     |      | 82  | 124    |     |
|               | N-propylbenzene        | 2000  | 1900   | ug/Kg | 95  |     |      | 81  | 123    |     |
|               | 1,3,5-Trimethylbenzene | 2000  | 2100   | ug/Kg | 105 |     |      | 82  | 124    |     |
|               | tert-Butylbenzene      | 2000  | 2000   | ug/Kg | 100 |     |      | 81  | 125    |     |
|               | 1,2,4-Trimethylbenzene | 2000  | 2000   | ug/Kg | 100 |     |      | 81  | 125    |     |
|               | Sec-butylbenzene       | 2000  | 2000   | ug/Kg | 100 |     |      | 80  | 124    |     |
|               | p-Isopropyltoluene     | 2000  | 2000   | ug/Kg | 100 |     |      | 81  | 125    |     |
|               | n-Butylbenzene         | 2000  | 1900   | ug/Kg | 95  |     |      | 78  | 126    |     |

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: Q2075  
Client: CDM Smith  
Analytical Method: SW8260D Datafile : VY022331.D

| Lab Sample ID | Parameter              | Spike | Result | Unit  | Rec | RPD | Qual | Low | Limits<br>High | RPD |
|---------------|------------------------|-------|--------|-------|-----|-----|------|-----|----------------|-----|
| VY0520SBS01   | Benzene                | 20    | 20.8   | ug/Kg | 104 |     |      | 84  | 121            |     |
|               | Toluene                | 20    | 20.0   | ug/Kg | 100 |     |      | 83  | 122            |     |
|               | Ethyl Benzene          | 20    | 19.8   | ug/Kg | 99  |     |      | 82  | 124            |     |
|               | m/p-Xylenes            | 40    | 39.6   | ug/Kg | 99  |     |      | 83  | 124            |     |
|               | o-Xylene               | 20    | 20.2   | ug/Kg | 101 |     |      | 83  | 123            |     |
|               | Isopropylbenzene       | 20    | 20.1   | ug/Kg | 101 |     |      | 82  | 124            |     |
|               | N-propylbenzene        | 20    | 20.3   | ug/Kg | 102 |     |      | 81  | 123            |     |
|               | 1,3,5-Trimethylbenzene | 20    | 19.5   | ug/Kg | 98  |     |      | 82  | 124            |     |
|               | tert-Butylbenzene      | 20    | 19.8   | ug/Kg | 99  |     |      | 81  | 125            |     |
|               | 1,2,4-Trimethylbenzene | 20    | 19.3   | ug/Kg | 97  |     |      | 81  | 125            |     |
|               | Sec-butylbenzene       | 20    | 20.0   | ug/Kg | 100 |     |      | 80  | 124            |     |
|               | p-Isopropyltoluene     | 20    | 19.3   | ug/Kg | 97  |     |      | 81  | 125            |     |
|               | n-Butylbenzene         | 20    | 19.7   | ug/Kg | 99  |     |      | 78  | 126            |     |

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: Q2075  
Client: CDM Smith  
Analytical Method: SW8260D Datafile : VY022382.D

| Lab Sample ID | Parameter              | Spike | Result | Unit  | Rec | RPD | Qual | Low | Limits<br>High | RPD |
|---------------|------------------------|-------|--------|-------|-----|-----|------|-----|----------------|-----|
| VY0522SBS01   | Benzene                | 20    | 19.5   | ug/Kg | 98  |     |      | 84  | 121            |     |
|               | Toluene                | 20    | 19.4   | ug/Kg | 97  |     |      | 83  | 122            |     |
|               | Ethyl Benzene          | 20    | 18.7   | ug/Kg | 94  |     |      | 82  | 124            |     |
|               | m/p-Xylenes            | 40    | 38.0   | ug/Kg | 95  |     |      | 83  | 124            |     |
|               | o-Xylene               | 20    | 18.8   | ug/Kg | 94  |     |      | 83  | 123            |     |
|               | Isopropylbenzene       | 20    | 19.3   | ug/Kg | 97  |     |      | 82  | 124            |     |
|               | N-propylbenzene        | 20    | 19.4   | ug/Kg | 97  |     |      | 81  | 123            |     |
|               | 1,3,5-Trimethylbenzene | 20    | 18.9   | ug/Kg | 95  |     |      | 82  | 124            |     |
|               | tert-Butylbenzene      | 20    | 19.2   | ug/Kg | 96  |     |      | 81  | 125            |     |
|               | 1,2,4-Trimethylbenzene | 20    | 18.8   | ug/Kg | 94  |     |      | 81  | 125            |     |
|               | Sec-butylbenzene       | 20    | 19.4   | ug/Kg | 97  |     |      | 80  | 124            |     |
|               | p-Isopropyltoluene     | 20    | 19.0   | ug/Kg | 95  |     |      | 81  | 125            |     |
|               | n-Butylbenzene         | 20    | 19.3   | ug/Kg | 97  |     |      | 78  | 126            |     |

VOLATILE METHOD BLANK SUMMARY

EPA SAMPLE NO.

VX0521WBL01

Lab Name: CHEMTECH

Contract: CAMP02

Lab Code: CHEM Case No.: Q2075

SAS No.: Q2075 SDG NO.: Q2075

Lab File ID: VX046286.D

Lab Sample ID: VX0521WBL01

Date Analyzed: 05/21/2025

Time Analyzed: 10:46

GC Column: DB-624UI ID: 0.18 (mm)

Heated Purge: (Y/N) N

Instrument ID: MSVOA\_X

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS AND MSD:

| EPA<br>SAMPLE NO. | LAB<br>SAMPLE ID | LAB<br>FILE ID | DATE<br>ANALYZED |
|-------------------|------------------|----------------|------------------|
| VX0521WBS01       | VX0521WBS01      | VX046287.D     | 05/21/2025       |
| VX0521WBSD01      | VX0521WBSD01     | VX046288.D     | 05/21/2025       |
| FB-05152025       | Q2075-07         | VX046292.D     | 05/21/2025       |
| FB-05162025       | Q2075-08         | VX046293.D     | 05/21/2025       |

COMMENTS: \_\_\_\_\_

VOLATILE METHOD BLANK SUMMARY

EPA SAMPLE NO.

VX0523MBL01

Lab Name: CHEMTECH

Contract: CAMP02

Lab Code: CHEM Case No.: Q2075

SAS No.: Q2075 SDG NO.: Q2075

Lab File ID: VX046332.D

Lab Sample ID: VX0523MBL01

Date Analyzed: 05/23/2025

Time Analyzed: 09:53

GC Column: DB-624UI ID: 0.18 (mm)

Heated Purge: (Y/N) N

Instrument ID: MSVOA\_X

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS AND MSD:

| EPA<br>SAMPLE NO. | LAB<br>SAMPLE ID | LAB<br>FILE ID | DATE<br>ANALYZED |
|-------------------|------------------|----------------|------------------|
| VX0523MBS01       | VX0523MBS01      | VX046335.D     | 05/23/2025       |
| SS-MW1-11.5ME     | Q2075-06ME       | VX046336.D     | 05/23/2025       |

COMMENTS: \_\_\_\_\_

VOLATILE METHOD BLANK SUMMARY

EPA SAMPLE NO.

VY0520SBL01

Lab Name: CHEMTECH

Contract: CAMP02

Lab Code: CHEM Case No.: Q2075

SAS No.: Q2075 SDG NO.: Q2075

Lab File ID: VY022330.D

Lab Sample ID: VY0520SBL01

Date Analyzed: 05/20/2025

Time Analyzed: 09:48

GC Column: RXI-624 ID: 0.25 (mm)

Heated Purge: (Y/N) Y

Instrument ID: MSVOA\_Y

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS AND MSD:

| EPA<br>SAMPLE NO. | LAB<br>SAMPLE ID | LAB<br>FILE ID | DATE<br>ANALYZED |
|-------------------|------------------|----------------|------------------|
| VY0520SBS01       | VY0520SBS01      | VY022331.D     | 05/20/2025       |
| SS-10             | Q2075-01         | VY022343.D     | 05/20/2025       |
| SS-910            | Q2075-02         | VY022344.D     | 05/20/2025       |
| SS-11             | Q2075-03         | VY022345.D     | 05/20/2025       |
| SS-11MS           | Q2075-04MS       | VY022350.D     | 05/20/2025       |
| SS-11MSD          | Q2075-05MSD      | VY022351.D     | 05/20/2025       |

COMMENTS: \_\_\_\_\_

\_\_\_\_\_

VOLATILE METHOD BLANK SUMMARY

EPA SAMPLE NO.

VY0522SBL01

Lab Name: CHEMTECH

Contract: CAMP02

Lab Code: CHEM Case No.: Q2075

SAS No.: Q2075 SDG NO.: Q2075

Lab File ID: VY022381.D

Lab Sample ID: VY0522SBL01

Date Analyzed: 05/22/2025

Time Analyzed: 09:07

GC Column: RXI-624 ID: 0.25 (mm)

Heated Purge: (Y/N) Y

Instrument ID: MSVOA\_Y

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS AND MSD:

| EPA<br>SAMPLE NO. | LAB<br>SAMPLE ID | LAB<br>FILE ID | DATE<br>ANALYZED |
|-------------------|------------------|----------------|------------------|
| VY0522SBS01       | VY0522SBS01      | VY022382.D     | 05/22/2025       |
| SS-MW1-11.5       | Q2075-06         | VY022403.D     | 05/22/2025       |

COMMENTS: \_\_\_\_\_

\_\_\_\_\_

VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK  
BROMOFLUOROBENZENE (BFB)

Lab Name: CHEMTECH Contract: CAMP02  
Lab Code: CHEM Case No.: Q2075 SAS No.: Q2075 SDG NO.: Q2075  
Lab File ID: VX046038.D BFB Injection Date: 05/05/2025  
Instrument ID: MSVOA\_X BFB Injection Time: 09:37  
GC Column: DB-624UI ID: 0.18 (mm) Heated Purge: Y/N N

| m/e | ION ABUNDANCE CRITERIA             | % RELATIVE ABUNDANCE |
|-----|------------------------------------|----------------------|
| 50  | 15.0 - 40.0% of mass 95            | 22.1                 |
| 75  | 30.0 - 60.0% of mass 95            | 56.2                 |
| 95  | Base Peak, 100% relative abundance | 100                  |
| 96  | 5.0 - 9.0% of mass 95              | 6.4                  |
| 173 | Less than 2.0% of mass 174         | 0.5 ( 0.7 ) 1        |
| 174 | 50.0 - 100.0% of mass 95           | 68.8                 |
| 175 | 5.0 - 9.0% of mass 174             | 5 ( 7.3 ) 1          |
| 176 | 95.0 - 101.0% of mass 174          | 66.7 ( 97 ) 1        |
| 177 | 5.0 - 9.0% of mass 176             | 4.6 ( 6.9 ) 2        |

1-Value is % mass 174

2-Value is % mass 176

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

| EPA<br>SAMPLE NO. | LAB<br>SAMPLE ID | LAB<br>FILE ID | DATE<br>ANALYZED | TIME<br>ANALYZED |
|-------------------|------------------|----------------|------------------|------------------|
| VSTDIC020         | VSTDIC020        | VX046041.D     | 05/05/2025       | 11:35            |
| VSTDIC050         | VSTDIC050        | VX046042.D     | 05/05/2025       | 11:58            |
| VSTDIC100         | VSTDIC100        | VX046043.D     | 05/05/2025       | 12:21            |
| VSTDIC150         | VSTDIC150        | VX046044.D     | 05/05/2025       | 12:45            |
| VSTDIC005         | VSTDIC005        | VX046046.D     | 05/05/2025       | 16:04            |
| VSTDIC001         | VSTDIC001        | VX046047.D     | 05/05/2025       | 16:27            |

VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK  
BROMOFLUOROBENZENE (BFB)

Lab Name: CHEMTECH Contract: CAMP02  
Lab Code: CHEM Case No.: Q2075 SAS No.: Q2075 SDG NO.: Q2075  
Lab File ID: VX046283.D BFB Injection Date: 05/21/2025  
Instrument ID: MSVOA\_X BFB Injection Time: 09:13  
GC Column: DB-624UI ID: 0.18 (mm) Heated Purge: Y/N N

| m/e | ION ABUNDANCE CRITERIA             | % RELATIVE ABUNDANCE |
|-----|------------------------------------|----------------------|
| 50  | 15.0 - 40.0% of mass 95            | 21.4                 |
| 75  | 30.0 - 60.0% of mass 95            | 56.9                 |
| 95  | Base Peak, 100% relative abundance | 100                  |
| 96  | 5.0 - 9.0% of mass 95              | 7                    |
| 173 | Less than 2.0% of mass 174         | 0.6 ( 0.9 ) 1        |
| 174 | 50.0 - 100.0% of mass 95           | 70.1                 |
| 175 | 5.0 - 9.0% of mass 174             | 5.4 ( 7.7 ) 1        |
| 176 | 95.0 - 101.0% of mass 174          | 67.1 ( 95.7 ) 1      |
| 177 | 5.0 - 9.0% of mass 176             | 4.3 ( 6.5 ) 2        |

1-Value is % mass 174

2-Value is % mass 176

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

| EPA<br>SAMPLE NO. | LAB<br>SAMPLE ID | LAB<br>FILE ID | DATE<br>ANALYZED | TIME<br>ANALYZED |
|-------------------|------------------|----------------|------------------|------------------|
| VSTDCCC050        | VSTDCCC050       | VX046284.D     | 05/21/2025       | 09:55            |
| VX0521WBL01       | VX0521WBL01      | VX046286.D     | 05/21/2025       | 10:46            |
| VX0521WBS01       | VX0521WBS01      | VX046287.D     | 05/21/2025       | 11:09            |
| VX0521WBSD01      | VX0521WBSD01     | VX046288.D     | 05/21/2025       | 11:36            |
| FB-05152025       | Q2075-07         | VX046292.D     | 05/21/2025       | 13:09            |
| FB-05162025       | Q2075-08         | VX046293.D     | 05/21/2025       | 13:32            |

VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK  
BROMOFLUOROBENZENE (BFB)

Lab Name: CHEMTECH Contract: CAMP02  
Lab Code: CHEM Case No.: Q2075 SAS No.: Q2075 SDG NO.: Q2075  
Lab File ID: VX046330.D BFB Injection Date: 05/23/2025  
Instrument ID: MSVOA\_X BFB Injection Time: 08:25  
GC Column: DB-624UI ID: 0.18 (mm) Heated Purge: Y/N N

| m/e | ION ABUNDANCE CRITERIA             | % RELATIVE ABUNDANCE |
|-----|------------------------------------|----------------------|
| 50  | 15.0 - 40.0% of mass 95            | 22                   |
| 75  | 30.0 - 60.0% of mass 95            | 56.7                 |
| 95  | Base Peak, 100% relative abundance | 100                  |
| 96  | 5.0 - 9.0% of mass 95              | 6.7                  |
| 173 | Less than 2.0% of mass 174         | 0.8 ( 1.2 ) 1        |
| 174 | 50.0 - 100.0% of mass 95           | 66.8                 |
| 175 | 5.0 - 9.0% of mass 174             | 4.6 ( 6.9 ) 1        |
| 176 | 95.0 - 101.0% of mass 174          | 64 ( 95.9 ) 1        |
| 177 | 5.0 - 9.0% of mass 176             | 4.1 ( 6.4 ) 2        |

1-Value is % mass 174

2-Value is % mass 176

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

| EPA<br>SAMPLE NO. | LAB<br>SAMPLE ID | LAB<br>FILE ID | DATE<br>ANALYZED | TIME<br>ANALYZED |
|-------------------|------------------|----------------|------------------|------------------|
| VSTDCCC050        | VSTDCCC050       | VX046331.D     | 05/23/2025       | 09:24            |
| VX0523MBL01       | VX0523MBL01      | VX046332.D     | 05/23/2025       | 09:53            |
| VX0523MBS01       | VX0523MBS01      | VX046335.D     | 05/23/2025       | 11:23            |
| SS-MW1-11.5ME     | Q2075-06ME       | VX046336.D     | 05/23/2025       | 11:46            |

VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK  
BROMOFLUOROBENZENE (BFB)

Lab Name: CHEMTECH Contract: CAMP02  
Lab Code: CHEM Case No.: Q2075 SAS No.: Q2075 SDG NO.: Q2075  
Lab File ID: VY022252.D BFB Injection Date: 05/15/2025  
Instrument ID: MSVOA\_Y BFB Injection Time: 07:52  
GC Column: RXI-624 ID: 0.25 (mm) Heated Purge: Y/N Y

| m/e | ION ABUNDANCE CRITERIA             | % RELATIVE ABUNDANCE |
|-----|------------------------------------|----------------------|
| 50  | 15.0 - 40.0% of mass 95            | 24                   |
| 75  | 30.0 - 60.0% of mass 95            | 55.9                 |
| 95  | Base Peak, 100% relative abundance | 100                  |
| 96  | 5.0 - 9.0% of mass 95              | 6.8                  |
| 173 | Less than 2.0% of mass 174         | 0.7 ( 0.9 ) 1        |
| 174 | 50.0 - 100.0% of mass 95           | 80.5                 |
| 175 | 5.0 - 9.0% of mass 174             | 5.9 ( 7.3 ) 1        |
| 176 | 95.0 - 101.0% of mass 174          | 77.5 ( 96.3 ) 1      |
| 177 | 5.0 - 9.0% of mass 176             | 5.3 ( 6.8 ) 2        |

1-Value is % mass 174

2-Value is % mass 176

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

| EPA<br>SAMPLE NO. | LAB<br>SAMPLE ID | LAB<br>FILE ID | DATE<br>ANALYZED | TIME<br>ANALYZED |
|-------------------|------------------|----------------|------------------|------------------|
| VSTDIC005         | VSTDIC005        | VY022253.D     | 05/15/2025       | 09:46            |
| VSTDIC010         | VSTDIC010        | VY022254.D     | 05/15/2025       | 10:16            |
| VSTDIC020         | VSTDIC020        | VY022255.D     | 05/15/2025       | 10:39            |
| VSTDIC050         | VSTDIC050        | VY022256.D     | 05/15/2025       | 11:02            |
| VSTDIC100         | VSTDIC100        | VY022257.D     | 05/15/2025       | 11:24            |
| VSTDIC150         | VSTDIC150        | VY022258.D     | 05/15/2025       | 11:47            |

VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK  
BROMOFLUOROBENZENE (BFB)

Lab Name: CHEMTECH Contract: CAMP02  
Lab Code: CHEM Case No.: Q2075 SAS No.: Q2075 SDG NO.: Q2075  
Lab File ID: VY022328.D BFB Injection Date: 05/20/2025  
Instrument ID: MSVOA\_Y BFB Injection Time: 08:09  
GC Column: RXI-624 ID: 0.25 (mm) Heated Purge: Y/N Y

| m/e | ION ABUNDANCE CRITERIA             | % RELATIVE ABUNDANCE |
|-----|------------------------------------|----------------------|
| 50  | 15.0 - 40.0% of mass 95            | 24.5                 |
| 75  | 30.0 - 60.0% of mass 95            | 58.5                 |
| 95  | Base Peak, 100% relative abundance | 100                  |
| 96  | 5.0 - 9.0% of mass 95              | 6.7                  |
| 173 | Less than 2.0% of mass 174         | 1 ( 1.2 ) 1          |
| 174 | 50.0 - 100.0% of mass 95           | 82.9                 |
| 175 | 5.0 - 9.0% of mass 174             | 6.4 ( 7.7 ) 1        |
| 176 | 95.0 - 101.0% of mass 174          | 80.3 ( 96.8 ) 1      |
| 177 | 5.0 - 9.0% of mass 176             | 5.4 ( 6.7 ) 2        |

1-Value is % mass 174

2-Value is % mass 176

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

| EPA<br>SAMPLE NO. | LAB<br>SAMPLE ID | LAB<br>FILE ID | DATE<br>ANALYZED | TIME<br>ANALYZED |
|-------------------|------------------|----------------|------------------|------------------|
| VSTDCCC050        | VSTDCCC050       | VY022329.D     | 05/20/2025       | 08:40            |
| VY0520SBL01       | VY0520SBL01      | VY022330.D     | 05/20/2025       | 09:48            |
| VY0520SBS01       | VY0520SBS01      | VY022331.D     | 05/20/2025       | 10:21            |
| SS-10             | Q2075-01         | VY022343.D     | 05/20/2025       | 15:22            |
| SS-910            | Q2075-02         | VY022344.D     | 05/20/2025       | 15:45            |
| SS-11             | Q2075-03         | VY022345.D     | 05/20/2025       | 16:09            |
| SS-11MS           | Q2075-04MS       | VY022350.D     | 05/20/2025       | 18:04            |
| SS-11MSD          | Q2075-05MSD      | VY022351.D     | 05/20/2025       | 18:26            |

VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK  
BROMOFLUOROBENZENE (BFB)

Lab Name: CHEMTECH Contract: CAMP02  
Lab Code: CHEM Case No.: Q2075 SAS No.: Q2075 SDG NO.: Q2075  
Lab File ID: VY022379.D BFB Injection Date: 05/22/2025  
Instrument ID: MSVOA\_Y BFB Injection Time: 08:05  
GC Column: RXI-624 ID: 0.25 (mm) Heated Purge: Y/N Y

| m/e | ION ABUNDANCE CRITERIA             | % RELATIVE ABUNDANCE |
|-----|------------------------------------|----------------------|
| 50  | 15.0 - 40.0% of mass 95            | 24.1                 |
| 75  | 30.0 - 60.0% of mass 95            | 57.8                 |
| 95  | Base Peak, 100% relative abundance | 100                  |
| 96  | 5.0 - 9.0% of mass 95              | 6.7                  |
| 173 | Less than 2.0% of mass 174         | 1.1 ( 1.3 ) 1        |
| 174 | 50.0 - 100.0% of mass 95           | 86.1                 |
| 175 | 5.0 - 9.0% of mass 174             | 6.4 ( 7.5 ) 1        |
| 176 | 95.0 - 101.0% of mass 174          | 83.8 ( 97.4 ) 1      |
| 177 | 5.0 - 9.0% of mass 176             | 5.5 ( 6.5 ) 2        |

1-Value is % mass 174

2-Value is % mass 176

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

| EPA<br>SAMPLE NO. | LAB<br>SAMPLE ID | LAB<br>FILE ID | DATE<br>ANALYZED | TIME<br>ANALYZED |
|-------------------|------------------|----------------|------------------|------------------|
| VSTDCCC050        | VSTDCCC050       | VY022380.D     | 05/22/2025       | 08:35            |
| VY0522SBL01       | VY0522SBL01      | VY022381.D     | 05/22/2025       | 09:07            |
| VY0522SBS01       | VY0522SBS01      | VY022382.D     | 05/22/2025       | 09:36            |
| SS-MW1-11.5       | Q2075-06         | VY022403.D     | 05/22/2025       | 18:03            |

VOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: CHEMTECH Contract: CAMP02  
Lab Code: CHEM Case No.: Q2075 SAS No.: Q2075 SDG NO.: Q2075  
Lab File ID: VX046284.D Date Analyzed: 05/21/2025  
Instrument ID: MSVOA\_X Time Analyzed: 09:55  
GC Column: DB-624UI ID: 0.18 (mm) Heated Purge: (Y/N) N

|                | IS1<br>AREA # | RT #  | IS2<br>AREA # | RT #  | IS3<br>AREA # | RT #   |
|----------------|---------------|-------|---------------|-------|---------------|--------|
| 12 HOUR STD    | 95080         | 5.54  | 161730        | 6.75  | 140445        | 10.05  |
| UPPER LIMIT    | 190160        | 6.037 | 323460        | 7.251 | 280890        | 10.549 |
| LOWER LIMIT    | 47540         | 5.037 | 80865         | 6.251 | 70222.5       | 9.549  |
| EPA SAMPLE NO. |               |       |               |       |               |        |
| FB-05152025    | 63566         | 5.55  | 126684        | 6.76  | 120601        | 10.05  |
| FB-05162025    | 67975         | 5.55  | 135035        | 6.76  | 128288        | 10.05  |
| VX0521WBL01    | 66690         | 5.54  | 132814        | 6.76  | 124685        | 10.05  |
| VX0521WBS01    | 83102         | 5.54  | 146697        | 6.76  | 130479        | 10.05  |
| VX0521WBSD01   | 82656         | 5.54  | 142441        | 6.76  | 127622        | 10.05  |

IS1 = Pentafluorobenzene  
IS2 = 1,4-Difluorobenzene  
IS3 = Chlorobenzene-d5

AREA UPPER LIMIT = +100% of internal standard area  
AREA LOWER LIMIT = -50% of internal standard area  
RT UPPER LIMIT = +0.50 minutes of internal standard RT  
RT LOWER LIMIT = -0.50 minutes of internal standard RT

# Column used to flag values outside QC limits with an asterisk.  
\* Values outside of QC limits.

VOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: CHEMTECH Contract: CAMP02  
Lab Code: CHEM Case No.: Q2075 SAS No.: Q2075 SDG NO.: Q2075  
Lab File ID: VX046284.D Date Analyzed: 05/21/2025  
Instrument ID: MSVOA\_X Time Analyzed: 09:55  
GC Column: DB-624UI ID: 0.18 (mm) Heated Purge: (Y/N) N

|                | IS4<br>AREA # | RT #   |  |  |  |  |
|----------------|---------------|--------|--|--|--|--|
| 12 HOUR STD    | 67683         | 12.018 |  |  |  |  |
| UPPER LIMIT    | 135366        | 12.518 |  |  |  |  |
| LOWER LIMIT    | 33841.5       | 11.518 |  |  |  |  |
| EPA SAMPLE NO. |               |        |  |  |  |  |
| FB-05152025    | 52644         | 12.02  |  |  |  |  |
| FB-05162025    | 55957         | 12.02  |  |  |  |  |
| VX0521WBL01    | 53099         | 12.02  |  |  |  |  |
| VX0521WBS01    | 62651         | 12.02  |  |  |  |  |
| VX0521WBSD01   | 60955         | 12.02  |  |  |  |  |

IS4 = 1,4-Dichlorobenzene-d4

AREA UPPER LIMIT = +100% of internal standard area  
AREA LOWER LIMIT = -50% of internal standard area  
RT UPPER LIMIT = +0.50 minutes of internal standard RT  
RT LOWER LIMIT = -0.50 minutes of internal standard RT

# Column used to flag values outside QC limits with an asterisk.  
\* Values outside of QC limits.

VOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: CHEMTECH Contract: CAMP02  
Lab Code: CHEM Case No.: Q2075 SAS No.: Q2075 SDG NO.: Q2075  
Lab File ID: VX046331.D Date Analyzed: 05/23/2025  
Instrument ID: MSVOA\_X Time Analyzed: 09:24  
GC Column: DB-624UI ID: 0.18 (mm) Heated Purge: (Y/N) N

|                | IS1<br>AREA # | RT #  | IS2<br>AREA # | RT #  | IS3<br>AREA # | RT #   |
|----------------|---------------|-------|---------------|-------|---------------|--------|
| 12 HOUR STD    | 89943         | 5.54  | 154938        | 6.76  | 137123        | 10.05  |
| UPPER LIMIT    | 179886        | 6.044 | 309876        | 7.257 | 274246        | 10.549 |
| LOWER LIMIT    | 44971.5       | 5.044 | 77469         | 6.257 | 68561.5       | 9.549  |
| EPA SAMPLE NO. |               |       |               |       |               |        |
| SS-MW1-11.5ME  | 61392         | 5.54  | 119098        | 6.76  | 110366        | 10.05  |
| VX0523MBL01    | 59074         | 5.54  | 117281        | 6.76  | 111918        | 10.05  |
| VX0523MBS01    | 83340         | 5.54  | 146324        | 6.76  | 129426        | 10.05  |

IS1 = Pentafluorobenzene  
IS2 = 1,4-Difluorobenzene  
IS3 = Chlorobenzene-d5

AREA UPPER LIMIT = +100% of internal standard area  
AREA LOWER LIMIT = -50% of internal standard area  
RT UPPER LIMIT = +0.50 minutes of internal standard RT  
RT LOWER LIMIT = -0.50 minutes of internal standard RT

# Column used to flag values outside QC limits with an asterisk.  
\* Values outside of QC limits.

VOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: CHEMTECH Contract: CAMP02  
 Lab Code: CHEM Case No.: Q2075 SAS No.: Q2075 SDG NO.: Q2075  
 Lab File ID: VX046331.D Date Analyzed: 05/23/2025  
 Instrument ID: MSVOA\_X Time Analyzed: 09:24  
 GC Column: DB-624UI ID: 0.18 (mm) Heated Purge: (Y/N) N

|                | IS4<br>AREA # | RT #   |  |  |  |  |
|----------------|---------------|--------|--|--|--|--|
| 12 HOUR STD    | 66629         | 12.018 |  |  |  |  |
| UPPER LIMIT    | 133258        | 12.518 |  |  |  |  |
| LOWER LIMIT    | 33314.5       | 11.518 |  |  |  |  |
| EPA SAMPLE NO. |               |        |  |  |  |  |
| SS-MW1-11.5ME  | 48680         | 12.02  |  |  |  |  |
| VX0523MBL01    | 48375         | 12.02  |  |  |  |  |
| VX0523MBS01    | 63342         | 12.02  |  |  |  |  |

IS4 = 1,4-Dichlorobenzene-d4

AREA UPPER LIMIT = +100% of internal standard area  
 AREA LOWER LIMIT = -50% of internal standard area  
 RT UPPER LIMIT = +0.50 minutes of internal standard RT  
 RT LOWER LIMIT = -0.50 minutes of internal standard RT

# Column used to flag values outside QC limits with an asterisk.  
 \* Values outside of QC limits.

VOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: CHEMTECH Contract: CAMP02  
Lab Code: CHEM Case No.: Q2075 SAS No.: Q2075 SDG NO.: Q2075  
Lab File ID: VY022329.D Date Analyzed: 05/20/2025  
Instrument ID: MSVOA\_Y Time Analyzed: 08:40  
GC Column: RXI-624 ID: 0.25 (mm) Heated Purge: (Y/N) Y

|                | IS1<br>AREA # | RT #  | IS2<br>AREA # | RT #  | IS3<br>AREA # | RT #   |
|----------------|---------------|-------|---------------|-------|---------------|--------|
| 12 HOUR STD    | 180374        | 7.71  | 298369        | 8.62  | 252391        | 11.41  |
| UPPER LIMIT    | 360748        | 8.207 | 596738        | 9.116 | 504782        | 11.914 |
| LOWER LIMIT    | 90187         | 7.207 | 149185        | 8.116 | 126196        | 10.914 |
| EPA SAMPLE NO. |               |       |               |       |               |        |
| SS-10          | 237248        | 7.71  | 425729        | 8.62  | 352723        | 11.41  |
| SS-910         | 241551        | 7.71  | 430984        | 8.62  | 344445        | 11.41  |
| SS-11          | 239791        | 7.71  | 432569        | 8.62  | 345893        | 11.41  |
| SS-11MS        | 134739        | 7.71  | 248613        | 8.62  | 210937        | 11.41  |
| SS-11MSD       | 117744        | 7.71  | 220285        | 8.62  | 197296        | 11.41  |
| VY0520SBL01    | 253729        | 7.71  | 453295        | 8.62  | 355808        | 11.42  |
| VY0520SBS01    | 162404        | 7.71  | 280923        | 8.62  | 236555        | 11.42  |

IS1 = Pentafluorobenzene

IS2 = 1,4-Difluorobenzene

IS3 = Chlorobenzene-d5

AREA UPPER LIMIT = +100% of internal standard area

AREA LOWER LIMIT = -50% of internal standard area

RT UPPER LIMIT = +0.50 minutes of internal standard RT

RT LOWER LIMIT = -0.50 minutes of internal standard RT

# Column used to flag values outside QC limits with an asterisk.

\* Values outside of QC limits.

VOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: CHEMTECH Contract: CAMP02  
Lab Code: CHEM Case No.: Q2075 SAS No.: Q2075 SDG NO.: Q2075  
Lab File ID: VY022329.D Date Analyzed: 05/20/2025  
Instrument ID: MSVOA\_Y Time Analyzed: 08:40  
GC Column: RXI-624 ID: 0.25 (mm) Heated Purge: (Y/N) Y

|                | IS4<br>AREA # | RT #   |  |  |  |  |
|----------------|---------------|--------|--|--|--|--|
| 12 HOUR STD    | 120747        | 13.346 |  |  |  |  |
| UPPER LIMIT    | 241494        | 13.846 |  |  |  |  |
| LOWER LIMIT    | 60373.5       | 12.846 |  |  |  |  |
| EPA SAMPLE NO. |               |        |  |  |  |  |
| SS-10          | 138928        | 13.35  |  |  |  |  |
| SS-910         | 126954        | 13.35  |  |  |  |  |
| SS-11          | 130644        | 13.35  |  |  |  |  |
| SS-11MS        | 91777         | 13.35  |  |  |  |  |
| SS-11MSD       | 91227         | 13.35  |  |  |  |  |
| VY0520SBL01    | 124571        | 13.35  |  |  |  |  |
| VY0520SBS01    | 111469        | 13.35  |  |  |  |  |

IS4 = 1,4-Dichlorobenzene-d4

AREA UPPER LIMIT = +100% of internal standard area  
AREA LOWER LIMIT = -50% of internal standard area  
RT UPPER LIMIT = +0.50 minutes of internal standard RT  
RT LOWER LIMIT = -0.50 minutes of internal standard RT

# Column used to flag values outside QC limits with an asterisk.  
\* Values outside of QC limits.

VOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: CHEMTECH Contract: CAMP02  
Lab Code: CHEM Case No.: Q2075 SAS No.: Q2075 SDG NO.: Q2075  
Lab File ID: VY022380.D Date Analyzed: 05/22/2025  
Instrument ID: MSVOA\_Y Time Analyzed: 08:35  
GC Column: RXI-624 ID: 0.25 (mm) Heated Purge: (Y/N) Y

|                | IS1<br>AREA # | RT # | IS2<br>AREA # | RT #  | IS3<br>AREA # | RT #  |
|----------------|---------------|------|---------------|-------|---------------|-------|
| 12 HOUR STD    | 161495        | 7.72 | 274168        | 8.62  | 235238        | 11.42 |
| UPPER LIMIT    | 322990        | 8.22 | 548336        | 9.122 | 470476        | 11.92 |
| LOWER LIMIT    | 80747.5       | 7.22 | 137084        | 8.122 | 117619        | 10.92 |
| EPA SAMPLE NO. |               |      |               |       |               |       |
| SS-MW1-11.5    | 234597        | 7.72 | 407953        | 8.62  | 330547        | 11.42 |
| VY0522SBL01    | 263712        | 7.72 | 465826        | 8.62  | 376365        | 11.42 |
| VY0522SBS01    | 174604        | 7.72 | 293942        | 8.62  | 250842        | 11.42 |

IS1 = Pentafluorobenzene  
IS2 = 1,4-Difluorobenzene  
IS3 = Chlorobenzene-d5

AREA UPPER LIMIT = +100% of internal standard area  
AREA LOWER LIMIT = -50% of internal standard area  
RT UPPER LIMIT = +0.50 minutes of internal standard RT  
RT LOWER LIMIT = -0.50 minutes of internal standard RT

# Column used to flag values outside QC limits with an asterisk.  
\* Values outside of QC limits.

VOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: CHEMTECH Contract: CAMP02  
 Lab Code: CHEM Case No.: Q2075 SAS No.: Q2075 SDG NO.: Q2075  
 Lab File ID: VY022380.D Date Analyzed: 05/22/2025  
 Instrument ID: MSVOA\_Y Time Analyzed: 08:35  
 GC Column: RXI-624 ID: 0.25 (mm) Heated Purge: (Y/N) Y

|                | IS4<br>AREA # | RT #   |  |  |  |  |
|----------------|---------------|--------|--|--|--|--|
| 12 HOUR STD    | 110586        | 13.353 |  |  |  |  |
| UPPER LIMIT    | 221172        | 13.853 |  |  |  |  |
| LOWER LIMIT    | 55293         | 12.853 |  |  |  |  |
| EPA SAMPLE NO. |               |        |  |  |  |  |
| SS-MW1-11.5    | 155760        | 13.35  |  |  |  |  |
| VY0522SBL01    | 137350        | 13.35  |  |  |  |  |
| VY0522SBS01    | 118480        | 13.35  |  |  |  |  |

IS4 = 1,4-Dichlorobenzene-d4

AREA UPPER LIMIT = +100% of internal standard area  
 AREA LOWER LIMIT = -50% of internal standard area  
 RT UPPER LIMIT = +0.50 minutes of internal standard RT  
 RT LOWER LIMIT = -0.50 minutes of internal standard RT

# Column used to flag values outside QC limits with an asterisk.  
 \* Values outside of QC limits.



# QC SAMPLE DATA

## Report of Analysis

|                    |                              |                 |              |
|--------------------|------------------------------|-----------------|--------------|
| Client:            | CDM Smith                    | Date Collected: |              |
| Project:           | Con Ed UTEN Mount Vernon, NY | Date Received:  |              |
| Client Sample ID:  | VX0521WBL01                  | SDG No.:        | Q2075        |
| Lab Sample ID:     | VX0521WBL01                  | Matrix:         | Water        |
| Analytical Method: | 8260D                        | % Solid:        | 0            |
| Sample Wt/Vol:     | 5 Units: mL                  | Final Vol:      | 5000 uL      |
| Soil Aliquot Vol:  | uL                           | Test:           | VOCMS Group3 |
| GC Column:         | DB-624UI ID : 0.18           | Level :         | LOW          |
| Prep Method :      |                              |                 |              |

|                   |           |           |                |               |
|-------------------|-----------|-----------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date | Date Analyzed  | Prep Batch ID |
| VX046286.D        | 1         |           | 05/21/25 10:46 | VX052125      |

| CAS Number                | Parameter              | Conc.  | Qualifier | MDL      | LOQ / CRQL | Units   |
|---------------------------|------------------------|--------|-----------|----------|------------|---------|
| <b>TARGETS</b>            |                        |        |           |          |            |         |
| 71-43-2                   | Benzene                | 1.00   | U         | 0.15     | 1.00       | ug/L    |
| 108-88-3                  | Toluene                | 1.00   | U         | 0.14     | 1.00       | ug/L    |
| 100-41-4                  | Ethyl Benzene          | 1.00   | U         | 0.13     | 1.00       | ug/L    |
| 1330-20-7                 | Total Xylenes          | 3.00   | U         | 0.36     | 3.00       | ug/L    |
| 98-82-8                   | Isopropylbenzene       | 1.00   | U         | 0.12     | 1.00       | ug/L    |
| 103-65-1                  | n-propylbenzene        | 1.00   | U         | 0.13     | 1.00       | ug/L    |
| 108-67-8                  | 1,3,5-Trimethylbenzene | 1.00   | U         | 0.15     | 1.00       | ug/L    |
| 98-06-6                   | tert-Butylbenzene      | 1.00   | U         | 0.14     | 1.00       | ug/L    |
| 95-63-6                   | 1,2,4-Trimethylbenzene | 1.00   | U         | 0.14     | 1.00       | ug/L    |
| 135-98-8                  | sec-Butylbenzene       | 1.00   | U         | 0.13     | 1.00       | ug/L    |
| 99-87-6                   | p-Isopropyltoluene     | 1.00   | U         | 0.13     | 1.00       | ug/L    |
| 104-51-8                  | n-Butylbenzene         | 1.00   | U         | 0.15     | 1.00       | ug/L    |
| <b>SURROGATES</b>         |                        |        |           |          |            |         |
| 17060-07-0                | 1,2-Dichloroethane-d4  | 53.5   |           | 74 - 125 | 107%       | SPK: 50 |
| 1868-53-7                 | Dibromofluoromethane   | 50.9   |           | 75 - 124 | 102%       | SPK: 50 |
| 2037-26-5                 | Toluene-d8             | 50.8   |           | 86 - 113 | 102%       | SPK: 50 |
| 460-00-4                  | 4-Bromofluorobenzene   | 50.7   |           | 77 - 121 | 101%       | SPK: 50 |
| <b>INTERNAL STANDARDS</b> |                        |        |           |          |            |         |
| 363-72-4                  | Pentafluorobenzene     | 66700  | 5.544     |          |            |         |
| 540-36-3                  | 1,4-Difluorobenzene    | 133000 | 6.757     |          |            |         |
| 3114-55-4                 | Chlorobenzene-d5       | 125000 | 10.049    |          |            |         |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4 | 53100  | 12.018    |          |            |         |

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

## Report of Analysis

|                    |                              |                 |              |
|--------------------|------------------------------|-----------------|--------------|
| Client:            | CDM Smith                    | Date Collected: |              |
| Project:           | Con Ed UTEN Mount Vernon, NY | Date Received:  |              |
| Client Sample ID:  | VX0523MBL01                  | SDG No.:        | Q2075        |
| Lab Sample ID:     | VX0523MBL01                  | Matrix:         | SOIL         |
| Analytical Method: | 8260D                        | % Solid:        | 100          |
| Sample Wt/Vol:     | 5 Units: g                   | Final Vol:      | 10000 uL     |
| Soil Aliquot Vol:  | 100 uL                       | Test:           | VOCMS Group3 |
| GC Column:         | DB-624UI ID : 0.18           | Level :         | MED          |
| Prep Method :      |                              |                 |              |

|                   |           |           |                |               |
|-------------------|-----------|-----------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date | Date Analyzed  | Prep Batch ID |
| VX046332.D        | 1         |           | 05/23/25 09:53 | VX052325      |

| CAS Number                | Parameter              | Conc.  | Qualifier | MDL      | LOQ / CRQL | Units(Dry Weight) |
|---------------------------|------------------------|--------|-----------|----------|------------|-------------------|
| <b>TARGETS</b>            |                        |        |           |          |            |                   |
| 71-43-2                   | Benzene                | 500    | U         | 79.0     | 500        | ug/Kg             |
| 108-88-3                  | Toluene                | 500    | U         | 78.0     | 500        | ug/Kg             |
| 100-41-4                  | Ethyl Benzene          | 500    | U         | 67.0     | 500        | ug/Kg             |
| 1330-20-7                 | Total Xylenes          | 1500   | U         | 202      | 1500       | ug/Kg             |
| 98-82-8                   | Isopropylbenzene       | 500    | U         | 78.0     | 500        | ug/Kg             |
| 103-65-1                  | n-propylbenzene        | 500    | U         | 73.0     | 500        | ug/Kg             |
| 108-67-8                  | 1,3,5-Trimethylbenzene | 500    | U         | 82.0     | 500        | ug/Kg             |
| 98-06-6                   | tert-Butylbenzene      | 500    | U         | 67.0     | 500        | ug/Kg             |
| 95-63-6                   | 1,2,4-Trimethylbenzene | 500    | U         | 64.0     | 500        | ug/Kg             |
| 135-98-8                  | sec-Butylbenzene       | 500    | U         | 66.0     | 500        | ug/Kg             |
| 99-87-6                   | p-Isopropyltoluene     | 500    | U         | 62.0     | 500        | ug/Kg             |
| 104-51-8                  | n-Butylbenzene         | 500    | U         | 150      | 500        | ug/Kg             |
| <b>SURROGATES</b>         |                        |        |           |          |            |                   |
| 17060-07-0                | 1,2-Dichloroethane-d4  | 53.1   |           | 63 - 155 | 106%       | SPK: 50           |
| 1868-53-7                 | Dibromofluoromethane   | 50.8   |           | 70 - 134 | 102%       | SPK: 50           |
| 2037-26-5                 | Toluene-d8             | 50.0   |           | 74 - 123 | 100%       | SPK: 50           |
| 460-00-4                  | 4-Bromofluorobenzene   | 51.6   |           | 38 - 136 | 103%       | SPK: 50           |
| <b>INTERNAL STANDARDS</b> |                        |        |           |          |            |                   |
| 363-72-4                  | Pentafluorobenzene     | 59100  | 5.544     |          |            |                   |
| 540-36-3                  | 1,4-Difluorobenzene    | 117000 | 6.757     |          |            |                   |
| 3114-55-4                 | Chlorobenzene-d5       | 112000 | 10.049    |          |            |                   |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4 | 48400  | 12.018    |          |            |                   |

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

## Report of Analysis

|                    |                              |                 |              |
|--------------------|------------------------------|-----------------|--------------|
| Client:            | CDM Smith                    | Date Collected: |              |
| Project:           | Con Ed UTEN Mount Vernon, NY | Date Received:  |              |
| Client Sample ID:  | VY0520SBL01                  | SDG No.:        | Q2075        |
| Lab Sample ID:     | VY0520SBL01                  | Matrix:         | SOIL         |
| Analytical Method: | 8260D                        | % Solid:        | 100          |
| Sample Wt/Vol:     | 5 Units: g                   | Final Vol:      | 5000 uL      |
| Soil Aliquot Vol:  | uL                           | Test:           | VOCMS Group3 |
| GC Column:         | RXI-624 ID : 0.25            | Level :         | LOW          |
| Prep Method :      |                              |                 |              |

|                   |           |           |                |               |
|-------------------|-----------|-----------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date | Date Analyzed  | Prep Batch ID |
| VY022330.D        | 1         |           | 05/20/25 09:48 | VY052025      |

| CAS Number                | Parameter              | Conc.  | Qualifier | MDL      | LOQ / CRQL | Units(Dry Weight) |
|---------------------------|------------------------|--------|-----------|----------|------------|-------------------|
| <b>TARGETS</b>            |                        |        |           |          |            |                   |
| 71-43-2                   | Benzene                | 5.00   | U         | 0.79     | 5.00       | ug/Kg             |
| 108-88-3                  | Toluene                | 5.00   | U         | 0.78     | 5.00       | ug/Kg             |
| 100-41-4                  | Ethyl Benzene          | 5.00   | U         | 0.67     | 5.00       | ug/Kg             |
| 1330-20-7                 | Total Xylenes          | 15.0   | U         | 2.02     | 15.0       | ug/Kg             |
| 98-82-8                   | Isopropylbenzene       | 5.00   | U         | 0.78     | 5.00       | ug/Kg             |
| 103-65-1                  | n-propylbenzene        | 5.00   | U         | 0.73     | 5.00       | ug/Kg             |
| 108-67-8                  | 1,3,5-Trimethylbenzene | 5.00   | U         | 0.82     | 5.00       | ug/Kg             |
| 98-06-6                   | tert-Butylbenzene      | 5.00   | U         | 0.67     | 5.00       | ug/Kg             |
| 95-63-6                   | 1,2,4-Trimethylbenzene | 5.00   | U         | 0.64     | 5.00       | ug/Kg             |
| 135-98-8                  | sec-Butylbenzene       | 5.00   | U         | 0.66     | 5.00       | ug/Kg             |
| 99-87-6                   | p-Isopropyltoluene     | 5.00   | U         | 0.62     | 5.00       | ug/Kg             |
| 104-51-8                  | n-Butylbenzene         | 5.00   | U         | 1.50     | 5.00       | ug/Kg             |
| <b>SURROGATES</b>         |                        |        |           |          |            |                   |
| 17060-07-0                | 1,2-Dichloroethane-d4  | 45.7   |           | 63 - 155 | 91%        | SPK: 50           |
| 1868-53-7                 | Dibromofluoromethane   | 48.3   |           | 70 - 134 | 97%        | SPK: 50           |
| 2037-26-5                 | Toluene-d8             | 48.6   |           | 74 - 123 | 97%        | SPK: 50           |
| 460-00-4                  | 4-Bromofluorobenzene   | 52.5   |           | 38 - 136 | 105%       | SPK: 50           |
| <b>INTERNAL STANDARDS</b> |                        |        |           |          |            |                   |
| 363-72-4                  | Pentafluorobenzene     | 254000 | 7.707     |          |            |                   |
| 540-36-3                  | 1,4-Difluorobenzene    | 453000 | 8.615     |          |            |                   |
| 3114-55-4                 | Chlorobenzene-d5       | 356000 | 11.42     |          |            |                   |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4 | 125000 | 13.346    |          |            |                   |

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

## Report of Analysis

|                    |                              |                 |              |
|--------------------|------------------------------|-----------------|--------------|
| Client:            | CDM Smith                    | Date Collected: |              |
| Project:           | Con Ed UTEN Mount Vernon, NY | Date Received:  |              |
| Client Sample ID:  | VY0522SBL01                  | SDG No.:        | Q2075        |
| Lab Sample ID:     | VY0522SBL01                  | Matrix:         | SOIL         |
| Analytical Method: | 8260D                        | % Solid:        | 100          |
| Sample Wt/Vol:     | 5 Units: g                   | Final Vol:      | 5000 uL      |
| Soil Aliquot Vol:  | uL                           | Test:           | VOCMS Group3 |
| GC Column:         | RXI-624 ID : 0.25            | Level :         | LOW          |
| Prep Method :      |                              |                 |              |

|                   |           |           |                |               |
|-------------------|-----------|-----------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date | Date Analyzed  | Prep Batch ID |
| VY022381.D        | 1         |           | 05/22/25 09:07 | VY052225      |

| CAS Number                | Parameter              | Conc.  | Qualifier | MDL      | LOQ / CRQL | Units(Dry Weight) |
|---------------------------|------------------------|--------|-----------|----------|------------|-------------------|
| <b>TARGETS</b>            |                        |        |           |          |            |                   |
| 71-43-2                   | Benzene                | 5.00   | U         | 0.79     | 5.00       | ug/Kg             |
| 108-88-3                  | Toluene                | 5.00   | U         | 0.78     | 5.00       | ug/Kg             |
| 100-41-4                  | Ethyl Benzene          | 5.00   | U         | 0.67     | 5.00       | ug/Kg             |
| 1330-20-7                 | Total Xylenes          | 15.0   | U         | 2.02     | 15.0       | ug/Kg             |
| 98-82-8                   | Isopropylbenzene       | 5.00   | U         | 0.78     | 5.00       | ug/Kg             |
| 103-65-1                  | n-propylbenzene        | 5.00   | U         | 0.73     | 5.00       | ug/Kg             |
| 108-67-8                  | 1,3,5-Trimethylbenzene | 5.00   | U         | 0.82     | 5.00       | ug/Kg             |
| 98-06-6                   | tert-Butylbenzene      | 5.00   | U         | 0.67     | 5.00       | ug/Kg             |
| 95-63-6                   | 1,2,4-Trimethylbenzene | 5.00   | U         | 0.64     | 5.00       | ug/Kg             |
| 135-98-8                  | sec-Butylbenzene       | 5.00   | U         | 0.66     | 5.00       | ug/Kg             |
| 99-87-6                   | p-Isopropyltoluene     | 5.00   | U         | 0.62     | 5.00       | ug/Kg             |
| 104-51-8                  | n-Butylbenzene         | 5.00   | U         | 1.50     | 5.00       | ug/Kg             |
| <b>SURROGATES</b>         |                        |        |           |          |            |                   |
| 17060-07-0                | 1,2-Dichloroethane-d4  | 48.9   |           | 63 - 155 | 98%        | SPK: 50           |
| 1868-53-7                 | Dibromofluoromethane   | 49.8   |           | 70 - 134 | 100%       | SPK: 50           |
| 2037-26-5                 | Toluene-d8             | 48.7   |           | 74 - 123 | 97%        | SPK: 50           |
| 460-00-4                  | 4-Bromofluorobenzene   | 39.5   |           | 38 - 136 | 79%        | SPK: 50           |
| <b>INTERNAL STANDARDS</b> |                        |        |           |          |            |                   |
| 363-72-4                  | Pentafluorobenzene     | 264000 | 7.719     |          |            |                   |
| 540-36-3                  | 1,4-Difluorobenzene    | 466000 | 8.622     |          |            |                   |
| 3114-55-4                 | Chlorobenzene-d5       | 376000 | 11.42     |          |            |                   |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4 | 137000 | 13.353    |          |            |                   |

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

## Report of Analysis

|                    |                              |                 |              |
|--------------------|------------------------------|-----------------|--------------|
| Client:            | CDM Smith                    | Date Collected: |              |
| Project:           | Con Ed UTEN Mount Vernon, NY | Date Received:  |              |
| Client Sample ID:  | VX0521WBS01                  | SDG No.:        | Q2075        |
| Lab Sample ID:     | VX0521WBS01                  | Matrix:         | Water        |
| Analytical Method: | 8260D                        | % Solid:        | 0            |
| Sample Wt/Vol:     | 5 Units: mL                  | Final Vol:      | 5000 uL      |
| Soil Aliquot Vol:  | uL                           | Test:           | VOCMS Group3 |
| GC Column:         | DB-624UI ID : 0.18           | Level :         | LOW          |
| Prep Method :      |                              |                 |              |

|                   |           |           |                |               |
|-------------------|-----------|-----------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date | Date Analyzed  | Prep Batch ID |
| VX046287.D        | 1         |           | 05/21/25 11:09 | VX052125      |

| CAS Number                | Parameter              | Conc.  | Qualifier | MDL      | LOQ / CRQL | Units   |
|---------------------------|------------------------|--------|-----------|----------|------------|---------|
| <b>TARGETS</b>            |                        |        |           |          |            |         |
| 71-43-2                   | Benzene                | 20.3   |           | 0.15     | 1.00       | ug/L    |
| 108-88-3                  | Toluene                | 20.5   |           | 0.14     | 1.00       | ug/L    |
| 100-41-4                  | Ethyl Benzene          | 20.1   |           | 0.13     | 1.00       | ug/L    |
| 1330-20-7                 | Total Xylenes          | 61.2   |           | 0.36     | 3.00       | ug/L    |
| 98-82-8                   | Isopropylbenzene       | 20.4   |           | 0.12     | 1.00       | ug/L    |
| 103-65-1                  | n-propylbenzene        | 20.4   |           | 0.13     | 1.00       | ug/L    |
| 108-67-8                  | 1,3,5-Trimethylbenzene | 21.1   |           | 0.15     | 1.00       | ug/L    |
| 98-06-6                   | tert-Butylbenzene      | 20.2   |           | 0.14     | 1.00       | ug/L    |
| 95-63-6                   | 1,2,4-Trimethylbenzene | 20.7   |           | 0.14     | 1.00       | ug/L    |
| 135-98-8                  | sec-Butylbenzene       | 20.3   |           | 0.13     | 1.00       | ug/L    |
| 99-87-6                   | p-Isopropyltoluene     | 20.5   |           | 0.13     | 1.00       | ug/L    |
| 104-51-8                  | n-Butylbenzene         | 19.7   |           | 0.15     | 1.00       | ug/L    |
| <b>SURROGATES</b>         |                        |        |           |          |            |         |
| 17060-07-0                | 1,2-Dichloroethane-d4  | 53.7   |           | 74 - 125 | 107%       | SPK: 50 |
| 1868-53-7                 | Dibromofluoromethane   | 54.3   |           | 75 - 124 | 109%       | SPK: 50 |
| 2037-26-5                 | Toluene-d8             | 52.4   |           | 86 - 113 | 105%       | SPK: 50 |
| 460-00-4                  | 4-Bromofluorobenzene   | 55.0   |           | 77 - 121 | 110%       | SPK: 50 |
| <b>INTERNAL STANDARDS</b> |                        |        |           |          |            |         |
| 363-72-4                  | Pentafluorobenzene     | 83100  | 5.544     |          |            |         |
| 540-36-3                  | 1,4-Difluorobenzene    | 147000 | 6.757     |          |            |         |
| 3114-55-4                 | Chlorobenzene-d5       | 130000 | 10.049    |          |            |         |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4 | 62700  | 12.018    |          |            |         |

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

## Report of Analysis

|                    |                              |                 |              |
|--------------------|------------------------------|-----------------|--------------|
| Client:            | CDM Smith                    | Date Collected: |              |
| Project:           | Con Ed UTEN Mount Vernon, NY | Date Received:  |              |
| Client Sample ID:  | VX0523MBS01                  | SDG No.:        | Q2075        |
| Lab Sample ID:     | VX0523MBS01                  | Matrix:         | SOIL         |
| Analytical Method: | 8260D                        | % Solid:        | 100          |
| Sample Wt/Vol:     | 5 Units: g                   | Final Vol:      | 10000 uL     |
| Soil Aliquot Vol:  | 100 uL                       | Test:           | VOCMS Group3 |
| GC Column:         | DB-624UI ID : 0.18           | Level :         | MED          |
| Prep Method :      |                              |                 |              |

|                   |           |           |                |               |
|-------------------|-----------|-----------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date | Date Analyzed  | Prep Batch ID |
| VX046335.D        | 1         |           | 05/23/25 11:23 | VX052325      |

| CAS Number                | Parameter              | Conc.  | Qualifier | MDL      | LOQ / CRQL | Units(Dry Weight) |
|---------------------------|------------------------|--------|-----------|----------|------------|-------------------|
| <b>TARGETS</b>            |                        |        |           |          |            |                   |
| 71-43-2                   | Benzene                | 2000   |           | 79.0     | 500        | ug/Kg             |
| 108-88-3                  | Toluene                | 2000   |           | 78.0     | 500        | ug/Kg             |
| 100-41-4                  | Ethyl Benzene          | 2000   |           | 67.0     | 500        | ug/Kg             |
| 1330-20-7                 | Total Xylenes          | 6100   |           | 202      | 1500       | ug/Kg             |
| 98-82-8                   | Isopropylbenzene       | 2000   |           | 78.0     | 500        | ug/Kg             |
| 103-65-1                  | n-propylbenzene        | 1900   |           | 73.0     | 500        | ug/Kg             |
| 108-67-8                  | 1,3,5-Trimethylbenzene | 2100   |           | 82.0     | 500        | ug/Kg             |
| 98-06-6                   | tert-Butylbenzene      | 2000   |           | 67.0     | 500        | ug/Kg             |
| 95-63-6                   | 1,2,4-Trimethylbenzene | 2000   |           | 64.0     | 500        | ug/Kg             |
| 135-98-8                  | sec-Butylbenzene       | 2000   |           | 66.0     | 500        | ug/Kg             |
| 99-87-6                   | p-Isopropyltoluene     | 2000   |           | 62.0     | 500        | ug/Kg             |
| 104-51-8                  | n-Butylbenzene         | 1900   |           | 150      | 500        | ug/Kg             |
| <b>SURROGATES</b>         |                        |        |           |          |            |                   |
| 17060-07-0                | 1,2-Dichloroethane-d4  | 52.0   |           | 63 - 155 | 104%       | SPK: 50           |
| 1868-53-7                 | Dibromofluoromethane   | 52.4   |           | 70 - 134 | 105%       | SPK: 50           |
| 2037-26-5                 | Toluene-d8             | 50.3   |           | 74 - 123 | 101%       | SPK: 50           |
| 460-00-4                  | 4-Bromofluorobenzene   | 51.8   |           | 38 - 136 | 104%       | SPK: 50           |
| <b>INTERNAL STANDARDS</b> |                        |        |           |          |            |                   |
| 363-72-4                  | Pentafluorobenzene     | 83300  | 5.544     |          |            |                   |
| 540-36-3                  | 1,4-Difluorobenzene    | 146000 | 6.757     |          |            |                   |
| 3114-55-4                 | Chlorobenzene-d5       | 129000 | 10.049    |          |            |                   |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4 | 63300  | 12.018    |          |            |                   |

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

## Report of Analysis

|                    |                              |                 |              |
|--------------------|------------------------------|-----------------|--------------|
| Client:            | CDM Smith                    | Date Collected: |              |
| Project:           | Con Ed UTEN Mount Vernon, NY | Date Received:  |              |
| Client Sample ID:  | VY0520SBS01                  | SDG No.:        | Q2075        |
| Lab Sample ID:     | VY0520SBS01                  | Matrix:         | SOIL         |
| Analytical Method: | 8260D                        | % Solid:        | 100          |
| Sample Wt/Vol:     | 5 Units: g                   | Final Vol:      | 5000 uL      |
| Soil Aliquot Vol:  | uL                           | Test:           | VOCMS Group3 |
| GC Column:         | RXI-624 ID : 0.25            | Level :         | LOW          |
| Prep Method :      |                              |                 |              |

|                   |           |           |                |               |
|-------------------|-----------|-----------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date | Date Analyzed  | Prep Batch ID |
| VY022331.D        | 1         |           | 05/20/25 10:21 | VY052025      |

| CAS Number                | Parameter              | Conc.  | Qualifier | MDL      | LOQ / CRQL | Units(Dry Weight) |
|---------------------------|------------------------|--------|-----------|----------|------------|-------------------|
| <b>TARGETS</b>            |                        |        |           |          |            |                   |
| 71-43-2                   | Benzene                | 20.8   |           | 0.79     | 5.00       | ug/Kg             |
| 108-88-3                  | Toluene                | 20.0   |           | 0.78     | 5.00       | ug/Kg             |
| 100-41-4                  | Ethyl Benzene          | 19.8   |           | 0.67     | 5.00       | ug/Kg             |
| 1330-20-7                 | Total Xylenes          | 59.8   |           | 2.02     | 15.0       | ug/Kg             |
| 98-82-8                   | Isopropylbenzene       | 20.1   |           | 0.78     | 5.00       | ug/Kg             |
| 103-65-1                  | n-propylbenzene        | 20.3   |           | 0.73     | 5.00       | ug/Kg             |
| 108-67-8                  | 1,3,5-Trimethylbenzene | 19.5   |           | 0.82     | 5.00       | ug/Kg             |
| 98-06-6                   | tert-Butylbenzene      | 19.8   |           | 0.67     | 5.00       | ug/Kg             |
| 95-63-6                   | 1,2,4-Trimethylbenzene | 19.3   |           | 0.64     | 5.00       | ug/Kg             |
| 135-98-8                  | sec-Butylbenzene       | 20.0   |           | 0.66     | 5.00       | ug/Kg             |
| 99-87-6                   | p-Isopropyltoluene     | 19.3   |           | 0.62     | 5.00       | ug/Kg             |
| 104-51-8                  | n-Butylbenzene         | 19.7   |           | 1.50     | 5.00       | ug/Kg             |
| <b>SURROGATES</b>         |                        |        |           |          |            |                   |
| 17060-07-0                | 1,2-Dichloroethane-d4  | 52.8   |           | 63 - 155 | 106%       | SPK: 50           |
| 1868-53-7                 | Dibromofluoromethane   | 52.0   |           | 70 - 134 | 104%       | SPK: 50           |
| 2037-26-5                 | Toluene-d8             | 51.5   |           | 74 - 123 | 103%       | SPK: 50           |
| 460-00-4                  | 4-Bromofluorobenzene   | 47.7   |           | 38 - 136 | 95%        | SPK: 50           |
| <b>INTERNAL STANDARDS</b> |                        |        |           |          |            |                   |
| 363-72-4                  | Pentafluorobenzene     | 162000 | 7.707     |          |            |                   |
| 540-36-3                  | 1,4-Difluorobenzene    | 281000 | 8.616     |          |            |                   |
| 3114-55-4                 | Chlorobenzene-d5       | 237000 | 11.42     |          |            |                   |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4 | 111000 | 13.347    |          |            |                   |

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

## Report of Analysis

|                    |                              |                 |              |
|--------------------|------------------------------|-----------------|--------------|
| Client:            | CDM Smith                    | Date Collected: |              |
| Project:           | Con Ed UTEN Mount Vernon, NY | Date Received:  |              |
| Client Sample ID:  | VY0522SBS01                  | SDG No.:        | Q2075        |
| Lab Sample ID:     | VY0522SBS01                  | Matrix:         | SOIL         |
| Analytical Method: | 8260D                        | % Solid:        | 100          |
| Sample Wt/Vol:     | 5 Units: g                   | Final Vol:      | 5000 uL      |
| Soil Aliquot Vol:  | uL                           | Test:           | VOCMS Group3 |
| GC Column:         | RXI-624 ID : 0.25            | Level :         | LOW          |
| Prep Method :      |                              |                 |              |

|                   |           |           |                |               |
|-------------------|-----------|-----------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date | Date Analyzed  | Prep Batch ID |
| VY022382.D        | 1         |           | 05/22/25 09:36 | VY052225      |

| CAS Number                | Parameter              | Conc.  | Qualifier | MDL      | LOQ / CRQL | Units(Dry Weight) |
|---------------------------|------------------------|--------|-----------|----------|------------|-------------------|
| <b>TARGETS</b>            |                        |        |           |          |            |                   |
| 71-43-2                   | Benzene                | 19.5   |           | 0.79     | 5.00       | ug/Kg             |
| 108-88-3                  | Toluene                | 19.4   |           | 0.78     | 5.00       | ug/Kg             |
| 100-41-4                  | Ethyl Benzene          | 18.7   |           | 0.67     | 5.00       | ug/Kg             |
| 1330-20-7                 | Total Xylenes          | 56.8   |           | 2.02     | 15.0       | ug/Kg             |
| 98-82-8                   | Isopropylbenzene       | 19.3   |           | 0.78     | 5.00       | ug/Kg             |
| 103-65-1                  | n-propylbenzene        | 19.4   |           | 0.73     | 5.00       | ug/Kg             |
| 108-67-8                  | 1,3,5-Trimethylbenzene | 18.9   |           | 0.82     | 5.00       | ug/Kg             |
| 98-06-6                   | tert-Butylbenzene      | 19.2   |           | 0.67     | 5.00       | ug/Kg             |
| 95-63-6                   | 1,2,4-Trimethylbenzene | 18.8   |           | 0.64     | 5.00       | ug/Kg             |
| 135-98-8                  | sec-Butylbenzene       | 19.4   |           | 0.66     | 5.00       | ug/Kg             |
| 99-87-6                   | p-Isopropyltoluene     | 19.0   |           | 0.62     | 5.00       | ug/Kg             |
| 104-51-8                  | n-Butylbenzene         | 19.3   |           | 1.50     | 5.00       | ug/Kg             |
| <b>SURROGATES</b>         |                        |        |           |          |            |                   |
| 17060-07-0                | 1,2-Dichloroethane-d4  | 48.4   |           | 63 - 155 | 97%        | SPK: 50           |
| 1868-53-7                 | Dibromofluoromethane   | 50.3   |           | 70 - 134 | 101%       | SPK: 50           |
| 2037-26-5                 | Toluene-d8             | 50.3   |           | 74 - 123 | 101%       | SPK: 50           |
| 460-00-4                  | 4-Bromofluorobenzene   | 47.7   |           | 38 - 136 | 95%        | SPK: 50           |
| <b>INTERNAL STANDARDS</b> |                        |        |           |          |            |                   |
| 363-72-4                  | Pentafluorobenzene     | 175000 | 7.719     |          |            |                   |
| 540-36-3                  | 1,4-Difluorobenzene    | 294000 | 8.622     |          |            |                   |
| 3114-55-4                 | Chlorobenzene-d5       | 251000 | 11.42     |          |            |                   |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4 | 118000 | 13.353    |          |            |                   |

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

## Report of Analysis

|                    |                              |                 |              |
|--------------------|------------------------------|-----------------|--------------|
| Client:            | CDM Smith                    | Date Collected: |              |
| Project:           | Con Ed UTEN Mount Vernon, NY | Date Received:  |              |
| Client Sample ID:  | VX0521WBSD01                 | SDG No.:        | Q2075        |
| Lab Sample ID:     | VX0521WBSD01                 | Matrix:         | Water        |
| Analytical Method: | 8260D                        | % Solid:        | 0            |
| Sample Wt/Vol:     | 5 Units: mL                  | Final Vol:      | 5000 uL      |
| Soil Aliquot Vol:  | uL                           | Test:           | VOCMS Group3 |
| GC Column:         | DB-624UI ID : 0.18           | Level :         | LOW          |
| Prep Method :      |                              |                 |              |

|                   |           |           |                |               |
|-------------------|-----------|-----------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date | Date Analyzed  | Prep Batch ID |
| VX046288.D        | 1         |           | 05/21/25 11:36 | VX052125      |

| CAS Number                | Parameter              | Conc.  | Qualifier | MDL      | LOQ / CRQL | Units   |
|---------------------------|------------------------|--------|-----------|----------|------------|---------|
| <b>TARGETS</b>            |                        |        |           |          |            |         |
| 71-43-2                   | Benzene                | 20.4   |           | 0.15     | 1.00       | ug/L    |
| 108-88-3                  | Toluene                | 21.1   |           | 0.14     | 1.00       | ug/L    |
| 100-41-4                  | Ethyl Benzene          | 20.4   |           | 0.13     | 1.00       | ug/L    |
| 1330-20-7                 | Total Xylenes          | 62.1   |           | 0.36     | 3.00       | ug/L    |
| 98-82-8                   | Isopropylbenzene       | 20.8   |           | 0.12     | 1.00       | ug/L    |
| 103-65-1                  | n-propylbenzene        | 20.7   |           | 0.13     | 1.00       | ug/L    |
| 108-67-8                  | 1,3,5-Trimethylbenzene | 21.0   |           | 0.15     | 1.00       | ug/L    |
| 98-06-6                   | tert-Butylbenzene      | 20.5   |           | 0.14     | 1.00       | ug/L    |
| 95-63-6                   | 1,2,4-Trimethylbenzene | 20.9   |           | 0.14     | 1.00       | ug/L    |
| 135-98-8                  | sec-Butylbenzene       | 21.1   |           | 0.13     | 1.00       | ug/L    |
| 99-87-6                   | p-Isopropyltoluene     | 20.7   |           | 0.13     | 1.00       | ug/L    |
| 104-51-8                  | n-Butylbenzene         | 20.2   |           | 0.15     | 1.00       | ug/L    |
| <b>SURROGATES</b>         |                        |        |           |          |            |         |
| 17060-07-0                | 1,2-Dichloroethane-d4  | 54.2   |           | 74 - 125 | 108%       | SPK: 50 |
| 1868-53-7                 | Dibromofluoromethane   | 55.1   |           | 75 - 124 | 110%       | SPK: 50 |
| 2037-26-5                 | Toluene-d8             | 54.1   |           | 86 - 113 | 108%       | SPK: 50 |
| 460-00-4                  | 4-Bromofluorobenzene   | 55.8   |           | 77 - 121 | 112%       | SPK: 50 |
| <b>INTERNAL STANDARDS</b> |                        |        |           |          |            |         |
| 363-72-4                  | Pentafluorobenzene     | 82700  | 5.544     |          |            |         |
| 540-36-3                  | 1,4-Difluorobenzene    | 142000 | 6.757     |          |            |         |
| 3114-55-4                 | Chlorobenzene-d5       | 128000 | 10.049    |          |            |         |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4 | 61000  | 12.018    |          |            |         |

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

## Report of Analysis

|                    |                                   |                 |                      |
|--------------------|-----------------------------------|-----------------|----------------------|
| Client:            | CDM Smith                         | Date Collected: | 05/15/25             |
| Project:           | Con Ed UTEN Mount Vernon, NY      | Date Received:  | 05/16/25             |
| Client Sample ID:  | SS-11MS                           | SDG No.:        | Q2075                |
| Lab Sample ID:     | Q2075-04MS                        | Matrix:         | SOIL                 |
| Analytical Method: | 8260D                             | % Solid:        | 87.4                 |
| Sample Wt/Vol:     | 8.42      Units:    g             | Final Vol:      | 5000              uL |
| Soil Aliquot Vol:  | uL                                | Test:           | VOCMS Group3         |
| GC Column:         | RXI-624              ID :    0.25 | Level :         | LOW                  |
| Prep Method :      |                                   |                 |                      |

|                   |           |           |                |               |
|-------------------|-----------|-----------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date | Date Analyzed  | Prep Batch ID |
| VY022350.D        | 1         |           | 05/20/25 18:04 | VY052025      |

| CAS Number                | Parameter              | Conc.  | Qualifier | MDL      | LOQ / CRQL | Units(Dry Weight) |
|---------------------------|------------------------|--------|-----------|----------|------------|-------------------|
| <b>TARGETS</b>            |                        |        |           |          |            |                   |
| 71-43-2                   | Benzene                | 31.6   |           | 0.54     | 3.40       | ug/Kg             |
| 108-88-3                  | Toluene                | 40.1   |           | 0.53     | 3.40       | ug/Kg             |
| 100-41-4                  | Ethyl Benzene          | 46.5   |           | 0.46     | 3.40       | ug/Kg             |
| 1330-20-7                 | Total Xylenes          | 202    |           | 1.40     | 10.2       | ug/Kg             |
| 98-82-8                   | Isopropylbenzene       | 34.0   |           | 0.53     | 3.40       | ug/Kg             |
| 103-65-1                  | n-propylbenzene        | 39.5   |           | 0.50     | 3.40       | ug/Kg             |
| 108-67-8                  | 1,3,5-Trimethylbenzene | 47.6   |           | 0.56     | 3.40       | ug/Kg             |
| 98-06-6                   | tert-Butylbenzene      | 28.7   |           | 0.46     | 3.40       | ug/Kg             |
| 95-63-6                   | 1,2,4-Trimethylbenzene | 120    | E         | 0.43     | 3.40       | ug/Kg             |
| 135-98-8                  | sec-Butylbenzene       | 30.9   |           | 0.45     | 3.40       | ug/Kg             |
| 99-87-6                   | p-Isopropyltoluene     | 29.0   |           | 0.42     | 3.40       | ug/Kg             |
| 104-51-8                  | n-Butylbenzene         | 30.5   |           | 0.99     | 3.40       | ug/Kg             |
| <b>SURROGATES</b>         |                        |        |           |          |            |                   |
| 17060-07-0                | 1,2-Dichloroethane-d4  | 49.2   |           | 63 - 155 | 98%        | SPK: 50           |
| 1868-53-7                 | Dibromofluoromethane   | 42.1   |           | 70 - 134 | 84%        | SPK: 50           |
| 2037-26-5                 | Toluene-d8             | 39.0   |           | 74 - 123 | 78%        | SPK: 50           |
| 460-00-4                  | 4-Bromofluorobenzene   | 36.5   |           | 38 - 136 | 73%        | SPK: 50           |
| <b>INTERNAL STANDARDS</b> |                        |        |           |          |            |                   |
| 363-72-4                  | Pentafluorobenzene     | 135000 | 7.707     |          |            |                   |
| 540-36-3                  | 1,4-Difluorobenzene    | 249000 | 8.616     |          |            |                   |
| 3114-55-4                 | Chlorobenzene-d5       | 211000 | 11.414    |          |            |                   |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4 | 91800  | 13.346    |          |            |                   |

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

## Report of Analysis

|                    |                                   |                 |                      |
|--------------------|-----------------------------------|-----------------|----------------------|
| Client:            | CDM Smith                         | Date Collected: | 05/15/25             |
| Project:           | Con Ed UTEN Mount Vernon, NY      | Date Received:  | 05/16/25             |
| Client Sample ID:  | SS-11MSD                          | SDG No.:        | Q2075                |
| Lab Sample ID:     | Q2075-05MSD                       | Matrix:         | SOIL                 |
| Analytical Method: | 8260D                             | % Solid:        | 87.4                 |
| Sample Wt/Vol:     | 8.33      Units:    g             | Final Vol:      | 5000              uL |
| Soil Aliquot Vol:  | uL                                | Test:           | VOCMS Group3         |
| GC Column:         | RXI-624              ID :    0.25 | Level :         | LOW                  |
| Prep Method :      |                                   |                 |                      |

|                   |           |           |                |               |
|-------------------|-----------|-----------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date | Date Analyzed  | Prep Batch ID |
| VY022351.D        | 1         |           | 05/20/25 18:26 | VY052025      |

| CAS Number                | Parameter              | Conc.  | Qualifier | MDL      | LOQ / CRQL | Units(Dry Weight) |
|---------------------------|------------------------|--------|-----------|----------|------------|-------------------|
| <b>TARGETS</b>            |                        |        |           |          |            |                   |
| 71-43-2                   | Benzene                | 43.1   |           | 0.54     | 3.40       | ug/Kg             |
| 108-88-3                  | Toluene                | 52.7   |           | 0.54     | 3.40       | ug/Kg             |
| 100-41-4                  | Ethyl Benzene          | 54.6   |           | 0.46     | 3.40       | ug/Kg             |
| 1330-20-7                 | Total Xylenes          | 219    |           | 1.41     | 10.3       | ug/Kg             |
| 98-82-8                   | Isopropylbenzene       | 40.5   |           | 0.54     | 3.40       | ug/Kg             |
| 103-65-1                  | n-propylbenzene        | 43.6   |           | 0.50     | 3.40       | ug/Kg             |
| 108-67-8                  | 1,3,5-Trimethylbenzene | 49.0   |           | 0.56     | 3.40       | ug/Kg             |
| 98-06-6                   | tert-Butylbenzene      | 37.7   |           | 0.46     | 3.40       | ug/Kg             |
| 95-63-6                   | 1,2,4-Trimethylbenzene | 96.4   |           | 0.44     | 3.40       | ug/Kg             |
| 135-98-8                  | sec-Butylbenzene       | 37.6   |           | 0.45     | 3.40       | ug/Kg             |
| 99-87-6                   | p-Isopropyltoluene     | 36.2   |           | 0.43     | 3.40       | ug/Kg             |
| 104-51-8                  | n-Butylbenzene         | 36.4   |           | 1.00     | 3.40       | ug/Kg             |
| <b>SURROGATES</b>         |                        |        |           |          |            |                   |
| 17060-07-0                | 1,2-Dichloroethane-d4  | 62.7   |           | 63 - 155 | 125%       | SPK: 50           |
| 1868-53-7                 | Dibromofluoromethane   | 51.3   |           | 70 - 134 | 103%       | SPK: 50           |
| 2037-26-5                 | Toluene-d8             | 45.1   |           | 74 - 123 | 90%        | SPK: 50           |
| 460-00-4                  | 4-Bromofluorobenzene   | 45.4   |           | 38 - 136 | 91%        | SPK: 50           |
| <b>INTERNAL STANDARDS</b> |                        |        |           |          |            |                   |
| 363-72-4                  | Pentafluorobenzene     | 118000 | 7.707     |          |            |                   |
| 540-36-3                  | 1,4-Difluorobenzene    | 220000 | 8.616     |          |            |                   |
| 3114-55-4                 | Chlorobenzene-d5       | 197000 | 11.414    |          |            |                   |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4 | 91200  | 13.346    |          |            |                   |

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products



# CALIBRATION SUMMARY

# VOLATILE ORGANICS INITIAL CALIBRATION DATA

Lab Name: CHEMTECH Contract: CAMP02  
Lab Code: CHEM Case No.: Q2075 SAS No.: Q2075 SDG No.: Q2075  
Instrument ID: MSVOA\_X Calibration Date(s): 05/05/2025 05/05/2025  
Heated Purge: (Y/N) N Calibration Time(s): 11:35 16:27  
GC Column: DB-624UI ID: 0.18 (mm)

| LAB FILE ID:           |        |        |                     |        |        |                     |       |       |
|------------------------|--------|--------|---------------------|--------|--------|---------------------|-------|-------|
| RRF020 = VX046041.D    |        |        | RRF050 = VX046042.D |        |        | RRF100 = VX046043.D |       |       |
| RRF150 = VX046044.D    |        |        | RRF005 = VX046046.D |        |        | RRF001 = VX046047.D |       |       |
| COMPOUND               | RRF020 | RRF050 | RRF100              | RRF150 | RRF005 | RRF001              | RRF   | % RSD |
| Benzene                | 1.426  | 1.474  | 1.441               | 1.477  | 1.337  | 1.348               | 1.417 | 4.3   |
| Toluene                | 0.884  | 0.898  | 0.885               | 0.904  | 0.838  | 0.803               | 0.869 | 4.5   |
| Ethyl Benzene          | 1.919  | 2.022  | 1.979               | 2.036  | 1.816  | 1.803               | 1.929 | 5.2   |
| m/p-Xylenes            | 0.706  | 0.740  | 0.721               | 0.740  | 0.678  | 0.648               | 0.706 | 5.2   |
| o-Xylene               | 0.688  | 0.727  | 0.706               | 0.726  | 0.639  | 0.642               | 0.688 | 5.7   |
| Isopropylbenzene       | 3.843  | 4.130  | 3.876               | 4.156  | 3.562  | 3.789               | 3.893 | 5.7   |
| n-propylbenzene        | 4.394  | 4.854  | 4.583               | 4.868  | 4.186  | 4.272               | 4.526 | 6.4   |
| 1,3,5-Trimethylbenzene | 3.275  | 3.488  | 3.255               | 3.405  | 3.053  | 3.036               | 3.252 | 5.6   |
| tert-Butylbenzene      | 3.115  | 3.435  | 3.255               | 3.411  | 3.098  | 3.341               | 3.276 | 4.4   |
| 1,2,4-Trimethylbenzene | 3.274  | 3.522  | 3.335               | 3.444  | 3.034  | 3.150               | 3.293 | 5.5   |
| sec-Butylbenzene       | 3.937  | 4.282  | 4.095               | 4.343  | 3.767  | 3.708               | 4.022 | 6.6   |
| p-Isopropyltoluene     | 3.206  | 3.555  | 3.450               | 3.599  | 3.084  | 3.025               | 3.320 | 7.4   |
| n-Butylbenzene         | 2.748  | 3.147  | 3.139               | 3.346  | 2.650  | 2.443               | 2.912 | 12    |
| 1,2-Dichloroethane-d4  | 0.953  | 0.910  | 0.930               | 0.932  | 0.935  |                     | 0.932 | 1.6   |
| Dibromofluoromethane   | 0.359  | 0.355  | 0.364               | 0.368  | 0.354  |                     | 0.360 | 1.7   |
| Toluene-d8             | 1.246  | 1.223  | 1.266               | 1.275  | 1.221  |                     | 1.246 | 2     |
| 4-Bromofluorobenzene   | 0.455  | 0.470  | 0.500               | 0.500  | 0.464  |                     | 0.478 | 4.4   |

\* Compounds with required minimum RRF and maximum %RSD values.  
All other compounds must meet a minimum RRF of 0.010.  
RRF of 1,4-Dioxane = Value should be divide by 1000.

# VOLATILE ORGANICS INITIAL CALIBRATION DATA

Lab Name: CHEMTECH Contract: CAMP02

Lab Code: CHEM Case No.: Q2075 SAS No.: Q2075 SDG No.: Q2075

Instrument ID: MSVOA\_Y Calibration Date(s): 05/15/2025 05/15/2025

Heated Purge: (Y/N) Y Calibration Time(s): 09:46 11:47

GC Column: RXI-624 ID: 0.25 (mm)

|                        |        |                     |        |                     |        |                     |       |       |
|------------------------|--------|---------------------|--------|---------------------|--------|---------------------|-------|-------|
| LAB FILE ID:           |        | RRF005 = VY022253.D |        | RRF010 = VY022254.D |        | RRF020 = VY022255.D |       |       |
|                        |        | RRF050 = VY022256.D |        | RRF100 = VY022257.D |        | RRF150 = VY022258.D |       |       |
| COMPOUND               | RRF005 | RRF010              | RRF020 | RRF050              | RRF100 | RRF150              | RRF   | % RSD |
| Benzene                | 1.369  | 1.462               | 1.435  | 1.499               | 1.482  | 1.496               | 1.457 | 3.4   |
| Toluene                | 0.871  | 0.924               | 0.890  | 0.944               | 0.947  | 0.961               | 0.923 | 3.8   |
| Ethyl Benzene          | 2.014  | 2.043               | 2.049  | 2.175               | 2.173  | 2.222               | 2.113 | 4.1   |
| m/p-Xylenes            | 0.749  | 0.770               | 0.763  | 0.818               | 0.825  | 0.852               | 0.796 | 5.2   |
| o-Xylene               | 0.704  | 0.741               | 0.723  | 0.768               | 0.782  | 0.802               | 0.753 | 4.9   |
| Isopropylbenzene       | 4.157  | 4.192               | 4.100  | 4.197               | 4.028  | 4.181               | 4.142 | 1.6   |
| n-propylbenzene        | 5.031  | 5.047               | 4.904  | 5.127               | 4.865  | 5.006               | 4.996 | 1.9   |
| 1,3,5-Trimethylbenzene | 3.393  | 3.386               | 3.275  | 3.410               | 3.251  | 3.349               | 3.344 | 2     |
| tert-Butylbenzene      | 3.037  | 2.974               | 2.900  | 3.029               | 2.879  | 3.014               | 2.972 | 2.3   |
| 1,2,4-Trimethylbenzene | 3.189  | 3.349               | 3.206  | 3.413               | 3.329  | 3.431               | 3.319 | 3.1   |
| sec-Butylbenzene       | 4.390  | 4.461               | 4.318  | 4.573               | 4.307  | 4.421               | 4.412 | 2.2   |
| p-Isopropyltoluene     | 3.598  | 3.610               | 3.573  | 3.818               | 3.754  | 3.911               | 3.710 | 3.7   |
| n-Butylbenzene         | 3.419  | 3.500               | 3.491  | 3.668               | 3.452  | 3.533               | 3.510 | 2.5   |
| 1,2-Dichloroethane-d4  | 0.547  | 0.559               | 0.527  | 0.541               | 0.545  | 0.560               | 0.546 | 2.2   |
| Dibromofluoromethane   | 0.294  | 0.294               | 0.294  | 0.301               | 0.297  | 0.310               | 0.298 | 2.2   |
| Toluene-d8             | 1.224  | 1.200               | 1.195  | 1.230               | 1.214  | 1.272               | 1.222 | 2.3   |
| 4-Bromofluorobenzene   | 0.390  | 0.386               | 0.368  | 0.387               | 0.387  | 0.407               | 0.387 | 3.3   |

\* Compounds with required minimum RRF and maximum %RSD values.  
All other compounds must meet a minimum RRF of 0.010.  
RRF of 1,4-Dioxane = Value should be divide by 1000.

VOLATILE CONTINUING CALIBRATION CHECK

Lab Name: CHEMTECH Contract: CAMP02

Lab Code: CHEM Case No.: Q2075 SAS No.: Q2075 SDG No.: Q2075

Instrument ID: MSVOA\_X Calibration Date/Time: 05/21/2025 09:55

Lab File ID: VX046284.D Init. Calib. Date(s): 05/05/2025 05/05/2025

Heated Purge: (Y/N) N Init. Calib. Time(s): 11:35 16:27

GC Column: DB-624UI ID: 0.18 (mm)

| COMPOUND               | RRF   | RRF050 | MIN<br>RRF | %D    | MAX%D |
|------------------------|-------|--------|------------|-------|-------|
| Benzene                | 1.417 | 1.412  |            | -0.35 | 20    |
| Toluene                | 0.869 | 0.857  |            | -1.38 | 20    |
| Ethyl Benzene          | 1.929 | 1.968  |            | 2.02  | 20    |
| m/p-Xylenes            | 0.706 | 0.721  |            | 2.13  | 20    |
| o-Xylene               | 0.688 | 0.712  |            | 3.49  | 20    |
| Isopropylbenzene       | 3.893 | 4.007  |            | 2.93  | 20    |
| n-propylbenzene        | 4.526 | 4.671  |            | 3.2   | 20    |
| 1,3,5-Trimethylbenzene | 3.252 | 3.344  |            | 2.83  | 20    |
| tert-Butylbenzene      | 3.276 | 3.302  |            | 0.79  | 20    |
| 1,2,4-Trimethylbenzene | 3.293 | 3.417  |            | 3.77  | 20    |
| sec-Butylbenzene       | 4.022 | 4.193  |            | 4.25  | 20    |
| p-Isopropyltoluene     | 3.320 | 3.467  |            | 4.43  | 20    |
| n-Butylbenzene         | 2.912 | 3.134  |            | 7.62  | 20    |
| 1,2-Dichloroethane-d4  | 0.932 | 0.913  |            | -2.04 | 20    |
| Dibromofluoromethane   | 0.360 | 0.371  |            | 3.06  | 20    |
| Toluene-d8             | 1.246 | 1.223  |            | -1.85 | 20    |
| 4-Bromofluorobenzene   | 0.478 | 0.481  |            | 0.63  | 20    |

All other compounds must meet a minimum RRF of 0.010.  
RRF of 1,4-Dioxane = Value should be divide by 1000.

VOLATILE CONTINUING CALIBRATION CHECK

Lab Name: CHEMTECH Contract: CAMP02

Lab Code: CHEM Case No.: Q2075 SAS No.: Q2075 SDG No.: Q2075

Instrument ID: MSVOA\_X Calibration Date/Time: 05/23/2025 09:24

Lab File ID: VX046331.D Init. Calib. Date(s): 05/05/2025 05/05/2025

Heated Purge: (Y/N) N Init. Calib. Time(s): 11:35 16:27

GC Column: DB-624UI ID: 0.18 (mm)

| COMPOUND               | RRF   | RRF050 | MIN<br>RRF | %D   | MAX%D |
|------------------------|-------|--------|------------|------|-------|
| Benzene                | 1.417 | 1.421  |            | 0.28 | 20    |
| Toluene                | 0.869 | 0.878  |            | 1.04 | 20    |
| Ethyl Benzene          | 1.929 | 1.985  |            | 2.9  | 20    |
| m/p-Xylenes            | 0.706 | 0.719  |            | 1.84 | 20    |
| o-Xylene               | 0.688 | 0.714  |            | 3.78 | 20    |
| Isopropylbenzene       | 3.893 | 3.986  |            | 2.39 | 20    |
| n-propylbenzene        | 4.526 | 4.678  |            | 3.36 | 20    |
| 1,3,5-Trimethylbenzene | 3.252 | 3.374  |            | 3.75 | 20    |
| tert-Butylbenzene      | 3.276 | 3.334  |            | 1.77 | 20    |
| 1,2,4-Trimethylbenzene | 3.293 | 3.388  |            | 2.88 | 20    |
| sec-Butylbenzene       | 4.022 | 4.204  |            | 4.53 | 20    |
| p-Isopropyltoluene     | 3.320 | 3.484  |            | 4.94 | 20    |
| n-Butylbenzene         | 2.912 | 3.156  |            | 8.38 | 20    |
| 1,2-Dichloroethane-d4  | 0.932 | 0.966  |            | 3.65 | 20    |
| Dibromofluoromethane   | 0.360 | 0.384  |            | 6.67 | 20    |
| Toluene-d8             | 1.246 | 1.307  |            | 4.9  | 20    |
| 4-Bromofluorobenzene   | 0.478 | 0.514  |            | 7.53 | 20    |

All other compounds must meet a minimum RRF of 0.010.  
RRF of 1,4-Dioxane = Value should be divide by 1000.

VOLATILE CONTINUING CALIBRATION CHECK

Lab Name: CHEMTECH Contract: CAMP02

Lab Code: CHEM Case No.: Q2075 SAS No.: Q2075 SDG No.: Q2075

Instrument ID: MSVOA\_Y Calibration Date/Time: 05/20/2025 08:40

Lab File ID: VY022329.D Init. Calib. Date(s): 05/15/2025 05/15/2025

Heated Purge: (Y/N) Y Init. Calib. Time(s): 09:46 11:47

GC Column: RXI-624 ID: 0.25 (mm)

| COMPOUND               | RRF   | RRF050 | MIN<br>RRF | %D    | MAX%D |
|------------------------|-------|--------|------------|-------|-------|
| Benzene                | 1.457 | 1.473  |            | 1.1   | 20    |
| Toluene                | 0.923 | 0.912  |            | -1.19 | 20    |
| Ethyl Benzene          | 2.113 | 2.120  |            | 0.33  | 20    |
| m/p-Xylenes            | 0.796 | 0.803  |            | 0.88  | 20    |
| o-Xylene               | 0.753 | 0.738  |            | -1.99 | 20    |
| Isopropylbenzene       | 4.142 | 4.147  |            | 0.12  | 20    |
| n-propylbenzene        | 4.996 | 5.062  |            | 1.32  | 20    |
| 1,3,5-Trimethylbenzene | 3.344 | 3.297  |            | -1.41 | 20    |
| tert-Butylbenzene      | 2.972 | 2.924  |            | -1.62 | 20    |
| 1,2,4-Trimethylbenzene | 3.319 | 3.232  |            | -2.62 | 20    |
| sec-Butylbenzene       | 4.412 | 4.438  |            | 0.59  | 20    |
| p-Isopropyltoluene     | 3.710 | 3.717  |            | 0.19  | 20    |
| n-Butylbenzene         | 3.510 | 3.562  |            | 1.48  | 20    |
| 1,2-Dichloroethane-d4  | 0.546 | 0.533  |            | -2.38 | 20    |
| Dibromofluoromethane   | 0.298 | 0.305  |            | 2.35  | 20    |
| Toluene-d8             | 1.222 | 1.259  |            | 3.03  | 20    |
| 4-Bromofluorobenzene   | 0.387 | 0.375  |            | -3.1  | 20    |

All other compounds must meet a minimum RRF of 0.010.  
RRF of 1,4-Dioxane = Value should be divide by 1000.

VOLATILE CONTINUING CALIBRATION CHECK

Lab Name: CHEMTECH Contract: CAMP02

Lab Code: CHEM Case No.: Q2075 SAS No.: Q2075 SDG No.: Q2075

Instrument ID: MSVOA\_Y Calibration Date/Time: 05/22/2025 08:35

Lab File ID: VY022380.D Init. Calib. Date(s): 05/15/2025 05/15/2025

Heated Purge: (Y/N) Y Init. Calib. Time(s): 09:46 11:47

GC Column: RXI-624 ID: 0.25 (mm)

| COMPOUND               | RRF   | RRF050 | MIN<br>RRF | %D    | MAX%D |
|------------------------|-------|--------|------------|-------|-------|
| Benzene                | 1.457 | 1.548  |            | 6.25  | 20    |
| Toluene                | 0.923 | 0.978  |            | 5.96  | 20    |
| Ethyl Benzene          | 2.113 | 2.234  |            | 5.73  | 20    |
| m/p-Xylenes            | 0.796 | 0.849  |            | 6.66  | 20    |
| o-Xylene               | 0.753 | 0.791  |            | 5.05  | 20    |
| Isopropylbenzene       | 4.142 | 4.432  |            | 7     | 20    |
| n-propylbenzene        | 4.996 | 5.385  |            | 7.79  | 20    |
| 1,3,5-Trimethylbenzene | 3.344 | 3.533  |            | 5.65  | 20    |
| tert-Butylbenzene      | 2.972 | 3.200  |            | 7.67  | 20    |
| 1,2,4-Trimethylbenzene | 3.319 | 3.526  |            | 6.24  | 20    |
| sec-Butylbenzene       | 4.412 | 4.835  |            | 9.59  | 20    |
| p-Isopropyltoluene     | 3.710 | 4.077  |            | 9.89  | 20    |
| n-Butylbenzene         | 3.510 | 3.887  |            | 10.74 | 20    |
| 1,2-Dichloroethane-d4  | 0.546 | 0.561  |            | 2.75  | 20    |
| Dibromofluoromethane   | 0.298 | 0.318  |            | 6.71  | 20    |
| Toluene-d8             | 1.222 | 1.298  |            | 6.22  | 20    |
| 4-Bromofluorobenzene   | 0.387 | 0.387  |            | 0     | 20    |

All other compounds must meet a minimum RRF of 0.010.  
RRF of 1,4-Dioxane = Value should be divide by 1000.

## LAB CHRONICLE

|                 |                    |                   |                                        |
|-----------------|--------------------|-------------------|----------------------------------------|
| <b>OrderID:</b> | Q2075              | <b>OrderDate:</b> | 5/16/2025 4:10:00 PM                   |
| <b>Client:</b>  | CDM Smith          | <b>Project:</b>   | Con Ed UTEN Mount Vernon, NY           |
| <b>Contact:</b> | Marcie Ann Encinas | <b>Location:</b>  | L41,VOA Ref. #2 Soil,VOA Ref. #3 Water |

| LabID           | ClientID           | Matrix       | Test          | Method | Sample Date     | Prep Date | Anal Date | Received        |
|-----------------|--------------------|--------------|---------------|--------|-----------------|-----------|-----------|-----------------|
| <b>Q2075-01</b> | <b>SS-10</b>       | <b>SOIL</b>  |               |        | <b>05/15/25</b> |           |           | <b>05/16/25</b> |
|                 |                    |              | SVOCMS Group3 | 8270E  |                 | 05/20/25  | 05/22/25  |                 |
| <b>Q2075-02</b> | <b>SS-910</b>      | <b>SOIL</b>  |               |        | <b>05/15/25</b> |           |           | <b>05/16/25</b> |
|                 |                    |              | SVOCMS Group3 | 8270E  |                 | 05/20/25  | 05/22/25  |                 |
| <b>Q2075-03</b> | <b>SS-11</b>       | <b>SOIL</b>  |               |        | <b>05/15/25</b> |           |           | <b>05/16/25</b> |
|                 |                    |              | SVOCMS Group3 | 8270E  |                 | 05/20/25  | 05/21/25  |                 |
| <b>Q2075-06</b> | <b>SS-MW1-11.5</b> | <b>SOIL</b>  |               |        | <b>05/16/25</b> |           |           | <b>05/16/25</b> |
|                 |                    |              | SVOCMS Group3 | 8270E  |                 | 05/20/25  | 05/21/25  |                 |
| <b>Q2075-07</b> | <b>FB-05152025</b> | <b>Water</b> |               |        | <b>05/15/25</b> |           |           | <b>05/16/25</b> |
|                 |                    |              | SVOCMS Group3 | 8270E  |                 | 05/21/25  | 05/22/25  |                 |
| <b>Q2075-08</b> | <b>FB-05162025</b> | <b>Water</b> |               |        | <b>05/16/25</b> |           |           | <b>05/16/25</b> |
|                 |                    |              | SVOCMS Group3 | 8270E  |                 | 05/21/25  | 05/21/25  |                 |

### Hit Summary Sheet SW-846

**SDG No.:** Q2075  
**Client:** CDM Smith

| Sample ID            | Client ID | Matrix | Parameter              | Concentration | C | MDL  | RDL | Units |
|----------------------|-----------|--------|------------------------|---------------|---|------|-----|-------|
| Client ID : SS-10    |           |        |                        |               |   |      |     |       |
| Q2075-01             | SS-10     | SOIL   | Phenanthrene           | 830.000       |   | 26.2 | 210 | ug/Kg |
| Q2075-01             | SS-10     | SOIL   | Anthracene             | 110.000       | J | 41.7 | 210 | ug/Kg |
| Q2075-01             | SS-10     | SOIL   | Fluoranthene           | 1,200.000     |   | 37.6 | 210 | ug/Kg |
| Q2075-01             | SS-10     | SOIL   | Pyrene                 | 660.000       |   | 45.1 | 210 | ug/Kg |
| Q2075-01             | SS-10     | SOIL   | Benzo(a)anthracene     | 420.000       |   | 28.8 | 210 | ug/Kg |
| Q2075-01             | SS-10     | SOIL   | Chrysene               | 490.000       |   | 24.9 | 210 | ug/Kg |
| Q2075-01             | SS-10     | SOIL   | Benzo(b)fluoranthene   | 640.000       |   | 23.8 | 210 | ug/Kg |
| Q2075-01             | SS-10     | SOIL   | Benzo(k)fluoranthene   | 220.000       |   | 28.1 | 210 | ug/Kg |
| Q2075-01             | SS-10     | SOIL   | Benzo(a)pyrene         | 350.000       |   | 37   | 210 | ug/Kg |
| Q2075-01             | SS-10     | SOIL   | Indeno(1,2,3-cd)pyrene | 160.000       | J | 36.5 | 210 | ug/Kg |
| Q2075-01             | SS-10     | SOIL   | Benzo(g,h,i)perylene   | 170.000       | J | 32.2 | 210 | ug/Kg |
| Total Svoc :         |           |        |                        | 5,250.00      |   |      |     |       |
| Total Concentration: |           |        |                        | 5,250.00      |   |      |     |       |
| Client ID : SS-910   |           |        |                        |               |   |      |     |       |
| Q2075-02             | SS-910    | SOIL   | Phenanthrene           | 440.000       |   | 25.7 | 210 | ug/Kg |
| Q2075-02             | SS-910    | SOIL   | Fluoranthene           | 940.000       |   | 36.8 | 210 | ug/Kg |
| Q2075-02             | SS-910    | SOIL   | Pyrene                 | 490.000       |   | 44.2 | 210 | ug/Kg |
| Q2075-02             | SS-910    | SOIL   | Benzo(a)anthracene     | 290.000       |   | 28.2 | 210 | ug/Kg |
| Q2075-02             | SS-910    | SOIL   | Chrysene               | 320.000       |   | 24.4 | 210 | ug/Kg |
| Q2075-02             | SS-910    | SOIL   | Benzo(b)fluoranthene   | 520.000       |   | 23.3 | 210 | ug/Kg |
| Q2075-02             | SS-910    | SOIL   | Benzo(k)fluoranthene   | 180.000       | J | 27.5 | 210 | ug/Kg |
| Q2075-02             | SS-910    | SOIL   | Benzo(a)pyrene         | 310.000       |   | 36.2 | 210 | ug/Kg |
| Q2075-02             | SS-910    | SOIL   | Indeno(1,2,3-cd)pyrene | 150.000       | J | 35.7 | 210 | ug/Kg |
| Q2075-02             | SS-910    | SOIL   | Benzo(g,h,i)perylene   | 170.000       | J | 31.5 | 210 | ug/Kg |
| Total Svoc :         |           |        |                        | 3,810.00      |   |      |     |       |
| Total Concentration: |           |        |                        | 3,810.00      |   |      |     |       |
| Client ID : SS-11    |           |        |                        |               |   |      |     |       |
| Q2075-03             | SS-11     | SOIL   | Fluoranthene           | 120.000       | J | 34.3 | 190 | ug/Kg |
| Total Svoc :         |           |        |                        | 120.00        |   |      |     |       |
| Total Concentration: |           |        |                        | 120.00        |   |      |     |       |



# SAMPLE DATA

## Report of Analysis

|                    |                              |                 |               |
|--------------------|------------------------------|-----------------|---------------|
| Client:            | CDM Smith                    | Date Collected: | 05/15/25      |
| Project:           | Con Ed UTEN Mount Vernon, NY | Date Received:  | 05/16/25      |
| Client Sample ID:  | SS-10                        | SDG No.:        | Q2075         |
| Lab Sample ID:     | Q2075-01                     | Matrix:         | SOIL          |
| Analytical Method: | 8270E                        | % Solid:        | 79.8          |
| Sample Wt/Vol:     | 30.01 Units: g               | Final Vol:      | 1000 uL       |
| Soil Aliquot Vol:  | uL                           | Test:           | SVOCMS Group3 |
| Extraction Type :  | Decanted : N                 | Level :         | LOW           |
| Injection Volume : | GPC Factor : 1.0             | GPC Cleanup :   | N PH :        |
| Prep Method :      | SW3541                       |                 |               |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| BF142510.D        | 1         | 05/20/25 09:45 | 05/22/25 15:07 | PB168083      |

| CAS Number                | Parameter              | Conc.  | Qualifier | MDL      | LOQ / CRQL | Units(Dry Weight) |
|---------------------------|------------------------|--------|-----------|----------|------------|-------------------|
| <b>TARGETS</b>            |                        |        |           |          |            |                   |
| 91-20-3                   | Naphthalene            | 210    | U         | 28.4     | 210        | ug/Kg             |
| 208-96-8                  | Acenaphthylene         | 210    | U         | 36.2     | 210        | ug/Kg             |
| 83-32-9                   | Acenaphthene           | 210    | U         | 26.7     | 210        | ug/Kg             |
| 86-73-7                   | Fluorene               | 210    | U         | 31.7     | 210        | ug/Kg             |
| 85-01-8                   | Phenanthrene           | 830    |           | 26.2     | 210        | ug/Kg             |
| 120-12-7                  | Anthracene             | 110    | J         | 41.7     | 210        | ug/Kg             |
| 206-44-0                  | Fluoranthene           | 1200   |           | 37.6     | 210        | ug/Kg             |
| 129-00-0                  | Pyrene                 | 660    |           | 45.1     | 210        | ug/Kg             |
| 56-55-3                   | Benzo(a)anthracene     | 420    |           | 28.8     | 210        | ug/Kg             |
| 218-01-9                  | Chrysene               | 490    |           | 24.9     | 210        | ug/Kg             |
| 205-99-2                  | Benzo(b)fluoranthene   | 640    |           | 23.8     | 210        | ug/Kg             |
| 207-08-9                  | Benzo(k)fluoranthene   | 220    |           | 28.1     | 210        | ug/Kg             |
| 50-32-8                   | Benzo(a)pyrene         | 350    |           | 37.0     | 210        | ug/Kg             |
| 193-39-5                  | Indeno(1,2,3-cd)pyrene | 160    | J         | 36.5     | 210        | ug/Kg             |
| 53-70-3                   | Dibenzo(a,h)anthracene | 210    | U         | 34.3     | 210        | ug/Kg             |
| 191-24-2                  | Benzo(g,h,i)perylene   | 170    | J         | 32.2     | 210        | ug/Kg             |
| <b>SURROGATES</b>         |                        |        |           |          |            |                   |
| 4165-60-0                 | Nitrobenzene-d5        | 43.6   |           | 18 - 107 | 44%        | SPK: 100          |
| 321-60-8                  | 2-Fluorobiphenyl       | 37.5   |           | 20 - 109 | 38%        | SPK: 100          |
| 1718-51-0                 | Terphenyl-d14          | 29.7   |           | 10 - 105 | 30%        | SPK: 100          |
| <b>INTERNAL STANDARDS</b> |                        |        |           |          |            |                   |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4 | 120000 |           | 6.898    |            |                   |
| 1146-65-2                 | Naphthalene-d8         | 453000 |           | 8.18     |            |                   |
| 15067-26-2                | Acenaphthene-d10       | 223000 |           | 9.933    |            |                   |
| 1517-22-2                 | Phenanthrene-d10       | 308000 |           | 11.421   |            |                   |
| 1719-03-5                 | Chrysene-d12           | 229000 |           | 14.062   |            |                   |
| 1520-96-3                 | Perylene-d12           | 198000 |           | 15.556   |            |                   |

## Report of Analysis

|                    |                              |                 |               |
|--------------------|------------------------------|-----------------|---------------|
| Client:            | CDM Smith                    | Date Collected: | 05/15/25      |
| Project:           | Con Ed UTEN Mount Vernon, NY | Date Received:  | 05/16/25      |
| Client Sample ID:  | SS-10                        | SDG No.:        | Q2075         |
| Lab Sample ID:     | Q2075-01                     | Matrix:         | SOIL          |
| Analytical Method: | 8270E                        | % Solid:        | 79.8          |
| Sample Wt/Vol:     | 30.01                        | Units:          | g             |
| Soil Aliquot Vol:  |                              | Final Vol:      | 1000 uL       |
| Extraction Type :  |                              | Test:           | SVOCMS Group3 |
|                    | Decanted :                   | Level :         | LOW           |
| Injection Volume : | GPC Factor :                 | 1.0             | GPC Cleanup : |
|                    |                              | N               | PH :          |
| Prep Method :      | SW3541                       |                 |               |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| BF142510.D        | 1         | 05/20/25 09:45 | 05/22/25 15:07 | PB168083      |

| CAS Number | Parameter | Conc. | Qualifier | MDL | LOQ / CRQL | Units |
|------------|-----------|-------|-----------|-----|------------|-------|
|------------|-----------|-------|-----------|-----|------------|-------|

U = Not Detected  
 LOQ = Limit of Quantitation  
 MDL = Method Detection Limit  
 LOD = Limit of Detection  
 E = Value Exceeds Calibration Range  
 Q = indicates LCS control criteria did not meet requirements  
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value  
 B = Analyte Found in Associated Method Blank  
 N = Presumptive Evidence of a Compound  
 \* = Values outside of QC limits  
 D = Dilution  
 () = Laboratory InHouse Limit  
 A = Aldol-Condensation Reaction Products

## Report of Analysis

|                    |                              |                 |               |
|--------------------|------------------------------|-----------------|---------------|
| Client:            | CDM Smith                    | Date Collected: | 05/15/25      |
| Project:           | Con Ed UTEN Mount Vernon, NY | Date Received:  | 05/16/25      |
| Client Sample ID:  | SS-910                       | SDG No.:        | Q2075         |
| Lab Sample ID:     | Q2075-02                     | Matrix:         | SOIL          |
| Analytical Method: | 8270E                        | % Solid:        | 81.3          |
| Sample Wt/Vol:     | 30.06                        | Units:          | g             |
| Soil Aliquot Vol:  |                              |                 | uL            |
| Extraction Type :  |                              | Decanted :      | N             |
| Injection Volume : |                              | GPC Factor :    | 1.0           |
| Prep Method :      | SW3541                       | Level :         | LOW           |
|                    |                              | Final Vol:      | 1000          |
|                    |                              | Test:           | SVOCMS Group3 |
|                    |                              | GPC Cleanup :   | N             |
|                    |                              | PH :            |               |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| BF142511.D        | 1         | 05/20/25 09:45 | 05/22/25 15:36 | PB168083      |

| CAS Number                | Parameter              | Conc.  | Qualifier | MDL      | LOQ / CRQL | Units(Dry Weight) |
|---------------------------|------------------------|--------|-----------|----------|------------|-------------------|
| <b>TARGETS</b>            |                        |        |           |          |            |                   |
| 91-20-3                   | Naphthalene            | 210    | U         | 27.9     | 210        | ug/Kg             |
| 208-96-8                  | Acenaphthylene         | 210    | U         | 35.5     | 210        | ug/Kg             |
| 83-32-9                   | Acenaphthene           | 210    | U         | 26.1     | 210        | ug/Kg             |
| 86-73-7                   | Fluorene               | 210    | U         | 31.1     | 210        | ug/Kg             |
| 85-01-8                   | Phenanthrene           | 440    |           | 25.7     | 210        | ug/Kg             |
| 120-12-7                  | Anthracene             | 210    | U         | 40.9     | 210        | ug/Kg             |
| 206-44-0                  | Fluoranthene           | 940    |           | 36.8     | 210        | ug/Kg             |
| 129-00-0                  | Pyrene                 | 490    |           | 44.2     | 210        | ug/Kg             |
| 56-55-3                   | Benzo(a)anthracene     | 290    |           | 28.2     | 210        | ug/Kg             |
| 218-01-9                  | Chrysene               | 320    |           | 24.4     | 210        | ug/Kg             |
| 205-99-2                  | Benzo(b)fluoranthene   | 520    |           | 23.3     | 210        | ug/Kg             |
| 207-08-9                  | Benzo(k)fluoranthene   | 180    | J         | 27.5     | 210        | ug/Kg             |
| 50-32-8                   | Benzo(a)pyrene         | 310    |           | 36.2     | 210        | ug/Kg             |
| 193-39-5                  | Indeno(1,2,3-cd)pyrene | 150    | J         | 35.7     | 210        | ug/Kg             |
| 53-70-3                   | Dibenzo(a,h)anthracene | 210    | U         | 33.6     | 210        | ug/Kg             |
| 191-24-2                  | Benzo(g,h,i)perylene   | 170    | J         | 31.5     | 210        | ug/Kg             |
| <b>SURROGATES</b>         |                        |        |           |          |            |                   |
| 4165-60-0                 | Nitrobenzene-d5        | 49.5   |           | 18 - 107 | 49%        | SPK: 100          |
| 321-60-8                  | 2-Fluorobiphenyl       | 43.1   |           | 20 - 109 | 43%        | SPK: 100          |
| 1718-51-0                 | Terphenyl-d14          | 35.4   |           | 10 - 105 | 35%        | SPK: 100          |
| <b>INTERNAL STANDARDS</b> |                        |        |           |          |            |                   |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4 | 117000 |           | 6.898    |            |                   |
| 1146-65-2                 | Naphthalene-d8         | 418000 |           | 8.181    |            |                   |
| 15067-26-2                | Acenaphthene-d10       | 191000 |           | 9.934    |            |                   |
| 1517-22-2                 | Phenanthrene-d10       | 271000 |           | 11.422   |            |                   |
| 1719-03-5                 | Chrysene-d12           | 225000 |           | 14.063   |            |                   |
| 1520-96-3                 | Perylene-d12           | 177000 |           | 15.557   |            |                   |

## Report of Analysis

|                    |                              |                 |                              |
|--------------------|------------------------------|-----------------|------------------------------|
| Client:            | CDM Smith                    | Date Collected: | 05/15/25                     |
| Project:           | Con Ed UTEN Mount Vernon, NY | Date Received:  | 05/16/25                     |
| Client Sample ID:  | SS-910                       | SDG No.:        | Q2075                        |
| Lab Sample ID:     | Q2075-02                     | Matrix:         | SOIL                         |
| Analytical Method: | 8270E                        | % Solid:        | 81.3                         |
| Sample Wt/Vol:     | 30.06      Units:    g       | Final Vol:      | 1000                      uL |
| Soil Aliquot Vol:  | uL                           | Test:           | SVOCMS Group3                |
| Extraction Type :  | Decanted :      N            | Level :         | LOW                          |
| Injection Volume : | GPC Factor :    1.0          | GPC Cleanup :   | N                      PH :  |
| Prep Method :      | SW3541                       |                 |                              |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| BF142511.D        | 1         | 05/20/25 09:45 | 05/22/25 15:36 | PB168083      |

| CAS Number | Parameter | Conc. | Qualifier | MDL | LOQ / CRQL | Units |
|------------|-----------|-------|-----------|-----|------------|-------|
|------------|-----------|-------|-----------|-----|------------|-------|

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

## Report of Analysis

|                    |                              |                 |               |
|--------------------|------------------------------|-----------------|---------------|
| Client:            | CDM Smith                    | Date Collected: | 05/15/25      |
| Project:           | Con Ed UTEN Mount Vernon, NY | Date Received:  | 05/16/25      |
| Client Sample ID:  | SS-11                        | SDG No.:        | Q2075         |
| Lab Sample ID:     | Q2075-03                     | Matrix:         | SOIL          |
| Analytical Method: | 8270E                        | % Solid:        | 87.4          |
| Sample Wt/Vol:     | 30.04 Units: g               | Final Vol:      | 1000 uL       |
| Soil Aliquot Vol:  | uL                           | Test:           | SVOCMS Group3 |
| Extraction Type :  | Decanted : N                 | Level :         | LOW           |
| Injection Volume : | GPC Factor : 1.0             | GPC Cleanup :   | N PH :        |
| Prep Method :      | SW3541                       |                 |               |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| BF142486.D        | 1         | 05/20/25 09:45 | 05/21/25 14:37 | PB168083      |

| CAS Number                | Parameter              | Conc.  | Qualifier | MDL      | LOQ / CRQL | Units(Dry Weight) |
|---------------------------|------------------------|--------|-----------|----------|------------|-------------------|
| <b>TARGETS</b>            |                        |        |           |          |            |                   |
| 91-20-3                   | Naphthalene            | 190    | U         | 25.9     | 190        | ug/Kg             |
| 208-96-8                  | Acenaphthylene         | 190    | U         | 33.0     | 190        | ug/Kg             |
| 83-32-9                   | Acenaphthene           | 190    | U         | 24.3     | 190        | ug/Kg             |
| 86-73-7                   | Fluorene               | 190    | U         | 28.9     | 190        | ug/Kg             |
| 85-01-8                   | Phenanthrene           | 190    | U         | 23.9     | 190        | ug/Kg             |
| 120-12-7                  | Anthracene             | 190    | U         | 38.1     | 190        | ug/Kg             |
| 206-44-0                  | Fluoranthene           | 120    | J         | 34.3     | 190        | ug/Kg             |
| 129-00-0                  | Pyrene                 | 190    | U         | 41.1     | 190        | ug/Kg             |
| 56-55-3                   | Benzo(a)anthracene     | 190    | U         | 26.3     | 190        | ug/Kg             |
| 218-01-9                  | Chrysene               | 190    | U         | 22.7     | 190        | ug/Kg             |
| 205-99-2                  | Benzo(b)fluoranthene   | 190    | U         | 21.7     | 190        | ug/Kg             |
| 207-08-9                  | Benzo(k)fluoranthene   | 190    | U         | 25.6     | 190        | ug/Kg             |
| 50-32-8                   | Benzo(a)pyrene         | 190    | U         | 33.7     | 190        | ug/Kg             |
| 193-39-5                  | Indeno(1,2,3-cd)pyrene | 190    | U         | 33.3     | 190        | ug/Kg             |
| 53-70-3                   | Dibenzo(a,h)anthracene | 190    | U         | 31.3     | 190        | ug/Kg             |
| 191-24-2                  | Benzo(g,h,i)perylene   | 190    | U         | 29.4     | 190        | ug/Kg             |
| <b>SURROGATES</b>         |                        |        |           |          |            |                   |
| 4165-60-0                 | Nitrobenzene-d5        | 64.7   |           | 18 - 107 | 65%        | SPK: 100          |
| 321-60-8                  | 2-Fluorobiphenyl       | 56.2   |           | 20 - 109 | 56%        | SPK: 100          |
| 1718-51-0                 | Terphenyl-d14          | 42.2   |           | 10 - 105 | 42%        | SPK: 100          |
| <b>INTERNAL STANDARDS</b> |                        |        |           |          |            |                   |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4 | 63600  | 6.898     |          |            |                   |
| 1146-65-2                 | Naphthalene-d8         | 239000 | 8.181     |          |            |                   |
| 15067-26-2                | Acenaphthene-d10       | 132000 | 9.939     |          |            |                   |
| 1517-22-2                 | Phenanthrene-d10       | 251000 | 11.427    |          |            |                   |
| 1719-03-5                 | Chrysene-d12           | 246000 | 14.068    |          |            |                   |
| 1520-96-3                 | Perylene-d12           | 209000 | 15.557    |          |            |                   |

## Report of Analysis

|                    |                              |                 |                      |
|--------------------|------------------------------|-----------------|----------------------|
| Client:            | CDM Smith                    | Date Collected: | 05/15/25             |
| Project:           | Con Ed UTEN Mount Vernon, NY | Date Received:  | 05/16/25             |
| Client Sample ID:  | SS-11                        | SDG No.:        | Q2075                |
| Lab Sample ID:     | Q2075-03                     | Matrix:         | SOIL                 |
| Analytical Method: | 8270E                        | % Solid:        | 87.4                 |
| Sample Wt/Vol:     | 30.04                        | Units:          | g                    |
| Soil Aliquot Vol:  |                              | Final Vol:      | 1000 uL              |
| Extraction Type :  |                              | Test:           | SVOCMS Group3        |
|                    | Decanted :                   | Level :         | LOW                  |
| Injection Volume : | GPC Factor :                 | 1.0             | GPC Cleanup : N PH : |
| Prep Method :      | SW3541                       |                 |                      |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| BF142486.D        | 1         | 05/20/25 09:45 | 05/21/25 14:37 | PB168083      |

| CAS Number | Parameter | Conc. | Qualifier | MDL | LOQ / CRQL | Units |
|------------|-----------|-------|-----------|-----|------------|-------|
|------------|-----------|-------|-----------|-----|------------|-------|

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

## Report of Analysis

|                    |                              |                 |               |
|--------------------|------------------------------|-----------------|---------------|
| Client:            | CDM Smith                    | Date Collected: | 05/16/25      |
| Project:           | Con Ed UTEN Mount Vernon, NY | Date Received:  | 05/16/25      |
| Client Sample ID:  | SS-MW1-11.5                  | SDG No.:        | Q2075         |
| Lab Sample ID:     | Q2075-06                     | Matrix:         | SOIL          |
| Analytical Method: | 8270E                        | % Solid:        | 91            |
| Sample Wt/Vol:     | 30.06 Units: g               | Final Vol:      | 1000 uL       |
| Soil Aliquot Vol:  | uL                           | Test:           | SVOCMS Group3 |
| Extraction Type :  | Decanted : N                 | Level :         | LOW           |
| Injection Volume : | GPC Factor : 1.0             | GPC Cleanup :   | N PH :        |
| Prep Method :      | SW3541                       |                 |               |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| BF142489.D        | 1         | 05/20/25 09:45 | 05/21/25 16:03 | PB168083      |

| CAS Number                | Parameter              | Conc.  | Qualifier | MDL      | LOQ / CRQL | Units(Dry Weight) |
|---------------------------|------------------------|--------|-----------|----------|------------|-------------------|
| <b>TARGETS</b>            |                        |        |           |          |            |                   |
| 91-20-3                   | Naphthalene            | 190    | U         | 24.9     | 190        | ug/Kg             |
| 208-96-8                  | Acenaphthylene         | 190    | U         | 31.7     | 190        | ug/Kg             |
| 83-32-9                   | Acenaphthene           | 190    | U         | 23.4     | 190        | ug/Kg             |
| 86-73-7                   | Fluorene               | 190    | U         | 27.7     | 190        | ug/Kg             |
| 85-01-8                   | Phenanthrene           | 190    | U         | 22.9     | 190        | ug/Kg             |
| 120-12-7                  | Anthracene             | 190    | U         | 36.5     | 190        | ug/Kg             |
| 206-44-0                  | Fluoranthene           | 190    | U         | 32.9     | 190        | ug/Kg             |
| 129-00-0                  | Pyrene                 | 190    | U         | 39.5     | 190        | ug/Kg             |
| 56-55-3                   | Benzo(a)anthracene     | 190    | U         | 25.2     | 190        | ug/Kg             |
| 218-01-9                  | Chrysene               | 190    | U         | 21.8     | 190        | ug/Kg             |
| 205-99-2                  | Benzo(b)fluoranthene   | 190    | U         | 20.8     | 190        | ug/Kg             |
| 207-08-9                  | Benzo(k)fluoranthene   | 190    | U         | 24.6     | 190        | ug/Kg             |
| 50-32-8                   | Benzo(a)pyrene         | 190    | U         | 32.4     | 190        | ug/Kg             |
| 193-39-5                  | Indeno(1,2,3-cd)pyrene | 190    | U         | 31.9     | 190        | ug/Kg             |
| 53-70-3                   | Dibenzo(a,h)anthracene | 190    | U         | 30.0     | 190        | ug/Kg             |
| 191-24-2                  | Benzo(g,h,i)perylene   | 190    | U         | 28.2     | 190        | ug/Kg             |
| <b>SURROGATES</b>         |                        |        |           |          |            |                   |
| 4165-60-0                 | Nitrobenzene-d5        | 53.3   |           | 18 - 107 | 53%        | SPK: 100          |
| 321-60-8                  | 2-Fluorobiphenyl       | 48.6   |           | 20 - 109 | 49%        | SPK: 100          |
| 1718-51-0                 | Terphenyl-d14          | 38.9   |           | 10 - 105 | 39%        | SPK: 100          |
| <b>INTERNAL STANDARDS</b> |                        |        |           |          |            |                   |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4 | 59300  | 6.898     |          |            |                   |
| 1146-65-2                 | Naphthalene-d8         | 207000 | 8.181     |          |            |                   |
| 15067-26-2                | Acenaphthene-d10       | 104000 | 9.939     |          |            |                   |
| 1517-22-2                 | Phenanthrene-d10       | 179000 | 11.422    |          |            |                   |
| 1719-03-5                 | Chrysene-d12           | 153000 | 14.063    |          |            |                   |
| 1520-96-3                 | Perylene-d12           | 126000 | 15.557    |          |            |                   |

## Report of Analysis

|                    |                              |                 |               |
|--------------------|------------------------------|-----------------|---------------|
| Client:            | CDM Smith                    | Date Collected: | 05/16/25      |
| Project:           | Con Ed UTEN Mount Vernon, NY | Date Received:  | 05/16/25      |
| Client Sample ID:  | SS-MW1-11.5                  | SDG No.:        | Q2075         |
| Lab Sample ID:     | Q2075-06                     | Matrix:         | SOIL          |
| Analytical Method: | 8270E                        | % Solid:        | 91            |
| Sample Wt/Vol:     | 30.06                        | Units:          | g             |
| Soil Aliquot Vol:  |                              | Final Vol:      | 1000 uL       |
| Extraction Type :  |                              | Test:           | SVOCMS Group3 |
|                    | Decanted :                   | Level :         | LOW           |
| Injection Volume : |                              | GPC Factor :    | 1.0           |
|                    |                              | GPC Cleanup :   | N             |
| Prep Method :      | SW3541                       | PH :            |               |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| BF142489.D        | 1         | 05/20/25 09:45 | 05/21/25 16:03 | PB168083      |

| CAS Number | Parameter | Conc. | Qualifier | MDL | LOQ / CRQL | Units |
|------------|-----------|-------|-----------|-----|------------|-------|
|------------|-----------|-------|-----------|-----|------------|-------|

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

## Report of Analysis

|                    |                              |                 |               |
|--------------------|------------------------------|-----------------|---------------|
| Client:            | CDM Smith                    | Date Collected: | 05/15/25      |
| Project:           | Con Ed UTEN Mount Vernon, NY | Date Received:  | 05/16/25      |
| Client Sample ID:  | FB-05152025                  | SDG No.:        | Q2075         |
| Lab Sample ID:     | Q2075-07                     | Matrix:         | Water         |
| Analytical Method: | 8270E                        | % Solid:        | 0             |
| Sample Wt/Vol:     | 810 Units: mL                | Final Vol:      | 1000 uL       |
| Soil Aliquot Vol:  | uL                           | Test:           | SVOCMS Group3 |
| Extraction Type :  | Decanted : N                 | Level :         | LOW           |
| Injection Volume : | GPC Factor : 1.0             | GPC Cleanup :   | N PH :        |
| Prep Method :      | SW3510C                      |                 |               |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| BP024758.D        | 1         | 05/21/25 08:40 | 05/22/25 14:19 | PB168098      |

| CAS Number                | Parameter              | Conc.  | Qualifier | MDL      | LOQ / CRQL | Units    |
|---------------------------|------------------------|--------|-----------|----------|------------|----------|
| <b>TARGETS</b>            |                        |        |           |          |            |          |
| 91-20-3                   | Naphthalene            | 6.20   | U         | 0.62     | 6.20       | ug/L     |
| 208-96-8                  | Acenaphthylene         | 6.20   | U         | 0.93     | 6.20       | ug/L     |
| 83-32-9                   | Acenaphthene           | 6.20   | U         | 0.68     | 6.20       | ug/L     |
| 86-73-7                   | Fluorene               | 6.20   | U         | 0.78     | 6.20       | ug/L     |
| 85-01-8                   | Phenanthrene           | 6.20   | U         | 0.62     | 6.20       | ug/L     |
| 120-12-7                  | Anthracene             | 6.20   | U         | 0.75     | 6.20       | ug/L     |
| 206-44-0                  | Fluoranthene           | 6.20   | U         | 1.00     | 6.20       | ug/L     |
| 129-00-0                  | Pyrene                 | 6.20   | U         | 0.62     | 6.20       | ug/L     |
| 56-55-3                   | Benzo(a)anthracene     | 6.20   | U         | 0.56     | 6.20       | ug/L     |
| 218-01-9                  | Chrysene               | 6.20   | U         | 0.54     | 6.20       | ug/L     |
| 205-99-2                  | Benzo(b)fluoranthene   | 6.20   | U         | 0.60     | 6.20       | ug/L     |
| 207-08-9                  | Benzo(k)fluoranthene   | 6.20   | U         | 0.59     | 6.20       | ug/L     |
| 50-32-8                   | Benzo(a)pyrene         | 6.20   | U         | 0.68     | 6.20       | ug/L     |
| 193-39-5                  | Indeno(1,2,3-cd)pyrene | 6.20   | U         | 0.73     | 6.20       | ug/L     |
| 53-70-3                   | Dibenzo(a,h)anthracene | 6.20   | U         | 0.83     | 6.20       | ug/L     |
| 191-24-2                  | Benzo(g,h,i)perylene   | 6.20   | U         | 0.85     | 6.20       | ug/L     |
| <b>SURROGATES</b>         |                        |        |           |          |            |          |
| 4165-60-0                 | Nitrobenzene-d5        | 66.0   |           | 49 - 133 | 66%        | SPK: 100 |
| 321-60-8                  | 2-Fluorobiphenyl       | 63.0   |           | 52 - 132 | 63%        | SPK: 100 |
| 1718-51-0                 | Terphenyl-d14          | 83.4   |           | 48 - 125 | 83%        | SPK: 100 |
| <b>INTERNAL STANDARDS</b> |                        |        |           |          |            |          |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4 | 104000 | 7.652     |          |            |          |
| 1146-65-2                 | Naphthalene-d8         | 395000 | 10.422    |          |            |          |
| 15067-26-2                | Acenaphthene-d10       | 245000 | 14.287    |          |            |          |
| 1517-22-2                 | Phenanthrene-d10       | 487000 | 17.086    |          |            |          |
| 1719-03-5                 | Chrysene-d12           | 600000 | 21.522    |          |            |          |
| 1520-96-3                 | Perylene-d12           | 736000 | 24.815    |          |            |          |

## Report of Analysis

|                    |                              |                 |               |
|--------------------|------------------------------|-----------------|---------------|
| Client:            | CDM Smith                    | Date Collected: | 05/15/25      |
| Project:           | Con Ed UTEN Mount Vernon, NY | Date Received:  | 05/16/25      |
| Client Sample ID:  | FB-05152025                  | SDG No.:        | Q2075         |
| Lab Sample ID:     | Q2075-07                     | Matrix:         | Water         |
| Analytical Method: | 8270E                        | % Solid:        | 0             |
| Sample Wt/Vol:     | 810      Units:    mL        | Final Vol:      | 1000      uL  |
| Soil Aliquot Vol:  | uL                           | Test:           | SVOCMS Group3 |
| Extraction Type :  | Decanted :    N              | Level :         | LOW           |
| Injection Volume : | GPC Factor :    1.0          | GPC Cleanup :   | N      PH :   |
| Prep Method :      | SW3510C                      |                 |               |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| BP024758.D        | 1         | 05/21/25 08:40 | 05/22/25 14:19 | PB168098      |

| CAS Number | Parameter | Conc. | Qualifier | MDL | LOQ / CRQL | Units |
|------------|-----------|-------|-----------|-----|------------|-------|
|------------|-----------|-------|-----------|-----|------------|-------|

U = Not Detected  
 LOQ = Limit of Quantitation  
 MDL = Method Detection Limit  
 LOD = Limit of Detection  
 E = Value Exceeds Calibration Range  
 Q = indicates LCS control criteria did not meet requirements  
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value  
 B = Analyte Found in Associated Method Blank  
 N = Presumptive Evidence of a Compound  
 \* = Values outside of QC limits  
 D = Dilution  
 () = Laboratory InHouse Limit  
 A = Aldol-Condensation Reaction Products

## Report of Analysis

|                    |                              |                 |               |
|--------------------|------------------------------|-----------------|---------------|
| Client:            | CDM Smith                    | Date Collected: | 05/16/25      |
| Project:           | Con Ed UTEN Mount Vernon, NY | Date Received:  | 05/16/25      |
| Client Sample ID:  | FB-05162025                  | SDG No.:        | Q2075         |
| Lab Sample ID:     | Q2075-08                     | Matrix:         | Water         |
| Analytical Method: | 8270E                        | % Solid:        | 0             |
| Sample Wt/Vol:     | 940 Units: mL                | Final Vol:      | 1000 uL       |
| Soil Aliquot Vol:  | uL                           | Test:           | SVOCMS Group3 |
| Extraction Type :  | Decanted : N                 | Level :         | LOW           |
| Injection Volume : | GPC Factor : 1.0             | GPC Cleanup :   | N PH :        |
| Prep Method :      | SW3510C                      |                 |               |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| BP024748.D        | 1         | 05/21/25 08:40 | 05/21/25 22:18 | PB168098      |

| CAS Number                | Parameter              | Conc.  | Qualifier | MDL      | LOQ / CRQL | Units    |
|---------------------------|------------------------|--------|-----------|----------|------------|----------|
| <b>TARGETS</b>            |                        |        |           |          |            |          |
| 91-20-3                   | Naphthalene            | 5.30   | U         | 0.53     | 5.30       | ug/L     |
| 208-96-8                  | Acenaphthylene         | 5.30   | U         | 0.80     | 5.30       | ug/L     |
| 83-32-9                   | Acenaphthene           | 5.30   | U         | 0.59     | 5.30       | ug/L     |
| 86-73-7                   | Fluorene               | 5.30   | U         | 0.67     | 5.30       | ug/L     |
| 85-01-8                   | Phenanthrene           | 5.30   | U         | 0.53     | 5.30       | ug/L     |
| 120-12-7                  | Anthracene             | 5.30   | U         | 0.65     | 5.30       | ug/L     |
| 206-44-0                  | Fluoranthene           | 5.30   | U         | 0.87     | 5.30       | ug/L     |
| 129-00-0                  | Pyrene                 | 5.30   | U         | 0.53     | 5.30       | ug/L     |
| 56-55-3                   | Benzo(a)anthracene     | 5.30   | U         | 0.48     | 5.30       | ug/L     |
| 218-01-9                  | Chrysene               | 5.30   | U         | 0.47     | 5.30       | ug/L     |
| 205-99-2                  | Benzo(b)fluoranthene   | 5.30   | U         | 0.52     | 5.30       | ug/L     |
| 207-08-9                  | Benzo(k)fluoranthene   | 5.30   | U         | 0.51     | 5.30       | ug/L     |
| 50-32-8                   | Benzo(a)pyrene         | 5.30   | U         | 0.59     | 5.30       | ug/L     |
| 193-39-5                  | Indeno(1,2,3-cd)pyrene | 5.30   | U         | 0.63     | 5.30       | ug/L     |
| 53-70-3                   | Dibenzo(a,h)anthracene | 5.30   | U         | 0.71     | 5.30       | ug/L     |
| 191-24-2                  | Benzo(g,h,i)perylene   | 5.30   | U         | 0.73     | 5.30       | ug/L     |
| <b>SURROGATES</b>         |                        |        |           |          |            |          |
| 4165-60-0                 | Nitrobenzene-d5        | 73.7   |           | 49 - 133 | 74%        | SPK: 100 |
| 321-60-8                  | 2-Fluorobiphenyl       | 74.4   |           | 52 - 132 | 74%        | SPK: 100 |
| 1718-51-0                 | Terphenyl-d14          | 89.5   |           | 48 - 125 | 90%        | SPK: 100 |
| <b>INTERNAL STANDARDS</b> |                        |        |           |          |            |          |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4 | 87700  | 7.652     |          |            |          |
| 1146-65-2                 | Naphthalene-d8         | 326000 | 10.422    |          |            |          |
| 15067-26-2                | Acenaphthene-d10       | 217000 | 14.286    |          |            |          |
| 1517-22-2                 | Phenanthrene-d10       | 458000 | 17.092    |          |            |          |
| 1719-03-5                 | Chrysene-d12           | 547000 | 21.51     |          |            |          |
| 1520-96-3                 | Perylene-d12           | 672000 | 24.798    |          |            |          |

## Report of Analysis

|                    |                              |                 |               |
|--------------------|------------------------------|-----------------|---------------|
| Client:            | CDM Smith                    | Date Collected: | 05/16/25      |
| Project:           | Con Ed UTEN Mount Vernon, NY | Date Received:  | 05/16/25      |
| Client Sample ID:  | FB-05162025                  | SDG No.:        | Q2075         |
| Lab Sample ID:     | Q2075-08                     | Matrix:         | Water         |
| Analytical Method: | 8270E                        | % Solid:        | 0             |
| Sample Wt/Vol:     | 940      Units:    mL        | Final Vol:      | 1000      uL  |
| Soil Aliquot Vol:  | uL                           | Test:           | SVOCMS Group3 |
| Extraction Type :  | Decanted :    N              | Level :         | LOW           |
| Injection Volume : | GPC Factor :    1.0          | GPC Cleanup :   | N      PH :   |
| Prep Method :      | SW3510C                      |                 |               |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| BP024748.D        | 1         | 05/21/25 08:40 | 05/21/25 22:18 | PB168098      |

| CAS Number | Parameter | Conc. | Qualifier | MDL | LOQ / CRQL | Units |
|------------|-----------|-------|-----------|-----|------------|-------|
|------------|-----------|-------|-----------|-----|------------|-------|

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products



# QC SUMMARY

### Surrogate Summary

SW-846

SDG No.: Q2075

Client: CDM Smith

Analytical Method: 8270E

| Lab Sample ID | Client ID   | Parameter        | Spike (PPM) | Result (PPM) | Recovery (%) | Qual | Limits (%) |      |
|---------------|-------------|------------------|-------------|--------------|--------------|------|------------|------|
|               |             |                  |             |              |              |      | Low        | High |
| PB168083BL    | PB168083BL  | Nitrobenzene-d5  | 100         | 67.4         | 67           |      | 18         | 107  |
|               |             | 2-Fluorobiphenyl | 100         | 69.4         | 69           |      | 20         | 109  |
|               |             | Terphenyl-d14    | 100         | 62.4         | 62           |      | 10         | 105  |
| PB168083BS    | PB168083BS  | Nitrobenzene-d5  | 100         | 69.4         | 69           |      | 18         | 107  |
|               |             | 2-Fluorobiphenyl | 100         | 66.0         | 66           |      | 20         | 109  |
|               |             | Terphenyl-d14    | 100         | 81.6         | 82           |      | 10         | 105  |
| Q2075-01      | SS-10       | Nitrobenzene-d5  | 100         | 43.6         | 44           |      | 18         | 107  |
|               |             | 2-Fluorobiphenyl | 100         | 37.5         | 38           |      | 20         | 109  |
|               |             | Terphenyl-d14    | 100         | 29.7         | 30           |      | 10         | 105  |
| Q2075-02      | SS-910      | Nitrobenzene-d5  | 100         | 49.5         | 49           |      | 18         | 107  |
|               |             | 2-Fluorobiphenyl | 100         | 43.1         | 43           |      | 20         | 109  |
|               |             | Terphenyl-d14    | 100         | 35.4         | 35           |      | 10         | 105  |
| Q2075-03      | SS-11       | Nitrobenzene-d5  | 100         | 64.7         | 65           |      | 18         | 107  |
|               |             | 2-Fluorobiphenyl | 100         | 56.2         | 56           |      | 20         | 109  |
|               |             | Terphenyl-d14    | 100         | 42.2         | 42           |      | 10         | 105  |
| Q2075-04MS    | SS-11MS     | Nitrobenzene-d5  | 100         | 60.4         | 60           |      | 18         | 107  |
|               |             | 2-Fluorobiphenyl | 100         | 51.6         | 52           |      | 20         | 109  |
|               |             | Terphenyl-d14    | 100         | 41.5         | 41           |      | 10         | 105  |
| Q2075-05MSD   | SS-11MSD    | Nitrobenzene-d5  | 100         | 59.6         | 60           |      | 18         | 107  |
|               |             | 2-Fluorobiphenyl | 100         | 54.4         | 54           |      | 20         | 109  |
|               |             | Terphenyl-d14    | 100         | 40.2         | 40           |      | 10         | 105  |
| Q2075-06      | SS-MW1-11.5 | Nitrobenzene-d5  | 100         | 53.3         | 53           |      | 18         | 107  |
|               |             | 2-Fluorobiphenyl | 100         | 48.6         | 49           |      | 20         | 109  |
|               |             | Terphenyl-d14    | 100         | 38.9         | 39           |      | 10         | 105  |

## Surrogate Summary

SW-846

SDG No.: Q2075

Client: CDM Smith

Analytical Method: 8270E

| Lab Sample ID | Client ID   | Parameter        | Spike (PPM) | Result (PPM) | Recovery (%) | Qual | Limits (%) |      |
|---------------|-------------|------------------|-------------|--------------|--------------|------|------------|------|
|               |             |                  |             |              |              |      | Low        | High |
| PB168098BL    | PB168098BL  | Nitrobenzene-d5  | 100         | 75.0         | 75           |      | 49         | 133  |
|               |             | 2-Fluorobiphenyl | 100         | 77.3         | 77           |      | 52         | 132  |
|               |             | Terphenyl-d14    | 100         | 83.0         | 83           |      | 48         | 125  |
| PB168098BS    | PB168098BS  | Nitrobenzene-d5  | 100         | 72.8         | 73           |      | 49         | 133  |
|               |             | 2-Fluorobiphenyl | 100         | 76.3         | 76           |      | 52         | 132  |
|               |             | Terphenyl-d14    | 100         | 77.9         | 78           |      | 48         | 125  |
| PB168098BSD   | PB168098BSD | Nitrobenzene-d5  | 100         | 73.9         | 74           |      | 49         | 133  |
|               |             | 2-Fluorobiphenyl | 100         | 76.8         | 77           |      | 52         | 132  |
|               |             | Terphenyl-d14    | 100         | 81.5         | 81           |      | 48         | 125  |
| Q2075-07      | FB-05152025 | Nitrobenzene-d5  | 100         | 66.0         | 66           |      | 49         | 133  |
|               |             | 2-Fluorobiphenyl | 100         | 63.0         | 63           |      | 52         | 132  |
|               |             | Terphenyl-d14    | 100         | 83.4         | 83           |      | 48         | 125  |
| Q2075-08      | FB-05162025 | Nitrobenzene-d5  | 100         | 73.7         | 74           |      | 49         | 133  |
|               |             | 2-Fluorobiphenyl | 100         | 74.4         | 74           |      | 52         | 132  |
|               |             | Terphenyl-d14    | 100         | 89.5         | 90           |      | 48         | 125  |

**Matrix Spike/Matrix Spike Duplicate Summary**

**SW-846**

**SDG No.:** Q2075

**Client:** CDM Smith

**Analytical Method:** SW8270E

| Parameter              | Spike             | Sample<br>Result         | Result         | Units | Rec | Rec<br>Qual | RPD | RPD<br>Qual      | Low               | Limits<br>High | RPD |
|------------------------|-------------------|--------------------------|----------------|-------|-----|-------------|-----|------------------|-------------------|----------------|-----|
| <b>Lab Sample ID:</b>  | <b>Q2075-04MS</b> | <b>Client Sample ID:</b> | <b>SS-11MS</b> |       |     |             |     | <b>DataFile:</b> | <b>BF142487.D</b> |                |     |
| Naphthalene            | 1900              | 0                        | 1600           | ug/Kg | 84  |             |     |                  | 72                | 110            |     |
| Acenaphthylene         | 1900              | 0                        | 1600           | ug/Kg | 84  |             |     |                  | 79                | 118            |     |
| Acenaphthene           | 1900              | 0                        | 1800           | ug/Kg | 95  |             |     |                  | 70                | 121            |     |
| Fluorene               | 1900              | 0                        | 1700           | ug/Kg | 89  |             |     |                  | 68                | 116            |     |
| Phenanthrene           | 1900              | 0                        | 1600           | ug/Kg | 84  |             |     |                  | 52                | 128            |     |
| Anthracene             | 1900              | 0                        | 1700           | ug/Kg | 89  |             |     |                  | 62                | 124            |     |
| Fluoranthene           | 1900              | 120                      | 2200           | ug/Kg | 109 |             |     |                  | 44                | 125            |     |
| Pyrene                 | 1900              | 0                        | 1300           | ug/Kg | 68  |             |     |                  | 26                | 142            |     |
| Benzo(a)anthracene     | 1900              | 0                        | 1700           | ug/Kg | 89  |             |     |                  | 71                | 114            |     |
| Chrysene               | 1900              | 0                        | 1600           | ug/Kg | 84  |             |     |                  | 57                | 121            |     |
| Benzo(b)fluoranthene   | 1900              | 0                        | 1900           | ug/Kg | 100 |             |     |                  | 67                | 121            |     |
| Benzo(k)fluoranthene   | 1900              | 0                        | 1600           | ug/Kg | 84  |             |     |                  | 57                | 134            |     |
| Benzo(a)pyrene         | 1900              | 0                        | 1700           | ug/Kg | 89  |             |     |                  | 70                | 142            |     |
| Indeno(1,2,3-cd)pyrene | 1900              | 0                        | 1400           | ug/Kg | 74  |             |     |                  | 40                | 129            |     |
| Dibenz(a,h)anthracene  | 1900              | 0                        | 1400           | ug/Kg | 74  |             |     |                  | 43                | 123            |     |
| Benzo(g,h,i)perylene   | 1900              | 0                        | 1300           | ug/Kg | 68  |             |     |                  | 24                | 125            |     |

Matrix Spike/Matrix Spike Duplicate Summary

SW-846

SDG No.: Q2075

Client: CDM Smith

Analytical Method: SW8270E

| Parameter              | Spike       | Sample Result     | Result   | Units | Rec | Rec Qual | RPD | RPD Qual  | Low        | Limits High | RPD |
|------------------------|-------------|-------------------|----------|-------|-----|----------|-----|-----------|------------|-------------|-----|
| Lab Sample ID:         | Q2075-05MSD | Client Sample ID: | SS-11MSD |       |     |          |     | DataFile: | BF142488.D |             |     |
| Naphthalene            | 1900        | 0                 | 1600     | ug/Kg | 84  | 0        |     |           | 72         | 110         | 20  |
| Acenaphthylene         | 1900        | 0                 | 1600     | ug/Kg | 84  | 0        |     |           | 79         | 118         | 20  |
| Acenaphthene           | 1900        | 0                 | 1800     | ug/Kg | 95  | 0        |     |           | 70         | 121         | 20  |
| Fluorene               | 1900        | 0                 | 1600     | ug/Kg | 84  | 6        |     |           | 68         | 116         | 20  |
| Phenanthrene           | 1900        | 0                 | 1700     | ug/Kg | 89  | 6        |     |           | 52         | 128         | 20  |
| Anthracene             | 1900        | 0                 | 1700     | ug/Kg | 89  | 0        |     |           | 62         | 124         | 20  |
| Fluoranthene           | 1900        | 120               | 2300     | ug/Kg | 115 | 5        |     |           | 44         | 125         | 20  |
| Pyrene                 | 1900        | 0                 | 1300     | ug/Kg | 68  | 0        |     |           | 26         | 142         | 20  |
| Benzo(a)anthracene     | 1900        | 0                 | 1600     | ug/Kg | 84  | 6        |     |           | 71         | 114         | 20  |
| Chrysene               | 1900        | 0                 | 1600     | ug/Kg | 84  | 0        |     |           | 57         | 121         | 20  |
| Benzo(b)fluoranthene   | 1900        | 0                 | 1700     | ug/Kg | 89  | 12       |     |           | 67         | 121         | 20  |
| Benzo(k)fluoranthene   | 1900        | 0                 | 1700     | ug/Kg | 89  | 6        |     |           | 57         | 134         | 20  |
| Benzo(a)pyrene         | 1900        | 0                 | 1700     | ug/Kg | 89  | 0        |     |           | 70         | 142         | 20  |
| Indeno(1,2,3-cd)pyrene | 1900        | 0                 | 1400     | ug/Kg | 74  | 0        |     |           | 40         | 129         | 20  |
| Dibenz(a,h)anthracene  | 1900        | 0                 | 1300     | ug/Kg | 68  | 8        |     |           | 43         | 123         | 20  |
| Benzo(g,h,i)perylene   | 1900        | 0                 | 1300     | ug/Kg | 68  | 0        |     |           | 24         | 125         | 20  |

## Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: Q2075

Client: CDM Smith

Analytical Method: 8270E DataFile: BF142480.D

| Lab Sample ID | Parameter              | Spike | Result | Unit  | Rec | RPD | Qual | RPD  |     | Limits |  | RPD |
|---------------|------------------------|-------|--------|-------|-----|-----|------|------|-----|--------|--|-----|
|               |                        |       |        |       |     |     |      | Qual | Low | High   |  |     |
| PB168083BS    | Naphthalene            | 1700  | 1400   | ug/Kg | 82  |     |      |      | 62  | 100    |  |     |
|               | Acenaphthylene         | 1700  | 1300   | ug/Kg | 76  |     |      |      | 63  | 101    |  |     |
|               | Acenaphthene           | 1700  | 1500   | ug/Kg | 88  |     |      |      | 57  | 104    |  |     |
|               | Fluorene               | 1700  | 1300   | ug/Kg | 76  |     |      |      | 61  | 101    |  |     |
|               | Phenanthrene           | 1700  | 1400   | ug/Kg | 82  |     |      |      | 59  | 103    |  |     |
|               | Anthracene             | 1700  | 1300   | ug/Kg | 76  |     |      |      | 61  | 105    |  |     |
|               | Fluoranthene           | 1700  | 1500   | ug/Kg | 88  |     |      |      | 57  | 107    |  |     |
|               | Pyrene                 | 1700  | 1600   | ug/Kg | 94  |     |      |      | 59  | 103    |  |     |
|               | Benzo(a)anthracene     | 1700  | 1400   | ug/Kg | 82  |     |      |      | 60  | 102    |  |     |
|               | Chrysene               | 1700  | 1400   | ug/Kg | 82  |     |      |      | 59  | 101    |  |     |
|               | Benzo(b)fluoranthene   | 1700  | 1500   | ug/Kg | 88  |     |      |      | 62  | 109    |  |     |
|               | Benzo(k)fluoranthene   | 1700  | 1400   | ug/Kg | 82  |     |      |      | 62  | 109    |  |     |
|               | Benzo(a)pyrene         | 1700  | 1500   | ug/Kg | 88  |     |      |      | 63  | 103    |  |     |
|               | Indeno(1,2,3-cd)pyrene | 1700  | 1600   | ug/Kg | 94  |     |      |      | 63  | 101    |  |     |
|               | Dibenz(a,h)anthracene  | 1700  | 1600   | ug/Kg | 94  |     |      |      | 61  | 112    |  |     |
|               | Benzo(g,h,i)perylene   | 1700  | 1600   | ug/Kg | 94  |     |      |      | 70  | 108    |  |     |

## Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: Q2075

Client: CDM Smith

Analytical Method: 8270E

DataFile: BP024755.D

| Lab Sample ID | Parameter              | Spike | Result | Unit | Rec | RPD | Qual | RPD  | Limits |      |     |
|---------------|------------------------|-------|--------|------|-----|-----|------|------|--------|------|-----|
|               |                        |       |        |      |     |     |      | Qual | Low    | High | RPD |
| PB168098BS    | Naphthalene            | 50    | 43.0   | ug/L | 86  |     |      |      | 64     | 107  |     |
|               | Acenaphthylene         | 50    | 42.4   | ug/L | 85  |     |      |      | 79     | 103  |     |
|               | Acenaphthene           | 50    | 42.1   | ug/L | 84  |     |      |      | 59     | 113  |     |
|               | Fluorene               | 50    | 44.1   | ug/L | 88  |     |      |      | 64     | 107  |     |
|               | Phenanthrene           | 50    | 43.2   | ug/L | 86  |     |      |      | 62     | 109  |     |
|               | Anthracene             | 50    | 44.5   | ug/L | 89  |     |      |      | 65     | 110  |     |
|               | Fluoranthene           | 50    | 46.0   | ug/L | 92  |     |      |      | 64     | 110  |     |
|               | Pyrene                 | 50    | 44.5   | ug/L | 89  |     |      |      | 71     | 103  |     |
|               | Benzo(a)anthracene     | 50    | 43.9   | ug/L | 88  |     |      |      | 62     | 107  |     |
|               | Chrysene               | 50    | 44.1   | ug/L | 88  |     |      |      | 61     | 108  |     |
|               | Benzo(b)fluoranthene   | 50    | 44.2   | ug/L | 88  |     |      |      | 77     | 113  |     |
|               | Benzo(k)fluoranthene   | 50    | 44.0   | ug/L | 88  |     |      |      | 77     | 105  |     |
|               | Benzo(a)pyrene         | 50    | 44.8   | ug/L | 90  |     |      |      | 72     | 131  |     |
|               | Indeno(1,2,3-cd)pyrene | 50    | 45.7   | ug/L | 91  |     |      |      | 72     | 105  |     |
|               | Dibenz(a,h)anthracene  | 50    | 46.0   | ug/L | 92  |     |      |      | 78     | 115  |     |
|               | Benzo(g,h,i)perylene   | 50    | 44.9   | ug/L | 90  |     |      |      | 75     | 118  |     |

## Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: Q2075

Client: CDM Smith

Analytical Method: 8270E DataFile: BP024756.D

| Lab Sample ID | Parameter              | Spike | Result | Unit | Rec | RPD | RPD  |      | Limits |      | RPD |
|---------------|------------------------|-------|--------|------|-----|-----|------|------|--------|------|-----|
|               |                        |       |        |      |     |     | Qual | Qual | Low    | High |     |
| PB168098BSD   | Naphthalene            | 50    | 43.4   | ug/L | 87  | 1   |      |      | 64     | 107  | 20  |
|               | Acenaphthylene         | 50    | 43.6   | ug/L | 87  | 3   |      |      | 79     | 103  | 20  |
|               | Acenaphthene           | 50    | 43.5   | ug/L | 87  | 3   |      |      | 59     | 113  | 20  |
|               | Fluorene               | 50    | 44.9   | ug/L | 90  | 2   |      |      | 64     | 107  | 20  |
|               | Phenanthrene           | 50    | 44.0   | ug/L | 88  | 2   |      |      | 62     | 109  | 20  |
|               | Anthracene             | 50    | 45.1   | ug/L | 90  | 1   |      |      | 65     | 110  | 20  |
|               | Fluoranthene           | 50    | 45.8   | ug/L | 92  | 0   |      |      | 64     | 110  | 20  |
|               | Pyrene                 | 50    | 45.6   | ug/L | 91  | 2   |      |      | 71     | 103  | 20  |
|               | Benzo(a)anthracene     | 50    | 45.5   | ug/L | 91  | 4   |      |      | 62     | 107  | 20  |
|               | Chrysene               | 50    | 44.4   | ug/L | 89  | 1   |      |      | 61     | 108  | 20  |
|               | Benzo(b)fluoranthene   | 50    | 46.7   | ug/L | 93  | 6   |      |      | 77     | 113  | 20  |
|               | Benzo(k)fluoranthene   | 50    | 45.6   | ug/L | 91  | 4   |      |      | 77     | 105  | 20  |
|               | Benzo(a)pyrene         | 50    | 46.1   | ug/L | 92  | 3   |      |      | 72     | 131  | 20  |
|               | Indeno(1,2,3-cd)pyrene | 50    | 44.8   | ug/L | 90  | 2   |      |      | 72     | 105  | 20  |
|               | Dibenz(a,h)anthracene  | 50    | 45.2   | ug/L | 90  | 2   |      |      | 78     | 115  | 20  |
|               | Benzo(g,h,i)perylene   | 50    | 43.9   | ug/L | 88  | 2   |      |      | 75     | 118  | 20  |

4B

SEMIVOLATILE METHOD BLANK SUMMARY

EPA SAMPLE NO.

PB168083BL

Lab Name: CHEMTECH

Contract: CAMP02

Lab Code: CHEM Case No.: Q2075

SAS No.: Q2075 SDG NO.: Q2075

Lab File ID: BF142479.D

Lab Sample ID: PB168083BL

Instrument ID: BNA\_F

Date Extracted: 05/20/2025

Matrix: (soil/water) SOIL

Date Analyzed: 05/21/2025

Level: (low/med) LOW

Time Analyzed: 11:09

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS AND MSD:

| EPA<br>SAMPLE NO. | LAB<br>SAMPLE ID | LAB<br>FILE ID | DATE<br>ANALYZED |
|-------------------|------------------|----------------|------------------|
| PB168083BS        | PB168083BS       | BF142480.D     | 05/21/2025       |
| SS-11             | Q2075-03         | BF142486.D     | 05/21/2025       |
| SS-11MS           | Q2075-04MS       | BF142487.D     | 05/21/2025       |
| SS-11MSD          | Q2075-05MSD      | BF142488.D     | 05/21/2025       |
| SS-MW1-11.5       | Q2075-06         | BF142489.D     | 05/21/2025       |
| SS-10             | Q2075-01         | BF142510.D     | 05/22/2025       |
| SS-910            | Q2075-02         | BF142511.D     | 05/22/2025       |

COMMENTS: \_\_\_\_\_

4B

SEMIVOLATILE METHOD BLANK SUMMARY

EPA SAMPLE NO.

PB168098BL

Lab Name: CHEMTECH

Contract: CAMP02

Lab Code: CHEM Case No.: Q2075

SAS No.: Q2075 SDG NO.: Q2075

Lab File ID: BP024754.D

Lab Sample ID: PB168098BL

Instrument ID: BNA\_P

Date Extracted: 05/21/2025

Matrix: (soil/water) Water

Date Analyzed: 05/22/2025

Level: (low/med) LOW

Time Analyzed: 11:37

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS AND MSD:

| EPA<br>SAMPLE NO. | LAB<br>SAMPLE ID | LAB<br>FILE ID | DATE<br>ANALYZED |
|-------------------|------------------|----------------|------------------|
| PB168098BS        | PB168098BS       | BP024755.D     | 05/22/2025       |
| PB168098BSD       | PB168098BSD      | BP024756.D     | 05/22/2025       |
| FB-05152025       | Q2075-07         | BP024758.D     | 05/22/2025       |
| FB-05162025       | Q2075-08         | BP024748.D     | 05/21/2025       |

COMMENTS: \_\_\_\_\_

5B

SEMIVOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK  
DECAFLUOROTRIPHENYLPHOSPHINE (DFTPP)

Lab Name: CHEMTECH

Contract: CAMP02

Lab Code: CHEM

SAS No.: Q2075

SDG NO.: Q2075

Lab File ID: BF142465.D

DFTPP Injection Date: 05/20/2025

Instrument ID: BNA\_F

DFTPP Injection Time: 11:13

| m/e | ION ABUNDANCE CRITERIA             | % RELATIVE ABUNDANCE |
|-----|------------------------------------|----------------------|
| 51  | 10.0 - 80.0% of mass 198           | 36.8                 |
| 68  | Less than 2.0% of mass 69          | 0.5 ( 1.9 ) 1        |
| 69  | Mass 69 relative abundance         | 33.1                 |
| 70  | Less than 2.0% of mass 69          | 0.1 ( 0.5 ) 1        |
| 127 | 10.0 - 80.0% of mass 198           | 44.9                 |
| 197 | Less than 2.0% of mass 198         | 0.0                  |
| 198 | Base Peak, 100% relative abundance | 100                  |
| 199 | 5.0 to 9.0% of mass 198            | 6.6                  |
| 275 | 10.0 - 60.0% of mass 198           | 29.9                 |
| 365 | Greater than 1% of mass 198        | 4.2                  |
| 441 | Present, but less than mass 443    | 19.9                 |
| 442 | Greater than 50% of mass 198       | 100                  |
| 443 | 15.0 - 24.0% of mass 442           | 19 ( 19 ) 2          |

1-Value is % mass 69

2-Value is % mass 442

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

| EPA<br>SAMPLE NO. | LAB<br>SAMPLE ID | LAB<br>FILE ID | DATE<br>ANALYZED | TIME<br>ANALYZED |
|-------------------|------------------|----------------|------------------|------------------|
| SSTDICC2.5        | SSTDICC2.5       | BF142467.D     | 05/20/2025       | 12:10            |
| SSTDICC005        | SSTDICC005       | BF142468.D     | 05/20/2025       | 12:38            |
| SSTDICC010        | SSTDICC010       | BF142469.D     | 05/20/2025       | 13:07            |
| SSTDICC020        | SSTDICC020       | BF142470.D     | 05/20/2025       | 13:36            |
| SSTDICCC040       | SSTDICCC040      | BF142471.D     | 05/20/2025       | 14:05            |
| SSTDICC050        | SSTDICC050       | BF142472.D     | 05/20/2025       | 14:34            |
| SSTDICC060        | SSTDICC060       | BF142473.D     | 05/20/2025       | 15:03            |
| SSTDICC080        | SSTDICC080       | BF142474.D     | 05/20/2025       | 15:31            |

5B

SEMIVOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK  
DECAFLUOROTRIPHENYLPHOSPHINE (DFTPP)

Lab Name: CHEMTECH

Contract: CAMP02

Lab Code: CHEM

SAS No.: Q2075

SDG NO.: Q2075

Lab File ID: BF142477.D

DFTPP Injection Date: 05/21/2025

Instrument ID: BNA\_F

DFTPP Injection Time: 09:41

| m/e | ION ABUNDANCE CRITERIA             | % RELATIVE ABUNDANCE |
|-----|------------------------------------|----------------------|
| 51  | 10.0 - 80.0% of mass 198           | 40.0                 |
| 68  | Less than 2.0% of mass 69          | 0.6 ( 2 ) 1          |
| 69  | Mass 69 relative abundance         | 34.9                 |
| 70  | Less than 2.0% of mass 69          | 0.2 ( 0.7 ) 1        |
| 127 | 10.0 - 80.0% of mass 198           | 46.9                 |
| 197 | Less than 2.0% of mass 198         | 0.0                  |
| 198 | Base Peak, 100% relative abundance | 100                  |
| 199 | 5.0 to 9.0% of mass 198            | 6.8                  |
| 275 | 10.0 - 60.0% of mass 198           | 29.1                 |
| 365 | Greater than 1% of mass 198        | 3.8                  |
| 441 | Present, but less than mass 443    | 18.3                 |
| 442 | Greater than 50% of mass 198       | 100                  |
| 443 | 15.0 - 24.0% of mass 442           | 19.4 ( 19.4 ) 2      |

1-Value is % mass 69

2-Value is % mass 442

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

| EPA<br>SAMPLE NO. | LAB<br>SAMPLE ID | LAB<br>FILE ID | DATE<br>ANALYZED | TIME<br>ANALYZED |
|-------------------|------------------|----------------|------------------|------------------|
| SSTDCCC040        | SSTDCCC040       | BF142478.D     | 05/21/2025       | 10:40            |
| PB168083BL        | PB168083BL       | BF142479.D     | 05/21/2025       | 11:09            |
| PB168083BS        | PB168083BS       | BF142480.D     | 05/21/2025       | 11:37            |
| SS-11             | Q2075-03         | BF142486.D     | 05/21/2025       | 14:37            |
| SS-11MS           | Q2075-04MS       | BF142487.D     | 05/21/2025       | 15:06            |
| SS-11MSD          | Q2075-05MSD      | BF142488.D     | 05/21/2025       | 15:34            |
| SS-MW1-11.5       | Q2075-06         | BF142489.D     | 05/21/2025       | 16:03            |

5B

SEMIVOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK  
DECAFLUOROTRIPHENYLPHOSPHINE (DFTPP)

Lab Name: CHEMTECH

Contract: CAMP02

Lab Code: CHEM

SAS No.: Q2075

SDG NO.: Q2075

Lab File ID: BF142501.D

DFTPP Injection Date: 05/22/2025

Instrument ID: BNA\_F

DFTPP Injection Time: 10:43

| m/e | ION ABUNDANCE CRITERIA             | % RELATIVE ABUNDANCE |
|-----|------------------------------------|----------------------|
| 51  | 10.0 - 80.0% of mass 198           | 37.5                 |
| 68  | Less than 2.0% of mass 69          | 0.5 ( 1.8 ) 1        |
| 69  | Mass 69 relative abundance         | 33.6                 |
| 70  | Less than 2.0% of mass 69          | 0.2 ( 0.6 ) 1        |
| 127 | 10.0 - 80.0% of mass 198           | 46.8                 |
| 197 | Less than 2.0% of mass 198         | 0.0                  |
| 198 | Base Peak, 100% relative abundance | 100                  |
| 199 | 5.0 to 9.0% of mass 198            | 6.8                  |
| 275 | 10.0 - 60.0% of mass 198           | 30.3                 |
| 365 | Greater than 1% of mass 198        | 4.1                  |
| 441 | Present, but less than mass 443    | 20.4                 |
| 442 | Greater than 50% of mass 198       | 100                  |
| 443 | 15.0 - 24.0% of mass 442           | 18.7 ( 18.7 ) 2      |

1-Value is % mass 69

2-Value is % mass 442

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

| EPA<br>SAMPLE NO. | LAB<br>SAMPLE ID | LAB<br>FILE ID | DATE<br>ANALYZED | TIME<br>ANALYZED |
|-------------------|------------------|----------------|------------------|------------------|
| SSTDCCC040        | SSTDCCC040       | BF142502.D     | 05/22/2025       | 11:11            |
| SS-10             | Q2075-01         | BF142510.D     | 05/22/2025       | 15:07            |
| SS-910            | Q2075-02         | BF142511.D     | 05/22/2025       | 15:36            |

5B

SEMIVOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK  
DECAFLUOROTRIPHENYLPHOSPHINE (DFTPP)

Lab Name: CHEMTECH

Contract: CAMP02

Lab Code: CHEM

SAS No.: Q2075

SDG NO.: Q2075

Lab File ID: BP024613.D

DFTPP Injection Date: 05/13/2025

Instrument ID: BNA\_P

DFTPP Injection Time: 10:00

| m/e | ION ABUNDANCE CRITERIA             | % RELATIVE ABUNDANCE |
|-----|------------------------------------|----------------------|
| 51  | 10.0 - 80.0% of mass 198           | 33.5                 |
| 68  | Less than 2.0% of mass 69          | 0.2 ( 0.6 ) 1        |
| 69  | Mass 69 relative abundance         | 36.2                 |
| 70  | Less than 2.0% of mass 69          | 0.2 ( 0.6 ) 1        |
| 127 | 10.0 - 80.0% of mass 198           | 49.3                 |
| 197 | Less than 2.0% of mass 198         | 0.0                  |
| 198 | Base Peak, 100% relative abundance | 100                  |
| 199 | 5.0 to 9.0% of mass 198            | 6.6                  |
| 275 | 10.0 - 60.0% of mass 198           | 33.1                 |
| 365 | Greater than 1% of mass 198        | 5.4                  |
| 441 | Present, but less than mass 443    | 19.4                 |
| 442 | Greater than 50% of mass 198       | 100                  |
| 443 | 15.0 - 24.0% of mass 442           | 19.4 ( 19.4 ) 2      |

1-Value is % mass 69

2-Value is % mass 442

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

| EPA<br>SAMPLE NO. | LAB<br>SAMPLE ID | LAB<br>FILE ID | DATE<br>ANALYZED | TIME<br>ANALYZED |
|-------------------|------------------|----------------|------------------|------------------|
| SSTDICC2.5        | SSTDICC2.5       | BP024614.D     | 05/13/2025       | 10:41            |
| SSTDICC005        | SSTDICC005       | BP024615.D     | 05/13/2025       | 11:22            |
| SSTDICC010        | SSTDICC010       | BP024616.D     | 05/13/2025       | 12:03            |
| SSTDICC020        | SSTDICC020       | BP024617.D     | 05/13/2025       | 12:43            |
| SSTDICCC040       | SSTDICCC040      | BP024618.D     | 05/13/2025       | 13:24            |
| SSTDICC050        | SSTDICC050       | BP024619.D     | 05/13/2025       | 14:05            |
| SSTDICC060        | SSTDICC060       | BP024620.D     | 05/13/2025       | 14:45            |
| SSTDICC080        | SSTDICC080       | BP024621.D     | 05/13/2025       | 15:26            |

5B

SEMIVOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK  
DECAFLUOROTRIPHENYLPHOSPHINE (DFTPP)

Lab Name: CHEMTECH

Contract: CAMP02

Lab Code: CHEM

SAS No.: Q2075

SDG NO.: Q2075

Lab File ID: BP024736.D

DFTPP Injection Date: 05/21/2025

Instrument ID: BNA\_P

DFTPP Injection Time: 12:54

| m/e | ION ABUNDANCE CRITERIA             | % RELATIVE ABUNDANCE |
|-----|------------------------------------|----------------------|
| 51  | 10.0 - 80.0% of mass 198           | 31.7                 |
| 68  | Less than 2.0% of mass 69          | 0.0 ( 0.0 ) 1        |
| 69  | Mass 69 relative abundance         | 33.9                 |
| 70  | Less than 2.0% of mass 69          | 0.1 ( 0.4 ) 1        |
| 127 | 10.0 - 80.0% of mass 198           | 47.3                 |
| 197 | Less than 2.0% of mass 198         | 0.0                  |
| 198 | Base Peak, 100% relative abundance | 100                  |
| 199 | 5.0 to 9.0% of mass 198            | 6.9                  |
| 275 | 10.0 - 60.0% of mass 198           | 33.3                 |
| 365 | Greater than 1% of mass 198        | 5.6                  |
| 441 | Present, but less than mass 443    | 22.0                 |
| 442 | Greater than 50% of mass 198       | 100                  |
| 443 | 15.0 - 24.0% of mass 442           | 19.9 ( 19.9 ) 2      |

1-Value is % mass 69

2-Value is % mass 442

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

| EPA<br>SAMPLE NO. | LAB<br>SAMPLE ID | LAB<br>FILE ID | DATE<br>ANALYZED | TIME<br>ANALYZED |
|-------------------|------------------|----------------|------------------|------------------|
| SSTDCCC040        | SSTDCCC040       | BP024737.D     | 05/21/2025       | 14:48            |
| FB-05162025       | Q2075-08         | BP024748.D     | 05/21/2025       | 22:18            |

5B

SEMIVOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK  
DECAFLUOROTRIPHENYLPHOSPHINE (DFTPP)

Lab Name: CHEMTECH

Contract: CAMP02

Lab Code: CHEM

SAS No.: Q2075

SDG NO.: Q2075

Lab File ID: BP024752.D

DFTPP Injection Date: 05/22/2025

Instrument ID: BNA\_P

DFTPP Injection Time: 09:35

| m/e | ION ABUNDANCE CRITERIA             | % RELATIVE ABUNDANCE |
|-----|------------------------------------|----------------------|
| 51  | 10.0 - 80.0% of mass 198           | 30.1                 |
| 68  | Less than 2.0% of mass 69          | 0.3 ( 1.3 ) 1        |
| 69  | Mass 69 relative abundance         | 32.0                 |
| 70  | Less than 2.0% of mass 69          | 0.1 ( 0.5 ) 1        |
| 127 | 10.0 - 80.0% of mass 198           | 46.0                 |
| 197 | Less than 2.0% of mass 198         | 0.0                  |
| 198 | Base Peak, 100% relative abundance | 100                  |
| 199 | 5.0 to 9.0% of mass 198            | 7.0                  |
| 275 | 10.0 - 60.0% of mass 198           | 33.7                 |
| 365 | Greater than 1% of mass 198        | 5.4                  |
| 441 | Present, but less than mass 443    | 22.4                 |
| 442 | Greater than 50% of mass 198       | 100                  |
| 443 | 15.0 - 24.0% of mass 442           | 19.6 ( 19.6 ) 2      |

1-Value is % mass 69

2-Value is % mass 442

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

| EPA<br>SAMPLE NO. | LAB<br>SAMPLE ID | LAB<br>FILE ID | DATE<br>ANALYZED | TIME<br>ANALYZED |
|-------------------|------------------|----------------|------------------|------------------|
| SSTDCCC040        | SSTDCCC040       | BP024753.D     | 05/22/2025       | 10:56            |
| PB168098BL        | PB168098BL       | BP024754.D     | 05/22/2025       | 11:37            |
| PB168098BS        | PB168098BS       | BP024755.D     | 05/22/2025       | 12:18            |
| PB168098BSD       | PB168098BSD      | BP024756.D     | 05/22/2025       | 12:58            |
| FB-05152025       | Q2075-07         | BP024758.D     | 05/22/2025       | 14:19            |

8B

SEMIVOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: CHEMTECH

Lab Code: CHEM Case No.: Q2075 SAS No.: Q2075 SDG NO.: Q2075

EPA Sample No.: SSTDCCC040 Date Analyzed: 05/21/2025

Lab File ID: BF142478.D Time Analyzed: 10:40

Instrument ID: BNA\_F GC Column: DB-UI ID: 0.18 (mm)

|                | IS1 (DCB)<br>AREA # | RT #  | IS2 (NPT)<br>AREA # | RT #  | IS3 (ANT)<br>AREA # | RT #   |
|----------------|---------------------|-------|---------------------|-------|---------------------|--------|
| 12 HOUR STD    | 124102              | 6.898 | 475212              | 8.19  | 258765              | 9.94   |
| UPPER LIMIT    | 248204              | 7.398 | 950424              | 8.686 | 517530              | 10.439 |
| LOWER LIMIT    | 62051               | 6.398 | 237606              | 7.686 | 129383              | 9.439  |
| EPA SAMPLE NO. |                     |       |                     |       |                     |        |
| 01 PB168083BL  | 127003              | 6.90  | 492428              | 8.18  | 264579              | 9.94   |
| 02 PB168083BS  | 124824              | 6.90  | 495438              | 8.19  | 277044              | 9.94   |
| 03 SS-11       | 63588               | 6.90  | 238505              | 8.18  | 131818              | 9.94   |
| 04 SS-11MS     | 54835 *             | 6.90  | 200654 *            | 8.18  | 113830 *            | 9.94   |
| 05 SS-11MSD    | 53473 *             | 6.90  | 192497 *            | 8.18  | 95696 *             | 9.94   |
| 06 SS-MW1-11.5 | 59263 *             | 6.90  | 206974 *            | 8.18  | 103588 *            | 9.94   |

IS1 (DCB) = 1,4-Dichlorobenzene-d4

IS2 (NPT) = Naphthalene-d8

IS3 (ANT) = Acenaphthene-d10

AREA UPPER LIMIT = +100% of internal standard area

AREA LOWER LIMIT = -50% of internal standard area

RT UPPER LIMIT = +0.50 minutes of internal standard RT

RT UPPER LIMIT = -0.50 minutes of internal standard RT

# Column used to flag values outside QC limits with an asterisk.

\* Values outside of QC limits.

8C

SEMIVOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: CHEMTECH

Lab Code: CHEM Case No.: Q2075 SAS No.: Q2075 SDG NO.: Q2075

EPA Sample No.: SSTDCCC040 Date Analyzed: 05/21/2025

Lab File ID: BF142478.D Time Analyzed: 10:40

Instrument ID: BNA\_F GC Column: DB-UI ID: 0.18 (mm)

|                | IS4 (PHN)<br>AREA # | RT #   | IS5 (CRY)<br>AREA # | RT #   | IS6 (PRY)<br>AREA # | RT #   |
|----------------|---------------------|--------|---------------------|--------|---------------------|--------|
| 12 HOUR STD    | 454448              | 11.427 | 231233              | 14.068 | 233183              | 15.562 |
| UPPER LIMIT    | 908896              | 11.927 | 462466              | 14.568 | 466366              | 16.062 |
| LOWER LIMIT    | 227224              | 10.927 | 115617              | 13.568 | 116592              | 15.062 |
| EPA SAMPLE NO. |                     |        |                     |        |                     |        |
| 01 PB168083BL  | 511963              | 11.43  | 324877              | 14.07  | 234653              | 15.56  |
| 02 PB168083BS  | 468851              | 11.43  | 214548              | 14.07  | 229705              | 15.56  |
| 03 SS-11       | 250730              | 11.43  | 246437              | 14.07  | 209013              | 15.56  |
| 04 SS-11MS     | 229012              | 11.43  | 210926              | 14.07  | 176162              | 15.56  |
| 05 SS-11MSD    | 179294 *            | 11.43  | 174160              | 14.07  | 147670              | 15.56  |
| 06 SS-MW1-11.5 | 179364 *            | 11.42  | 153166              | 14.06  | 125915              | 15.56  |

IS4 (PHN) = Phenanthrene-d10

IS5 (CRY) = Chrysene-d12

IS6 (PRY) = Perylene-d12

AREA UPPER LIMIT = +100% of internal standard area

AREA LOWER LIMIT = -50% of internal standard area

RT UPPER LIMIT = +0.50 minutes of internal standard RT

RT UPPER LIMIT = -0.50 minutes of internal standard RT

# Column used to flag values outside QC limits with an asterisk.

\* Values outside of QC limits.

8B

SEMIVOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: CHEMTECH

Lab Code: CHEM Case No.: Q2075 SAS No.: Q2075 SDG NO.: Q2075

EPA Sample No.: SSTDCCC040 Date Analyzed: 05/22/2025

Lab File ID: BF142502.D Time Analyzed: 11:11

Instrument ID: BNA\_F GC Column: DB-UI ID: 0.18 (mm)

|                | IS1 (DCB)<br>AREA # | RT #  | IS2 (NPT)<br>AREA # | RT #  | IS3 (ANT)<br>AREA # | RT #   |
|----------------|---------------------|-------|---------------------|-------|---------------------|--------|
| 12 HOUR STD    | 96659               | 6.898 | 372701              | 8.19  | 197309              | 9.94   |
| UPPER LIMIT    | 193318              | 7.398 | 745402              | 8.687 | 394618              | 10.439 |
| LOWER LIMIT    | 48329.5             | 6.398 | 186351              | 7.687 | 98654.5             | 9.439  |
| EPA SAMPLE NO. |                     |       |                     |       |                     |        |
| 01 SS-10       | 120361              | 6.90  | 452635              | 8.18  | 223139              | 9.93   |
| 02 SS-910      | 116551              | 6.90  | 418491              | 8.18  | 190753              | 9.93   |

IS1 (DCB) = 1,4-Dichlorobenzene-d4

IS2 (NPT) = Naphthalene-d8

IS3 (ANT) = Acenaphthene-d10

AREA UPPER LIMIT = +100% of internal standard area

AREA LOWER LIMIT = -50% of internal standard area

RT UPPER LIMIT = +0.50 minutes of internal standard RT

RT UPPER LIMIT = -0.50 minutes of internal standard RT

# Column used to flag values outside QC limits with an asterisk.

\* Values outside of QC limits.

8C

SEMIVOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: CHEMTECH

Lab Code: CHEM Case No.: Q2075 SAS No.: Q2075 SDG NO.: Q2075

EPA Sample No.: SSTDCCC040 Date Analyzed: 05/22/2025

Lab File ID: BF142502.D Time Analyzed: 11:11

Instrument ID: BNA\_F GC Column: DB-UI ID: 0.18 (mm)

|                | IS4 (PHN)<br>AREA # | RT #   | IS5 (CRY)<br>AREA # | RT #   | IS6 (PRY)<br>AREA # | RT #   |
|----------------|---------------------|--------|---------------------|--------|---------------------|--------|
| 12 HOUR STD    | 315055              | 11.428 | 157895              | 14.069 | 195527              | 15.557 |
| UPPER LIMIT    | 630110              | 11.928 | 315790              | 14.569 | 391054              | 16.057 |
| LOWER LIMIT    | 157528              | 10.928 | 78947.5             | 13.569 | 97763.5             | 15.057 |
| EPA SAMPLE NO. |                     |        |                     |        |                     |        |
| 01 SS-10       | 308296              | 11.42  | 228905              | 14.06  | 198076              | 15.56  |
| 02 SS-910      | 271357              | 11.42  | 225312              | 14.06  | 176642              | 15.56  |

IS4 (PHN) = Phenanthrene-d10

IS5 (CRY) = Chrysene-d12

IS6 (PRY) = Perylene-d12

AREA UPPER LIMIT = +100% of internal standard area

AREA LOWER LIMIT = -50% of internal standard area

RT UPPER LIMIT = +0.50 minutes of internal standard RT

RT UPPER LIMIT = -0.50 minutes of internal standard RT

# Column used to flag values outside QC limits with an asterisk.

\* Values outside of QC limits.

8B

SEMIVOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: CHEMTECH

Lab Code: CHEM Case No.: Q2075 SAS No.: Q2075 SDG NO.: Q2075

EPA Sample No.: SSTDCCC040 Date Analyzed: 05/21/2025

Lab File ID: BP024737.D Time Analyzed: 14:48

Instrument ID: BNA\_P GC Column: ZB-GR ID: 0.25 (mm)

|                | IS1 (DCB)<br>AREA # | RT #  | IS2 (NPT)<br>AREA # | RT #   | IS3 (ANT)<br>AREA # | RT #   |
|----------------|---------------------|-------|---------------------|--------|---------------------|--------|
| 12 HOUR STD    | 128557              | 7.646 | 504282              | 10.42  | 338214              | 14.29  |
| UPPER LIMIT    | 257114              | 8.146 | 1008560             | 10.916 | 676428              | 14.787 |
| LOWER LIMIT    | 64278.5             | 7.146 | 252141              | 9.916  | 169107              | 13.787 |
| EPA SAMPLE NO. |                     |       |                     |        |                     |        |
| 01 FB-05162025 | 87679               | 7.65  | 325514              | 10.42  | 217493              | 14.29  |

IS1 (DCB) = 1,4-Dichlorobenzene-d4

IS2 (NPT) = Naphthalene-d8

IS3 (ANT) = Acenaphthene-d10

AREA UPPER LIMIT = +100% of internal standard area

AREA LOWER LIMIT = -50% of internal standard area

RT UPPER LIMIT = +0.50 minutes of internal standard RT

RT UPPER LIMIT = -0.50 minutes of internal standard RT

# Column used to flag values outside QC limits with an asterisk.

\* Values outside of QC limits.

8C

SEMIVOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: CHEMTECH

Lab Code: CHEM Case No.: Q2075 SAS No.: Q2075 SDG NO.: Q2075

EPA Sample No.: SSTDCCC040 Date Analyzed: 05/21/2025

Lab File ID: BP024737.D Time Analyzed: 14:48

Instrument ID: BNA\_P GC Column: ZB-GR ID: 0.25 (mm)

|                | IS4 (PHN)<br>AREA # | RT #   | IS5 (CRY)<br>AREA # | RT #  | IS6 (PRY)<br>AREA # | RT #   |
|----------------|---------------------|--------|---------------------|-------|---------------------|--------|
| 12 HOUR STD    | 643332              | 17.081 | 728456              | 21.51 | 831576              | 24.786 |
| UPPER LIMIT    | 1286660             | 17.581 | 1456910             | 22.01 | 1663150             | 25.286 |
| LOWER LIMIT    | 321666              | 16.581 | 364228              | 21.01 | 415788              | 24.286 |
| EPA SAMPLE NO. |                     |        |                     |       |                     |        |
| 01 FB-05162025 | 457611              | 17.09  | 547413              | 21.51 | 671507              | 24.80  |

IS4 (PHN) = Phenanthrene-d10

IS5 (CRY) = Chrysene-d12

IS6 (PRY) = Perylene-d12

AREA UPPER LIMIT = +100% of internal standard area

AREA LOWER LIMIT = -50% of internal standard area

RT UPPER LIMIT = +0.50 minutes of internal standard RT

RT UPPER LIMIT = -0.50 minutes of internal standard RT

# Column used to flag values outside QC limits with an asterisk.

\* Values outside of QC limits.

8B

SEMIVOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: CHEMTECH

Lab Code: CHEM Case No.: Q2075 SAS No.: Q2075 SDG NO.: Q2075

EPA Sample No.: SSTDCCC040 Date Analyzed: 05/22/2025

Lab File ID: BP024753.D Time Analyzed: 10:56

Instrument ID: BNA\_P GC Column: ZB-GR ID: 0.25 (mm)

|                | IS1 (DCB)<br>AREA # | RT #  | IS2 (NPT)<br>AREA # | RT #   | IS3 (ANT)<br>AREA # | RT #   |
|----------------|---------------------|-------|---------------------|--------|---------------------|--------|
| 12 HOUR STD    | 103714              | 7.652 | 424752              | 10.42  | 258861              | 14.28  |
| UPPER LIMIT    | 207428              | 8.152 | 849504              | 10.922 | 517722              | 14.781 |
| LOWER LIMIT    | 51857               | 7.152 | 212376              | 9.922  | 129431              | 13.781 |
| EPA SAMPLE NO. |                     |       |                     |        |                     |        |
| 01 PB168098BL  | 115351              | 7.65  | 453620              | 10.42  | 285428              | 14.29  |
| 02 PB168098BS  | 114889              | 7.65  | 451979              | 10.42  | 283120              | 14.29  |
| 03 PB168098BSD | 126327              | 7.65  | 523024              | 10.42  | 338733              | 14.29  |
| 04 FB-05152025 | 103638              | 7.65  | 395386              | 10.42  | 244728              | 14.29  |

IS1 (DCB) = 1,4-Dichlorobenzene-d4

IS2 (NPT) = Naphthalene-d8

IS3 (ANT) = Acenaphthene-d10

AREA UPPER LIMIT = +100% of internal standard area

AREA LOWER LIMIT = -50% of internal standard area

RT UPPER LIMIT = +0.50 minutes of internal standard RT

RT UPPER LIMIT = -0.50 minutes of internal standard RT

# Column used to flag values outside QC limits with an asterisk.

\* Values outside of QC limits.

8C

SEMIVOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: CHEMTECH

Lab Code: CHEM Case No.: Q2075 SAS No.: Q2075 SDG NO.: Q2075

EPA Sample No.: SSTDCCC040 Date Analyzed: 05/22/2025

Lab File ID: BP024753.D Time Analyzed: 10:56

Instrument ID: BNA\_P GC Column: ZB-GR ID: 0.25 (mm)

|                | IS4 (PHN)<br>AREA # | RT #   | IS5 (CRY)<br>AREA # | RT #   | IS6 (PRY)<br>AREA # | RT #   |
|----------------|---------------------|--------|---------------------|--------|---------------------|--------|
| 12 HOUR STD    | 515151              | 17.075 | 613668              | 21.516 | 759397              | 24.792 |
| UPPER LIMIT    | 1030300             | 17.575 | 1227340             | 22.016 | 1518790             | 25.292 |
| LOWER LIMIT    | 257576              | 16.575 | 306834              | 21.016 | 379699              | 24.292 |
| EPA SAMPLE NO. |                     |        |                     |        |                     |        |
| 01 PB168098BL  | 613349              | 17.09  | 715536              | 21.52  | 855120              | 24.82  |
| 02 PB168098BS  | 568580              | 17.09  | 655197              | 21.52  | 754804              | 24.82  |
| 03 PB168098BSD | 686645              | 17.09  | 768545              | 21.51  | 835982              | 24.79  |
| 04 FB-05152025 | 486633              | 17.09  | 599957              | 21.52  | 736321              | 24.82  |

IS4 (PHN) = Phenanthrene-d10

IS5 (CRY) = Chrysene-d12

IS6 (PRY) = Perylene-d12

AREA UPPER LIMIT = +100% of internal standard area

AREA LOWER LIMIT = -50% of internal standard area

RT UPPER LIMIT = +0.50 minutes of internal standard RT

RT UPPER LIMIT = -0.50 minutes of internal standard RT

# Column used to flag values outside QC limits with an asterisk.

\* Values outside of QC limits.



# QC SAMPLE DATA

## Report of Analysis

|                    |                              |                 |               |
|--------------------|------------------------------|-----------------|---------------|
| Client:            | CDM Smith                    | Date Collected: |               |
| Project:           | Con Ed UTEN Mount Vernon, NY | Date Received:  |               |
| Client Sample ID:  | PB168083BL                   | SDG No.:        | Q2075         |
| Lab Sample ID:     | PB168083BL                   | Matrix:         | SOIL          |
| Analytical Method: | 8270E                        | % Solid:        | 100           |
| Sample Wt/Vol:     | 30.01 Units: g               | Final Vol:      | 1000 uL       |
| Soil Aliquot Vol:  | uL                           | Test:           | SVOCMS Group3 |
| Extraction Type :  | Decanted : N                 | Level :         | LOW           |
| Injection Volume : | GPC Factor : 1.0             | GPC Cleanup :   | N PH :        |
| Prep Method :      | SW3541                       |                 |               |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| BF142479.D        | 1         | 05/20/25 09:45 | 05/21/25 11:09 | PB168083      |

| CAS Number                | Parameter              | Conc.  | Qualifier | MDL      | LOQ / CRQL | Units(Dry Weight) |
|---------------------------|------------------------|--------|-----------|----------|------------|-------------------|
| <b>TARGETS</b>            |                        |        |           |          |            |                   |
| 91-20-3                   | Naphthalene            | 170    | U         | 22.7     | 170        | ug/Kg             |
| 208-96-8                  | Acenaphthylene         | 170    | U         | 28.9     | 170        | ug/Kg             |
| 83-32-9                   | Acenaphthene           | 170    | U         | 21.3     | 170        | ug/Kg             |
| 86-73-7                   | Fluorene               | 170    | U         | 25.3     | 170        | ug/Kg             |
| 85-01-8                   | Phenanthrene           | 170    | U         | 20.9     | 170        | ug/Kg             |
| 120-12-7                  | Anthracene             | 170    | U         | 33.3     | 170        | ug/Kg             |
| 206-44-0                  | Fluoranthene           | 170    | U         | 30.0     | 170        | ug/Kg             |
| 129-00-0                  | Pyrene                 | 170    | U         | 36.0     | 170        | ug/Kg             |
| 56-55-3                   | Benzo(a)anthracene     | 170    | U         | 23.0     | 170        | ug/Kg             |
| 218-01-9                  | Chrysene               | 170    | U         | 19.9     | 170        | ug/Kg             |
| 205-99-2                  | Benzo(b)fluoranthene   | 170    | U         | 19.0     | 170        | ug/Kg             |
| 207-08-9                  | Benzo(k)fluoranthene   | 170    | U         | 22.4     | 170        | ug/Kg             |
| 50-32-8                   | Benzo(a)pyrene         | 170    | U         | 29.5     | 170        | ug/Kg             |
| 193-39-5                  | Indeno(1,2,3-cd)pyrene | 170    | U         | 29.1     | 170        | ug/Kg             |
| 53-70-3                   | Dibenzo(a,h)anthracene | 170    | U         | 27.4     | 170        | ug/Kg             |
| 191-24-2                  | Benzo(g,h,i)perylene   | 170    | U         | 25.7     | 170        | ug/Kg             |
| <b>SURROGATES</b>         |                        |        |           |          |            |                   |
| 4165-60-0                 | Nitrobenzene-d5        | 67.4   |           | 18 - 107 | 67%        | SPK: 100          |
| 321-60-8                  | 2-Fluorobiphenyl       | 69.4   |           | 20 - 109 | 69%        | SPK: 100          |
| 1718-51-0                 | Terphenyl-d14          | 62.4   |           | 10 - 105 | 62%        | SPK: 100          |
| <b>INTERNAL STANDARDS</b> |                        |        |           |          |            |                   |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4 | 127000 | 6.898     |          |            |                   |
| 1146-65-2                 | Naphthalene-d8         | 492000 | 8.181     |          |            |                   |
| 15067-26-2                | Acenaphthene-d10       | 265000 | 9.939     |          |            |                   |
| 1517-22-2                 | Phenanthrene-d10       | 512000 | 11.428    |          |            |                   |
| 1719-03-5                 | Chrysene-d12           | 325000 | 14.069    |          |            |                   |
| 1520-96-3                 | Perylene-d12           | 235000 | 15.563    |          |            |                   |

## Report of Analysis

|                    |                              |                 |               |
|--------------------|------------------------------|-----------------|---------------|
| Client:            | CDM Smith                    | Date Collected: |               |
| Project:           | Con Ed UTEN Mount Vernon, NY | Date Received:  |               |
| Client Sample ID:  | PB168083BL                   | SDG No.:        | Q2075         |
| Lab Sample ID:     | PB168083BL                   | Matrix:         | SOIL          |
| Analytical Method: | 8270E                        | % Solid:        | 100           |
| Sample Wt/Vol:     | 30.01      Units: g          | Final Vol:      | 1000      uL  |
| Soil Aliquot Vol:  | uL                           | Test:           | SVOCMS Group3 |
| Extraction Type :  | Decanted : N                 | Level :         | LOW           |
| Injection Volume : | GPC Factor : 1.0             | GPC Cleanup :   | N      PH :   |
| Prep Method :      | SW3541                       |                 |               |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| BF142479.D        | 1         | 05/20/25 09:45 | 05/21/25 11:09 | PB168083      |

| CAS Number | Parameter | Conc. | Qualifier | MDL | LOQ / CRQL | Units |
|------------|-----------|-------|-----------|-----|------------|-------|
|------------|-----------|-------|-----------|-----|------------|-------|

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

## Report of Analysis

|                    |                              |                 |               |
|--------------------|------------------------------|-----------------|---------------|
| Client:            | CDM Smith                    | Date Collected: |               |
| Project:           | Con Ed UTEN Mount Vernon, NY | Date Received:  |               |
| Client Sample ID:  | PB168098BL                   | SDG No.:        | Q2075         |
| Lab Sample ID:     | PB168098BL                   | Matrix:         | Water         |
| Analytical Method: | 8270E                        | % Solid:        | 0             |
| Sample Wt/Vol:     | 1000 Units: mL               | Final Vol:      | 1000 uL       |
| Soil Aliquot Vol:  | uL                           | Test:           | SVOCMS Group3 |
| Extraction Type :  | Decanted : N                 | Level :         | LOW           |
| Injection Volume : | GPC Factor : 1.0             | GPC Cleanup :   | N PH :        |
| Prep Method :      | SW3510C                      |                 |               |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| BP024754.D        | 1         | 05/21/25 08:40 | 05/22/25 11:37 | PB168098      |

| CAS Number                | Parameter              | Conc.  | Qualifier | MDL      | LOQ / CRQL | Units    |
|---------------------------|------------------------|--------|-----------|----------|------------|----------|
| <b>TARGETS</b>            |                        |        |           |          |            |          |
| 91-20-3                   | Naphthalene            | 5.00   | U         | 0.50     | 5.00       | ug/L     |
| 208-96-8                  | Acenaphthylene         | 5.00   | U         | 0.75     | 5.00       | ug/L     |
| 83-32-9                   | Acenaphthene           | 5.00   | U         | 0.55     | 5.00       | ug/L     |
| 86-73-7                   | Fluorene               | 5.00   | U         | 0.63     | 5.00       | ug/L     |
| 85-01-8                   | Phenanthrene           | 5.00   | U         | 0.50     | 5.00       | ug/L     |
| 120-12-7                  | Anthracene             | 5.00   | U         | 0.61     | 5.00       | ug/L     |
| 206-44-0                  | Fluoranthene           | 5.00   | U         | 0.82     | 5.00       | ug/L     |
| 129-00-0                  | Pyrene                 | 5.00   | U         | 0.50     | 5.00       | ug/L     |
| 56-55-3                   | Benzo(a)anthracene     | 5.00   | U         | 0.45     | 5.00       | ug/L     |
| 218-01-9                  | Chrysene               | 5.00   | U         | 0.44     | 5.00       | ug/L     |
| 205-99-2                  | Benzo(b)fluoranthene   | 5.00   | U         | 0.49     | 5.00       | ug/L     |
| 207-08-9                  | Benzo(k)fluoranthene   | 5.00   | U         | 0.48     | 5.00       | ug/L     |
| 50-32-8                   | Benzo(a)pyrene         | 5.00   | U         | 0.55     | 5.00       | ug/L     |
| 193-39-5                  | Indeno(1,2,3-cd)pyrene | 5.00   | U         | 0.59     | 5.00       | ug/L     |
| 53-70-3                   | Dibenzo(a,h)anthracene | 5.00   | U         | 0.67     | 5.00       | ug/L     |
| 191-24-2                  | Benzo(g,h,i)perylene   | 5.00   | U         | 0.69     | 5.00       | ug/L     |
| <b>SURROGATES</b>         |                        |        |           |          |            |          |
| 4165-60-0                 | Nitrobenzene-d5        | 75.0   |           | 49 - 133 | 75%        | SPK: 100 |
| 321-60-8                  | 2-Fluorobiphenyl       | 77.3   |           | 52 - 132 | 77%        | SPK: 100 |
| 1718-51-0                 | Terphenyl-d14          | 83.0   |           | 48 - 125 | 83%        | SPK: 100 |
| <b>INTERNAL STANDARDS</b> |                        |        |           |          |            |          |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4 | 115000 |           | 7.652    |            |          |
| 1146-65-2                 | Naphthalene-d8         | 454000 |           | 10.422   |            |          |
| 15067-26-2                | Acenaphthene-d10       | 285000 |           | 14.287   |            |          |
| 1517-22-2                 | Phenanthrene-d10       | 613000 |           | 17.092   |            |          |
| 1719-03-5                 | Chrysene-d12           | 716000 |           | 21.522   |            |          |
| 1520-96-3                 | Perylene-d12           | 855000 |           | 24.821   |            |          |

## Report of Analysis

|                    |                              |                 |               |
|--------------------|------------------------------|-----------------|---------------|
| Client:            | CDM Smith                    | Date Collected: |               |
| Project:           | Con Ed UTEN Mount Vernon, NY | Date Received:  |               |
| Client Sample ID:  | PB168098BL                   | SDG No.:        | Q2075         |
| Lab Sample ID:     | PB168098BL                   | Matrix:         | Water         |
| Analytical Method: | 8270E                        | % Solid:        | 0             |
| Sample Wt/Vol:     | 1000 Units: mL               | Final Vol:      | 1000 uL       |
| Soil Aliquot Vol:  | uL                           | Test:           | SVOCMS Group3 |
| Extraction Type :  | Decanted : N                 | Level :         | LOW           |
| Injection Volume : | GPC Factor : 1.0             | GPC Cleanup :   | N PH :        |
| Prep Method :      | SW3510C                      |                 |               |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| BP024754.D        | 1         | 05/21/25 08:40 | 05/22/25 11:37 | PB168098      |

| CAS Number | Parameter | Conc. | Qualifier | MDL | LOQ / CRQL | Units |
|------------|-----------|-------|-----------|-----|------------|-------|
|------------|-----------|-------|-----------|-----|------------|-------|

U = Not Detected  
 LOQ = Limit of Quantitation  
 MDL = Method Detection Limit  
 LOD = Limit of Detection  
 E = Value Exceeds Calibration Range  
 Q = indicates LCS control criteria did not meet requirements  
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value  
 B = Analyte Found in Associated Method Blank  
 N = Presumptive Evidence of a Compound  
 \* = Values outside of QC limits  
 D = Dilution  
 () = Laboratory InHouse Limit  
 A = Aldol-Condensation Reaction Products

## Report of Analysis

|                    |                              |                 |               |
|--------------------|------------------------------|-----------------|---------------|
| Client:            | CDM Smith                    | Date Collected: |               |
| Project:           | Con Ed UTEN Mount Vernon, NY | Date Received:  |               |
| Client Sample ID:  | PB168083BS                   | SDG No.:        | Q2075         |
| Lab Sample ID:     | PB168083BS                   | Matrix:         | SOIL          |
| Analytical Method: | 8270E                        | % Solid:        | 100           |
| Sample Wt/Vol:     | 30.03 Units: g               | Final Vol:      | 1000 uL       |
| Soil Aliquot Vol:  | uL                           | Test:           | SVOCMS Group3 |
| Extraction Type :  | Decanted : N                 | Level :         | LOW           |
| Injection Volume : | GPC Factor : 1.0             | GPC Cleanup :   | N PH :        |
| Prep Method :      | SW3541                       |                 |               |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| BF142480.D        | 1         | 05/20/25 09:45 | 05/21/25 11:37 | PB168083      |

| CAS Number                | Parameter              | Conc.  | Qualifier | MDL      | LOQ / CRQL | Units(Dry Weight) |
|---------------------------|------------------------|--------|-----------|----------|------------|-------------------|
| <b>TARGETS</b>            |                        |        |           |          |            |                   |
| 91-20-3                   | Naphthalene            | 1400   |           | 22.7     | 170        | ug/Kg             |
| 208-96-8                  | Acenaphthylene         | 1300   |           | 28.9     | 170        | ug/Kg             |
| 83-32-9                   | Acenaphthene           | 1500   |           | 21.3     | 170        | ug/Kg             |
| 86-73-7                   | Fluorene               | 1300   |           | 25.3     | 170        | ug/Kg             |
| 85-01-8                   | Phenanthrene           | 1400   |           | 20.9     | 170        | ug/Kg             |
| 120-12-7                  | Anthracene             | 1300   |           | 33.3     | 170        | ug/Kg             |
| 206-44-0                  | Fluoranthene           | 1500   |           | 30.0     | 170        | ug/Kg             |
| 129-00-0                  | Pyrene                 | 1600   |           | 36.0     | 170        | ug/Kg             |
| 56-55-3                   | Benzo(a)anthracene     | 1400   |           | 23.0     | 170        | ug/Kg             |
| 218-01-9                  | Chrysene               | 1400   |           | 19.9     | 170        | ug/Kg             |
| 205-99-2                  | Benzo(b)fluoranthene   | 1500   |           | 19.0     | 170        | ug/Kg             |
| 207-08-9                  | Benzo(k)fluoranthene   | 1400   |           | 22.4     | 170        | ug/Kg             |
| 50-32-8                   | Benzo(a)pyrene         | 1500   |           | 29.5     | 170        | ug/Kg             |
| 193-39-5                  | Indeno(1,2,3-cd)pyrene | 1600   |           | 29.1     | 170        | ug/Kg             |
| 53-70-3                   | Dibenzo(a,h)anthracene | 1600   |           | 27.4     | 170        | ug/Kg             |
| 191-24-2                  | Benzo(g,h,i)perylene   | 1600   |           | 25.7     | 170        | ug/Kg             |
| <b>SURROGATES</b>         |                        |        |           |          |            |                   |
| 4165-60-0                 | Nitrobenzene-d5        | 69.4   |           | 18 - 107 | 69%        | SPK: 100          |
| 321-60-8                  | 2-Fluorobiphenyl       | 66.0   |           | 20 - 109 | 66%        | SPK: 100          |
| 1718-51-0                 | Terphenyl-d14          | 81.6   |           | 10 - 105 | 82%        | SPK: 100          |
| <b>INTERNAL STANDARDS</b> |                        |        |           |          |            |                   |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4 | 125000 |           | 6.898    |            |                   |
| 1146-65-2                 | Naphthalene-d8         | 495000 |           | 8.186    |            |                   |
| 15067-26-2                | Acenaphthene-d10       | 277000 |           | 9.939    |            |                   |
| 1517-22-2                 | Phenanthrene-d10       | 469000 |           | 11.427   |            |                   |
| 1719-03-5                 | Chrysene-d12           | 215000 |           | 14.068   |            |                   |
| 1520-96-3                 | Perylene-d12           | 230000 |           | 15.562   |            |                   |

## Report of Analysis

|                    |                              |                 |                              |
|--------------------|------------------------------|-----------------|------------------------------|
| Client:            | CDM Smith                    | Date Collected: |                              |
| Project:           | Con Ed UTEN Mount Vernon, NY | Date Received:  |                              |
| Client Sample ID:  | PB168083BS                   | SDG No.:        | Q2075                        |
| Lab Sample ID:     | PB168083BS                   | Matrix:         | SOIL                         |
| Analytical Method: | 8270E                        | % Solid:        | 100                          |
| Sample Wt/Vol:     | 30.03      Units:    g       | Final Vol:      | 1000                      uL |
| Soil Aliquot Vol:  | uL                           | Test:           | SVOCMS Group3                |
| Extraction Type :  | Decanted :      N            | Level :         | LOW                          |
| Injection Volume : | GPC Factor :    1.0          | GPC Cleanup :   | N                      PH :  |
| Prep Method :      | SW3541                       |                 |                              |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| BF142480.D        | 1         | 05/20/25 09:45 | 05/21/25 11:37 | PB168083      |

| CAS Number | Parameter | Conc. | Qualifier | MDL | LOQ / CRQL | Units |
|------------|-----------|-------|-----------|-----|------------|-------|
|------------|-----------|-------|-----------|-----|------------|-------|

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

## Report of Analysis

|                    |                              |                 |               |
|--------------------|------------------------------|-----------------|---------------|
| Client:            | CDM Smith                    | Date Collected: |               |
| Project:           | Con Ed UTEN Mount Vernon, NY | Date Received:  |               |
| Client Sample ID:  | PB168098BS                   | SDG No.:        | Q2075         |
| Lab Sample ID:     | PB168098BS                   | Matrix:         | Water         |
| Analytical Method: | 8270E                        | % Solid:        | 0             |
| Sample Wt/Vol:     | 1000 Units: mL               | Final Vol:      | 1000 uL       |
| Soil Aliquot Vol:  | uL                           | Test:           | SVOCMS Group3 |
| Extraction Type :  | Decanted : N                 | Level :         | LOW           |
| Injection Volume : | GPC Factor : 1.0             | GPC Cleanup :   | N PH :        |
| Prep Method :      | SW3510C                      |                 |               |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| BP024755.D        | 1         | 05/21/25 08:40 | 05/22/25 12:18 | PB168098      |

| CAS Number                | Parameter              | Conc.  | Qualifier | MDL      | LOQ / CRQL | Units    |
|---------------------------|------------------------|--------|-----------|----------|------------|----------|
| <b>TARGETS</b>            |                        |        |           |          |            |          |
| 91-20-3                   | Naphthalene            | 43.0   |           | 0.50     | 5.00       | ug/L     |
| 208-96-8                  | Acenaphthylene         | 42.4   |           | 0.75     | 5.00       | ug/L     |
| 83-32-9                   | Acenaphthene           | 42.1   |           | 0.55     | 5.00       | ug/L     |
| 86-73-7                   | Fluorene               | 44.1   |           | 0.63     | 5.00       | ug/L     |
| 85-01-8                   | Phenanthrene           | 43.2   |           | 0.50     | 5.00       | ug/L     |
| 120-12-7                  | Anthracene             | 44.5   |           | 0.61     | 5.00       | ug/L     |
| 206-44-0                  | Fluoranthene           | 46.0   |           | 0.82     | 5.00       | ug/L     |
| 129-00-0                  | Pyrene                 | 44.5   |           | 0.50     | 5.00       | ug/L     |
| 56-55-3                   | Benzo(a)anthracene     | 43.9   |           | 0.45     | 5.00       | ug/L     |
| 218-01-9                  | Chrysene               | 44.1   |           | 0.44     | 5.00       | ug/L     |
| 205-99-2                  | Benzo(b)fluoranthene   | 44.2   |           | 0.49     | 5.00       | ug/L     |
| 207-08-9                  | Benzo(k)fluoranthene   | 44.0   |           | 0.48     | 5.00       | ug/L     |
| 50-32-8                   | Benzo(a)pyrene         | 44.8   |           | 0.55     | 5.00       | ug/L     |
| 193-39-5                  | Indeno(1,2,3-cd)pyrene | 45.7   |           | 0.59     | 5.00       | ug/L     |
| 53-70-3                   | Dibenzo(a,h)anthracene | 46.0   |           | 0.67     | 5.00       | ug/L     |
| 191-24-2                  | Benzo(g,h,i)perylene   | 44.9   |           | 0.69     | 5.00       | ug/L     |
| <b>SURROGATES</b>         |                        |        |           |          |            |          |
| 4165-60-0                 | Nitrobenzene-d5        | 72.8   |           | 49 - 133 | 73%        | SPK: 100 |
| 321-60-8                  | 2-Fluorobiphenyl       | 76.3   |           | 52 - 132 | 76%        | SPK: 100 |
| 1718-51-0                 | Terphenyl-d14          | 77.9   |           | 48 - 125 | 78%        | SPK: 100 |
| <b>INTERNAL STANDARDS</b> |                        |        |           |          |            |          |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4 | 115000 |           | 7.652    |            |          |
| 1146-65-2                 | Naphthalene-d8         | 452000 |           | 10.422   |            |          |
| 15067-26-2                | Acenaphthene-d10       | 283000 |           | 14.287   |            |          |
| 1517-22-2                 | Phenanthrene-d10       | 569000 |           | 17.087   |            |          |
| 1719-03-5                 | Chrysene-d12           | 655000 |           | 21.522   |            |          |
| 1520-96-3                 | Perylene-d12           | 755000 |           | 24.821   |            |          |

## Report of Analysis

|                    |                              |                 |               |
|--------------------|------------------------------|-----------------|---------------|
| Client:            | CDM Smith                    | Date Collected: |               |
| Project:           | Con Ed UTEN Mount Vernon, NY | Date Received:  |               |
| Client Sample ID:  | PB168098BS                   | SDG No.:        | Q2075         |
| Lab Sample ID:     | PB168098BS                   | Matrix:         | Water         |
| Analytical Method: | 8270E                        | % Solid:        | 0             |
| Sample Wt/Vol:     | 1000 Units: mL               | Final Vol:      | 1000 uL       |
| Soil Aliquot Vol:  | uL                           | Test:           | SVOCMS Group3 |
| Extraction Type :  | Decanted : N                 | Level :         | LOW           |
| Injection Volume : | GPC Factor : 1.0             | GPC Cleanup :   | N PH :        |
| Prep Method :      | SW3510C                      |                 |               |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| BP024755.D        | 1         | 05/21/25 08:40 | 05/22/25 12:18 | PB168098      |

| CAS Number | Parameter | Conc. | Qualifier | MDL | LOQ / CRQL | Units |
|------------|-----------|-------|-----------|-----|------------|-------|
|------------|-----------|-------|-----------|-----|------------|-------|

U = Not Detected  
 LOQ = Limit of Quantitation  
 MDL = Method Detection Limit  
 LOD = Limit of Detection  
 E = Value Exceeds Calibration Range  
 Q = indicates LCS control criteria did not meet requirements  
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value  
 B = Analyte Found in Associated Method Blank  
 N = Presumptive Evidence of a Compound  
 \* = Values outside of QC limits  
 D = Dilution  
 () = Laboratory InHouse Limit  
 A = Aldol-Condensation Reaction Products

## Report of Analysis

|                    |                              |                 |               |
|--------------------|------------------------------|-----------------|---------------|
| Client:            | CDM Smith                    | Date Collected: |               |
| Project:           | Con Ed UTEN Mount Vernon, NY | Date Received:  |               |
| Client Sample ID:  | PB168098BSD                  | SDG No.:        | Q2075         |
| Lab Sample ID:     | PB168098BSD                  | Matrix:         | Water         |
| Analytical Method: | 8270E                        | % Solid:        | 0             |
| Sample Wt/Vol:     | 1000 Units: mL               | Final Vol:      | 1000 uL       |
| Soil Aliquot Vol:  | uL                           | Test:           | SVOCMS Group3 |
| Extraction Type :  | Decanted : N                 | Level :         | LOW           |
| Injection Volume : | GPC Factor : 1.0             | GPC Cleanup :   | N PH :        |
| Prep Method :      | SW3510C                      |                 |               |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| BP024756.D        | 1         | 05/21/25 08:40 | 05/22/25 12:58 | PB168098      |

| CAS Number                | Parameter              | Conc.  | Qualifier | MDL      | LOQ / CRQL | Units    |
|---------------------------|------------------------|--------|-----------|----------|------------|----------|
| <b>TARGETS</b>            |                        |        |           |          |            |          |
| 91-20-3                   | Naphthalene            | 43.4   |           | 0.50     | 5.00       | ug/L     |
| 208-96-8                  | Acenaphthylene         | 43.6   |           | 0.75     | 5.00       | ug/L     |
| 83-32-9                   | Acenaphthene           | 43.5   |           | 0.55     | 5.00       | ug/L     |
| 86-73-7                   | Fluorene               | 44.9   |           | 0.63     | 5.00       | ug/L     |
| 85-01-8                   | Phenanthrene           | 44.0   |           | 0.50     | 5.00       | ug/L     |
| 120-12-7                  | Anthracene             | 45.1   |           | 0.61     | 5.00       | ug/L     |
| 206-44-0                  | Fluoranthene           | 45.8   |           | 0.82     | 5.00       | ug/L     |
| 129-00-0                  | Pyrene                 | 45.6   |           | 0.50     | 5.00       | ug/L     |
| 56-55-3                   | Benzo(a)anthracene     | 45.5   |           | 0.45     | 5.00       | ug/L     |
| 218-01-9                  | Chrysene               | 44.4   |           | 0.44     | 5.00       | ug/L     |
| 205-99-2                  | Benzo(b)fluoranthene   | 46.7   |           | 0.49     | 5.00       | ug/L     |
| 207-08-9                  | Benzo(k)fluoranthene   | 45.6   |           | 0.48     | 5.00       | ug/L     |
| 50-32-8                   | Benzo(a)pyrene         | 46.1   |           | 0.55     | 5.00       | ug/L     |
| 193-39-5                  | Indeno(1,2,3-cd)pyrene | 44.8   |           | 0.59     | 5.00       | ug/L     |
| 53-70-3                   | Dibenzo(a,h)anthracene | 45.2   |           | 0.67     | 5.00       | ug/L     |
| 191-24-2                  | Benzo(g,h,i)perylene   | 43.9   |           | 0.69     | 5.00       | ug/L     |
| <b>SURROGATES</b>         |                        |        |           |          |            |          |
| 4165-60-0                 | Nitrobenzene-d5        | 73.9   |           | 49 - 133 | 74%        | SPK: 100 |
| 321-60-8                  | 2-Fluorobiphenyl       | 76.8   |           | 52 - 132 | 77%        | SPK: 100 |
| 1718-51-0                 | Terphenyl-d14          | 81.5   |           | 48 - 125 | 81%        | SPK: 100 |
| <b>INTERNAL STANDARDS</b> |                        |        |           |          |            |          |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4 | 126000 |           | 7.652    |            |          |
| 1146-65-2                 | Naphthalene-d8         | 523000 |           | 10.416   |            |          |
| 15067-26-2                | Acenaphthene-d10       | 339000 |           | 14.287   |            |          |
| 1517-22-2                 | Phenanthrene-d10       | 687000 |           | 17.092   |            |          |
| 1719-03-5                 | Chrysene-d12           | 769000 |           | 21.51    |            |          |
| 1520-96-3                 | Perylene-d12           | 836000 |           | 24.786   |            |          |

## Report of Analysis

|                    |                              |                 |               |
|--------------------|------------------------------|-----------------|---------------|
| Client:            | CDM Smith                    | Date Collected: |               |
| Project:           | Con Ed UTEN Mount Vernon, NY | Date Received:  |               |
| Client Sample ID:  | PB168098BSD                  | SDG No.:        | Q2075         |
| Lab Sample ID:     | PB168098BSD                  | Matrix:         | Water         |
| Analytical Method: | 8270E                        | % Solid:        | 0             |
| Sample Wt/Vol:     | 1000 Units: mL               | Final Vol:      | 1000 uL       |
| Soil Aliquot Vol:  | uL                           | Test:           | SVOCMS Group3 |
| Extraction Type :  | Decanted : N                 | Level :         | LOW           |
| Injection Volume : | GPC Factor : 1.0             | GPC Cleanup :   | N PH :        |
| Prep Method :      | SW3510C                      |                 |               |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| BP024756.D        | 1         | 05/21/25 08:40 | 05/22/25 12:58 | PB168098      |

| CAS Number | Parameter | Conc. | Qualifier | MDL | LOQ / CRQL | Units |
|------------|-----------|-------|-----------|-----|------------|-------|
|------------|-----------|-------|-----------|-----|------------|-------|

U = Not Detected  
 LOQ = Limit of Quantitation  
 MDL = Method Detection Limit  
 LOD = Limit of Detection  
 E = Value Exceeds Calibration Range  
 Q = indicates LCS control criteria did not meet requirements  
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value  
 B = Analyte Found in Associated Method Blank  
 N = Presumptive Evidence of a Compound  
 \* = Values outside of QC limits  
 D = Dilution  
 () = Laboratory InHouse Limit  
 A = Aldol-Condensation Reaction Products

## Report of Analysis

|                    |                              |                 |               |
|--------------------|------------------------------|-----------------|---------------|
| Client:            | CDM Smith                    | Date Collected: | 05/15/25      |
| Project:           | Con Ed UTEN Mount Vernon, NY | Date Received:  | 05/16/25      |
| Client Sample ID:  | SS-11MS                      | SDG No.:        | Q2075         |
| Lab Sample ID:     | Q2075-04MS                   | Matrix:         | SOIL          |
| Analytical Method: | 8270E                        | % Solid:        | 87.4          |
| Sample Wt/Vol:     | 30.07 Units: g               | Final Vol:      | 1000 uL       |
| Soil Aliquot Vol:  | uL                           | Test:           | SVOCMS Group3 |
| Extraction Type :  | Decanted : N                 | Level :         | LOW           |
| Injection Volume : | GPC Factor : 1.0             | GPC Cleanup :   | N PH :        |
| Prep Method :      | SW3541                       |                 |               |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| BF142487.D        | 1         | 05/20/25 09:45 | 05/21/25 15:06 | PB168083      |

| CAS Number                | Parameter              | Conc.  | Qualifier | MDL      | LOQ / CRQL | Units(Dry Weight) |
|---------------------------|------------------------|--------|-----------|----------|------------|-------------------|
| <b>TARGETS</b>            |                        |        |           |          |            |                   |
| 91-20-3                   | Naphthalene            | 1600   |           | 25.9     | 190        | ug/Kg             |
| 208-96-8                  | Acenaphthylene         | 1600   |           | 33.0     | 190        | ug/Kg             |
| 83-32-9                   | Acenaphthene           | 1800   |           | 24.3     | 190        | ug/Kg             |
| 86-73-7                   | Fluorene               | 1700   |           | 28.9     | 190        | ug/Kg             |
| 85-01-8                   | Phenanthrene           | 1600   |           | 23.9     | 190        | ug/Kg             |
| 120-12-7                  | Anthracene             | 1700   |           | 38.0     | 190        | ug/Kg             |
| 206-44-0                  | Fluoranthene           | 2200   |           | 34.2     | 190        | ug/Kg             |
| 129-00-0                  | Pyrene                 | 1300   |           | 41.1     | 190        | ug/Kg             |
| 56-55-3                   | Benzo(a)anthracene     | 1700   |           | 26.3     | 190        | ug/Kg             |
| 218-01-9                  | Chrysene               | 1600   |           | 22.7     | 190        | ug/Kg             |
| 205-99-2                  | Benzo(b)fluoranthene   | 1900   |           | 21.7     | 190        | ug/Kg             |
| 207-08-9                  | Benzo(k)fluoranthene   | 1600   |           | 25.6     | 190        | ug/Kg             |
| 50-32-8                   | Benzo(a)pyrene         | 1700   |           | 33.7     | 190        | ug/Kg             |
| 193-39-5                  | Indeno(1,2,3-cd)pyrene | 1400   |           | 33.2     | 190        | ug/Kg             |
| 53-70-3                   | Dibenzo(a,h)anthracene | 1400   |           | 31.3     | 190        | ug/Kg             |
| 191-24-2                  | Benzo(g,h,i)perylene   | 1300   |           | 29.3     | 190        | ug/Kg             |
| <b>SURROGATES</b>         |                        |        |           |          |            |                   |
| 4165-60-0                 | Nitrobenzene-d5        | 60.4   |           | 18 - 107 | 60%        | SPK: 100          |
| 321-60-8                  | 2-Fluorobiphenyl       | 51.6   |           | 20 - 109 | 52%        | SPK: 100          |
| 1718-51-0                 | Terphenyl-d14          | 41.5   |           | 10 - 105 | 41%        | SPK: 100          |
| <b>INTERNAL STANDARDS</b> |                        |        |           |          |            |                   |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4 | 54800  | 6.898     |          |            |                   |
| 1146-65-2                 | Naphthalene-d8         | 201000 | 8.181     |          |            |                   |
| 15067-26-2                | Acenaphthene-d10       | 114000 | 9.939     |          |            |                   |
| 1517-22-2                 | Phenanthrene-d10       | 229000 | 11.427    |          |            |                   |
| 1719-03-5                 | Chrysene-d12           | 211000 | 14.068    |          |            |                   |
| 1520-96-3                 | Perylene-d12           | 176000 | 15.563    |          |            |                   |

## Report of Analysis

|                    |                              |                 |               |
|--------------------|------------------------------|-----------------|---------------|
| Client:            | CDM Smith                    | Date Collected: | 05/15/25      |
| Project:           | Con Ed UTEN Mount Vernon, NY | Date Received:  | 05/16/25      |
| Client Sample ID:  | SS-11MS                      | SDG No.:        | Q2075         |
| Lab Sample ID:     | Q2075-04MS                   | Matrix:         | SOIL          |
| Analytical Method: | 8270E                        | % Solid:        | 87.4          |
| Sample Wt/Vol:     | 30.07      Units: g          | Final Vol:      | 1000      uL  |
| Soil Aliquot Vol:  | uL                           | Test:           | SVOCMS Group3 |
| Extraction Type :  | Decanted : N                 | Level :         | LOW           |
| Injection Volume : | GPC Factor : 1.0             | GPC Cleanup :   | N      PH :   |
| Prep Method :      | SW3541                       |                 |               |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| BF142487.D        | 1         | 05/20/25 09:45 | 05/21/25 15:06 | PB168083      |

| CAS Number | Parameter | Conc. | Qualifier | MDL | LOQ / CRQL | Units |
|------------|-----------|-------|-----------|-----|------------|-------|
|------------|-----------|-------|-----------|-----|------------|-------|

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

## Report of Analysis

|                    |                              |                 |               |
|--------------------|------------------------------|-----------------|---------------|
| Client:            | CDM Smith                    | Date Collected: | 05/15/25      |
| Project:           | Con Ed UTEN Mount Vernon, NY | Date Received:  | 05/16/25      |
| Client Sample ID:  | SS-11MSD                     | SDG No.:        | Q2075         |
| Lab Sample ID:     | Q2075-05MSD                  | Matrix:         | SOIL          |
| Analytical Method: | 8270E                        | % Solid:        | 87.4          |
| Sample Wt/Vol:     | 30.03      Units: g          | Final Vol:      | 1000      uL  |
| Soil Aliquot Vol:  | uL                           | Test:           | SVOCMS Group3 |
| Extraction Type :  | Decanted : N                 | Level :         | LOW           |
| Injection Volume : | GPC Factor : 1.0             | GPC Cleanup :   | N      PH :   |
| Prep Method :      | SW3541                       |                 |               |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| BF142488.D        | 1         | 05/20/25 09:45 | 05/21/25 15:34 | PB168083      |

| CAS Number                | Parameter              | Conc.  | Qualifier | MDL      | LOQ / CRQL | Units(Dry Weight) |
|---------------------------|------------------------|--------|-----------|----------|------------|-------------------|
| <b>TARGETS</b>            |                        |        |           |          |            |                   |
| 91-20-3                   | Naphthalene            | 1600   |           | 25.9     | 190        | ug/Kg             |
| 208-96-8                  | Acenaphthylene         | 1600   |           | 33.0     | 190        | ug/Kg             |
| 83-32-9                   | Acenaphthene           | 1800   |           | 24.3     | 190        | ug/Kg             |
| 86-73-7                   | Fluorene               | 1600   |           | 28.9     | 190        | ug/Kg             |
| 85-01-8                   | Phenanthrene           | 1700   |           | 23.9     | 190        | ug/Kg             |
| 120-12-7                  | Anthracene             | 1700   |           | 38.1     | 190        | ug/Kg             |
| 206-44-0                  | Fluoranthene           | 2300   |           | 34.3     | 190        | ug/Kg             |
| 129-00-0                  | Pyrene                 | 1300   |           | 41.1     | 190        | ug/Kg             |
| 56-55-3                   | Benzo(a)anthracene     | 1600   |           | 26.3     | 190        | ug/Kg             |
| 218-01-9                  | Chrysene               | 1600   |           | 22.7     | 190        | ug/Kg             |
| 205-99-2                  | Benzo(b)fluoranthene   | 1700   |           | 21.7     | 190        | ug/Kg             |
| 207-08-9                  | Benzo(k)fluoranthene   | 1700   |           | 25.6     | 190        | ug/Kg             |
| 50-32-8                   | Benzo(a)pyrene         | 1700   |           | 33.7     | 190        | ug/Kg             |
| 193-39-5                  | Indeno(1,2,3-cd)pyrene | 1400   |           | 33.3     | 190        | ug/Kg             |
| 53-70-3                   | Dibenzo(a,h)anthracene | 1300   |           | 31.3     | 190        | ug/Kg             |
| 191-24-2                  | Benzo(g,h,i)perylene   | 1300   |           | 29.4     | 190        | ug/Kg             |
| <b>SURROGATES</b>         |                        |        |           |          |            |                   |
| 4165-60-0                 | Nitrobenzene-d5        | 59.6   |           | 18 - 107 | 60%        | SPK: 100          |
| 321-60-8                  | 2-Fluorobiphenyl       | 54.4   |           | 20 - 109 | 54%        | SPK: 100          |
| 1718-51-0                 | Terphenyl-d14          | 40.2   |           | 10 - 105 | 40%        | SPK: 100          |
| <b>INTERNAL STANDARDS</b> |                        |        |           |          |            |                   |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4 | 53500  | 6.898     |          |            |                   |
| 1146-65-2                 | Naphthalene-d8         | 192000 | 8.181     |          |            |                   |
| 15067-26-2                | Acenaphthene-d10       | 95700  | 9.939     |          |            |                   |
| 1517-22-2                 | Phenanthrene-d10       | 179000 | 11.427    |          |            |                   |
| 1719-03-5                 | Chrysene-d12           | 174000 | 14.068    |          |            |                   |
| 1520-96-3                 | Perylene-d12           | 148000 | 15.557    |          |            |                   |

## Report of Analysis

|                    |                              |                 |               |
|--------------------|------------------------------|-----------------|---------------|
| Client:            | CDM Smith                    | Date Collected: | 05/15/25      |
| Project:           | Con Ed UTEN Mount Vernon, NY | Date Received:  | 05/16/25      |
| Client Sample ID:  | SS-11MSD                     | SDG No.:        | Q2075         |
| Lab Sample ID:     | Q2075-05MSD                  | Matrix:         | SOIL          |
| Analytical Method: | 8270E                        | % Solid:        | 87.4          |
| Sample Wt/Vol:     | 30.03      Units: g          | Final Vol:      | 1000      uL  |
| Soil Aliquot Vol:  | uL                           | Test:           | SVOCMS Group3 |
| Extraction Type :  | Decanted : N                 | Level :         | LOW           |
| Injection Volume : | GPC Factor : 1.0             | GPC Cleanup :   | N      PH :   |
| Prep Method :      | SW3541                       |                 |               |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| BF142488.D        | 1         | 05/20/25 09:45 | 05/21/25 15:34 | PB168083      |

| CAS Number | Parameter | Conc. | Qualifier | MDL | LOQ / CRQL | Units |
|------------|-----------|-------|-----------|-----|------------|-------|
|------------|-----------|-------|-----------|-----|------------|-------|

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products



# CALIBRATION SUMMARY

Method Path : Z:\svoasrv\HPCHEM1\BNA\_F\Methods\  
 Method File : 8270-BF052025.M  
 Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION  
 Last Update : Tue May 20 16:26:47 2025  
 Response Via : Initial Calibration

## Calibration Files

2.5 =BF142467.D 5 =BF142468.D 10 =BF142469.D 20 =BF142470.D 40 =BF142471.D 50 =BF142472.D 60 =BF142473.D 80 =BF142474.D

| Compound                   | 2.5            | 5     | 10    | 20    | 40    | 50    | 60    | 80    | Avg   | %RSD |
|----------------------------|----------------|-------|-------|-------|-------|-------|-------|-------|-------|------|
| -----                      |                |       |       |       |       |       |       |       |       |      |
| 1) I 1,4-Dichlorobenzen... | -----ISTD----- |       |       |       |       |       |       |       |       |      |
| 2) 1,4-Dioxane             | 0.493          | 0.460 | 0.474 | 0.458 | 0.500 | 0.486 | 0.456 | 0.475 | 3.79  |      |
| 3) Pyridine                | 1.237          | 1.150 | 1.212 | 1.170 | 1.273 | 1.234 | 1.190 | 1.210 | 3.52  |      |
| 4) n-Nitrosodimet...       | 0.612          | 0.593 | 0.627 | 0.619 | 0.673 | 0.652 | 0.621 | 0.628 | 4.21  |      |
| 5) S 2-Fluorophenol        | 1.264          | 1.214 | 1.225 | 1.125 | 1.220 | 1.164 | 1.098 | 1.187 | 5.03  |      |
| 6) Aniline                 | 2.044          | 1.889 | 1.963 | 1.844 | 1.993 | 1.910 | 1.808 | 1.921 | 4.35  |      |
| 7) S Phenol-d6             | 1.530          | 1.449 | 1.459 | 1.367 | 1.467 | 1.403 | 1.328 | 1.429 | 4.77  |      |
| 8) 2-Chlorophenol          | 1.345          | 1.293 | 1.315 | 1.252 | 1.338 | 1.285 | 1.223 | 1.293 | 3.44  |      |
| 9) Benzaldehyde            | 1.035          | 0.975 | 0.969 | 0.817 | 0.872 | 0.758 | 0.591 | 0.859 | 17.81 |      |
| 10) C Phenol               | 1.716          | 1.621 | 1.646 | 1.530 | 1.657 | 1.597 | 1.487 | 1.608 | 4.85  |      |
| 11) bis(2-Chloroet...      | 1.202          | 1.155 | 1.168 | 1.108 | 1.209 | 1.156 | 1.105 | 1.157 | 3.52  |      |
| 12) 1,3-Dichlorobe...      | 1.562          | 1.470 | 1.473 | 1.389 | 1.482 | 1.407 | 1.317 | 1.443 | 5.48  |      |
| 13) C 1,4-Dichlorobe...    | 1.540          | 1.476 | 1.491 | 1.407 | 1.495 | 1.430 | 1.335 | 1.453 | 4.70  |      |
| 14) 1,2-Dichlorobe...      | 1.495          | 1.405 | 1.436 | 1.327 | 1.432 | 1.357 | 1.284 | 1.391 | 5.20  |      |
| 15) Benzyl Alcohol         | 1.059          | 1.024 | 1.058 | 1.021 | 1.131 | 1.073 | 1.026 | 1.056 | 3.69  |      |
| 16) 2,2'-oxybis(1-...      | 2.082          | 1.978 | 1.983 | 1.868 | 2.011 | 1.898 | 1.786 | 1.944 | 5.11  |      |
| 17) 2-Methylphenol         | 1.040          | 0.992 | 1.026 | 0.976 | 1.053 | 1.015 | 0.965 | 1.010 | 3.27  |      |
| 18) Hexachloroethane       | 0.533          | 0.503 | 0.523 | 0.489 | 0.529 | 0.497 | 0.477 | 0.507 | 4.23  |      |
| 19) P n-Nitroso-di-n...    | 0.923          | 0.941 | 0.880 | 0.900 | 0.843 | 0.912 | 0.866 | 0.819 | 0.886 | 4.69 |
| 20) 3+4-Methylphenols      | 1.412          | 1.319 | 1.337 | 1.246 | 1.337 | 1.250 | 1.149 | 1.293 | 6.59  |      |
| -----                      |                |       |       |       |       |       |       |       |       |      |
| 21) I Naphthalene-d8       | -----ISTD----- |       |       |       |       |       |       |       |       |      |
| 22) Acetophenone           | 0.480          | 0.453 | 0.459 | 0.429 | 0.452 | 0.428 | 0.399 | 0.443 | 5.98  |      |
| 23) S Nitrobenzene-d5      | 0.376          | 0.365 | 0.379 | 0.356 | 0.382 | 0.363 | 0.347 | 0.367 | 3.51  |      |
| 24) Nitrobenzene           | 0.338          | 0.328 | 0.338 | 0.323 | 0.343 | 0.331 | 0.316 | 0.331 | 2.94  |      |
| 25) Isophorone             | 0.636          | 0.615 | 0.620 | 0.593 | 0.638 | 0.607 | 0.585 | 0.613 | 3.26  |      |
| 26) C 2-Nitrophenol        | 0.167          | 0.170 | 0.180 | 0.175 | 0.190 | 0.182 | 0.173 | 0.177 | 4.44  |      |
| 27) 2,4-Dimethylph...      | 0.315          | 0.315 | 0.318 | 0.303 | 0.325 | 0.312 | 0.295 | 0.312 | 3.22  |      |
| 28) bis(2-Chloroet...      | 0.406          | 0.394 | 0.394 | 0.364 | 0.391 | 0.375 | 0.358 | 0.383 | 4.63  |      |
| 29) C 2,4-Dichloroph...    | 0.288          | 0.282 | 0.290 | 0.276 | 0.300 | 0.283 | 0.266 | 0.283 | 3.74  |      |
| 30) 1,2,4-Trichlor...      | 0.325          | 0.313 | 0.317 | 0.295 | 0.320 | 0.300 | 0.284 | 0.308 | 4.89  |      |
| 31) Naphthalene            | 1.061          | 1.021 | 1.020 | 0.941 | 1.007 | 0.953 | 0.891 | 0.985 | 5.94  |      |
| 32) Benzoic acid           |                | 0.153 | 0.176 | 0.188 | 0.211 | 0.209 | 0.201 | 0.190 | 11.73 |      |
| 33) 4-Chloroaniline        | 0.424          | 0.409 | 0.416 | 0.389 | 0.415 | 0.397 | 0.343 | 0.399 | 6.87  |      |
| 34) C Hexachlorobuta...    | 0.203          | 0.192 | 0.197 | 0.187 | 0.198 | 0.192 | 0.176 | 0.192 | 4.52  |      |
| 35) Caprolactam            | 0.081          | 0.076 | 0.083 | 0.079 | 0.085 | 0.078 | 0.076 | 0.080 | 4.29  |      |
| 36) C 4-Chloro-3-met...    | 0.304          | 0.290 | 0.299 | 0.282 | 0.301 | 0.287 | 0.271 | 0.291 | 4.02  |      |
| 37) 2-Methylnaphth...      | 0.679          | 0.638 | 0.646 | 0.590 | 0.631 | 0.598 | 0.556 | 0.620 | 6.62  |      |
| 38) 1-Methylnaphth...      | 0.703          | 0.668 | 0.672 | 0.615 | 0.650 | 0.611 | 0.566 | 0.641 | 7.19  |      |

Method Path : Z:\svoasrv\HPCHEM1\BNA\_F\Methods\  
 Method File : 8270-BF052025.M

|       |                    |                |       |       |       |       |       |       |       |       |  |
|-------|--------------------|----------------|-------|-------|-------|-------|-------|-------|-------|-------|--|
| 39) I | Acenaphthene-d10   | -----ISTD----- |       |       |       |       |       |       |       |       |  |
| 40)   | 1,2,4,5-Tetrac...  | 0.592          | 0.580 | 0.588 | 0.552 | 0.592 | 0.573 | 0.544 | 0.574 | 3.39  |  |
| 41) P | Hexachlorocycl...  | 0.318          | 0.350 | 0.383 | 0.393 | 0.430 | 0.425 | 0.411 | 0.387 | 10.57 |  |
| 42) S | 2,4,6-Tribromo...  | 0.230          | 0.225 | 0.234 | 0.211 | 0.233 | 0.218 | 0.202 | 0.222 | 5.39  |  |
| 43) C | 2,4,6-Trichlor...  | 0.387          | 0.373 | 0.406 | 0.371 | 0.406 | 0.388 | 0.379 | 0.387 | 3.69  |  |
| 44)   | 2,4,5-Trichlor...  | 0.410          | 0.411 | 0.416 | 0.395 | 0.437 | 0.408 | 0.381 | 0.408 | 4.27  |  |
| 45) S | 2-Fluorobiphenyl   | 1.726          | 1.619 | 1.558 | 1.387 | 1.480 | 1.396 | 1.268 | 1.490 | 10.46 |  |
| 46)   | 1,1'-Biphenyl      | 1.672          | 1.605 | 1.595 | 1.480 | 1.595 | 1.507 | 1.408 | 1.552 | 5.82  |  |
| 47)   | 2-Chloronaphth...  | 1.218          | 1.170 | 1.177 | 1.094 | 1.183 | 1.122 | 1.061 | 1.146 | 4.84  |  |
| 48)   | 2-Nitroaniline     | 0.333          | 0.318 | 0.338 | 0.324 | 0.354 | 0.332 | 0.320 | 0.331 | 3.72  |  |
| 49)   | Acenaphthylene     | 2.064          | 1.982 | 2.027 | 1.851 | 1.998 | 1.885 | 1.745 | 1.936 | 5.85  |  |
| 50)   | Dimethylphthalate  | 1.441          | 1.340 | 1.367 | 1.255 | 1.366 | 1.256 | 1.211 | 1.320 | 6.16  |  |
| 51)   | 2,6-Dinitrotol...  | 0.290          | 0.283 | 0.289 | 0.280 | 0.302 | 0.281 | 0.268 | 0.285 | 3.74  |  |
| 52) C | Acenaphthene       | 1.259          | 1.222 | 1.227 | 1.120 | 1.223 | 1.146 | 1.077 | 1.182 | 5.72  |  |
| 53)   | 3-Nitroaniline     | 0.320          | 0.309 | 0.327 | 0.299 | 0.330 | 0.305 | 0.287 | 0.311 | 5.02  |  |
| 54) P | 2,4-Dinitrophenol  | 0.110          | 0.137 | 0.149 | 0.169 | 0.160 | 0.158 | 0.147 |       | 14.36 |  |
| 55)   | Dibenzofuran       | 1.886          | 1.766 | 1.768 | 1.606 | 1.736 | 1.635 | 1.509 | 1.701 | 7.38  |  |
| 56) P | 4-Nitrophenol      | 0.221          | 0.217 | 0.242 | 0.227 | 0.252 | 0.229 | 0.220 | 0.230 | 5.57  |  |
| 57)   | 2,4-Dinitrotol...  | 0.372          | 0.367 | 0.387 | 0.364 | 0.398 | 0.372 | 0.344 | 0.372 | 4.62  |  |
| 58)   | Fluorene           | 1.477          | 1.399 | 1.372 | 1.231 | 1.343 | 1.238 | 1.140 | 1.314 | 8.85  |  |
| 59)   | 2,3,4,6-Tetrac...  | 0.347          | 0.336 | 0.360 | 0.333 | 0.361 | 0.333 | 0.317 | 0.341 | 4.71  |  |
| 60)   | Diethylphthalate   | 1.422          | 1.310 | 1.359 | 1.231 | 1.343 | 1.218 | 1.140 | 1.289 | 7.51  |  |
| 61)   | 4-Chlorophenyl...  | 0.724          | 0.678 | 0.676 | 0.609 | 0.653 | 0.612 | 0.566 | 0.646 | 8.25  |  |
| 62)   | 4-Nitroaniline     | 0.303          | 0.283 | 0.303 | 0.277 | 0.294 | 0.265 | 0.251 | 0.282 | 6.95  |  |
| 63)   | Azobenzene         | 1.239          | 1.194 | 1.188 | 1.107 | 1.197 | 1.123 | 1.055 | 1.158 | 5.55  |  |
| 64) I | Phenanthrene-d10   | -----ISTD----- |       |       |       |       |       |       |       |       |  |
| 65)   | 4,6-Dinitro-2-...  | 0.086          | 0.094 | 0.110 | 0.115 | 0.129 | 0.125 | 0.123 | 0.112 | 14.72 |  |
| 66) c | n-Nitrosodiphe...  | 0.712          | 0.682 | 0.696 | 0.649 | 0.697 | 0.694 | 0.660 | 0.684 | 3.30  |  |
| 67)   | 4-Bromophenyl-...  | 0.240          | 0.235 | 0.239 | 0.222 | 0.246 | 0.243 | 0.230 | 0.236 | 3.45  |  |
| 68)   | Hexachlorobenzene  | 0.265          | 0.267 | 0.263 | 0.251 | 0.273 | 0.262 | 0.250 | 0.262 | 3.19  |  |
| 69)   | Atrazine           | 0.184          | 0.174 | 0.186 | 0.178 | 0.196 | 0.181 | 0.174 | 0.182 | 4.29  |  |
| 70) C | Pentachlorophenol  | 0.130          | 0.135 | 0.149 | 0.147 | 0.162 | 0.157 | 0.154 | 0.148 | 7.88  |  |
| 71)   | Phenanthrene       | 1.196          | 1.094 | 1.100 | 1.012 | 1.085 | 1.033 | 0.964 | 1.069 | 7.00  |  |
| 72)   | Anthracene         | 1.191          | 1.132 | 1.124 | 1.036 | 1.110 | 1.048 | 0.996 | 1.091 | 6.15  |  |
| 73)   | Carbazole          | 1.030          | 0.968 | 0.982 | 0.889 | 0.950 | 0.877 | 0.832 | 0.933 | 7.39  |  |
| 74)   | Di-n-butylphth...  | 1.108          | 1.039 | 1.083 | 0.976 | 1.059 | 0.974 | 0.908 | 1.021 | 6.95  |  |
| 75) C | Fluoranthene       | 1.177          | 1.081 | 1.052 | 0.938 | 0.997 | 0.901 | 0.846 | 0.999 | 11.41 |  |
| 76) I | Chrysene-d12       | -----ISTD----- |       |       |       |       |       |       |       |       |  |
| 77)   | Benzidine          | 0.670          | 0.782 | 0.903 | 0.797 | 0.805 | 0.698 | 0.556 | 0.744 | 15.12 |  |
| 78)   | Pyrene             | 1.929          | 1.967 | 2.066 | 1.859 | 1.959 | 1.773 | 1.507 | 1.866 | 9.79  |  |
| 79) S | Terphenyl-d14      | 1.624          | 1.582 | 1.660 | 1.423 | 1.492 | 1.337 | 1.126 | 1.464 | 12.80 |  |
| 80)   | Butylbenzylphth... | 0.462          | 0.453 | 0.525 | 0.526 | 0.575 | 0.550 | 0.517 | 0.516 | 8.54  |  |
| 81)   | Benzo(a)anthra...  | 1.424          | 1.287 | 1.403 | 1.278 | 1.391 | 1.327 | 1.238 | 1.336 | 5.36  |  |
| 82)   | 3,3'-Dichlorob...  | 0.360          | 0.364 | 0.402 | 0.407 | 0.444 | 0.442 | 0.417 | 0.405 | 8.30  |  |
| 83)   | Chrysene           | 1.222          | 1.204 | 1.193 | 1.145 | 1.255 | 1.223 | 1.158 | 1.200 | 3.20  |  |
| 84)   | Bis(2-ethylhex...  | 0.510          | 0.548 | 0.618 | 0.673 | 0.765 | 0.778 | 0.727 | 0.660 | 15.91 |  |
| 85) c | Di-n-octyl pht...  | 0.958          | 1.108 | 1.266 | 1.432 | 1.542 | 1.437 | 1.290 |       | 17.30 |  |

Method Path : Z:\svoasrv\HPCHEM1\BNA\_F\Methods\  
Method File : 8270-BF052025.M

|       |                   |                |       |       |       |       |       |       |       |      |
|-------|-------------------|----------------|-------|-------|-------|-------|-------|-------|-------|------|
| 86) I | Perylene-d12      | -----ISTD----- |       |       |       |       |       |       |       |      |
| 87)   | Indeno(1,2,3-c... | 1.421          | 1.495 | 1.583 | 1.448 | 1.583 | 1.546 | 1.434 | 1.501 | 4.64 |
| 88)   | Benzo(b)fluora... | 1.317          | 1.105 | 1.293 | 1.126 | 1.209 | 1.122 | 1.114 | 1.184 | 7.62 |
| 89)   | Benzo(k)fluora... | 1.191          | 1.166 | 1.032 | 1.042 | 1.178 | 1.128 | 1.023 | 1.109 | 6.68 |
| 90) C | Benzo(a)pyrene    | 1.154          | 1.081 | 1.114 | 1.081 | 1.185 | 1.133 | 1.062 | 1.116 | 4.00 |
| 91)   | Dibenzo(a,h)an... | 1.152          | 1.228 | 1.275 | 1.184 | 1.290 | 1.245 | 1.149 | 1.218 | 4.67 |
| 92)   | Benzo(g,h,i)pe... | 1.154          | 1.220 | 1.270 | 1.180 | 1.299 | 1.245 | 1.158 | 1.218 | 4.64 |

(#) = Out of Range

Method Path : Z:\svoasrv\HPCHEM1\BNA\_P\Methods\  
 Method File : 8270E-BP051325.M  
 Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION  
 Last Update : Tue May 13 16:21:39 2025  
 Response Via : Initial Calibration

## Calibration Files

2.5 =BP024614.D 5 =BP024615.D 10 =BP024616.D 20 =BP024617.D 40 =BP024618.D 50 =BP024619.D 60 =BP024620.D 80 =BP024621.D

| Compound                   | 2.5            | 5     | 10    | 20    | 40    | 50    | 60    | 80    | Avg   | %RSD |
|----------------------------|----------------|-------|-------|-------|-------|-------|-------|-------|-------|------|
| -----                      |                |       |       |       |       |       |       |       |       |      |
| 1) I 1,4-Dichlorobenzen... | -----ISTD----- |       |       |       |       |       |       |       |       |      |
| 2) 1,4-Dioxane             | 0.641          | 0.557 | 0.535 | 0.505 | 0.562 | 0.530 | 0.513 | 0.549 | 8.31  |      |
| 3) Pyridine                | 1.054          | 1.135 | 1.202 | 1.198 | 1.363 | 1.307 | 1.263 | 1.218 | 8.57  |      |
| 4) n-Nitrosodimet...       | 0.536          | 0.507 | 0.527 | 0.517 | 0.580 | 0.557 | 0.537 | 0.538 | 4.61  |      |
| 5) S 2-Fluorophenol        | 1.134          | 1.096 | 1.162 | 1.105 | 1.272 | 1.223 | 1.193 | 1.169 | 5.50  |      |
| 6) Aniline                 | 1.717          | 1.703 | 1.932 | 1.917 | 2.130 | 2.091 | 1.999 | 1.927 | 8.67  |      |
| 7) S Phenol-d6             | 1.301          | 1.344 | 1.486 | 1.472 | 1.671 | 1.620 | 1.552 | 1.492 | 9.09  |      |
| 8) 2-Chlorophenol          | 1.200          | 1.204 | 1.311 | 1.303 | 1.465 | 1.433 | 1.376 | 1.327 | 7.83  |      |
| 9) Benzaldehyde            | 0.991          | 1.008 | 1.046 | 0.955 | 1.043 | 0.954 | 0.766 | 0.966 | 9.91  |      |
| 10) C Phenol               | 1.373          | 1.401 | 1.526 | 1.509 | 1.707 | 1.670 | 1.597 | 1.540 | 8.24  |      |
| 11) bis(2-Chloroet...      | 1.317          | 1.170 | 1.257 | 1.213 | 1.357 | 1.299 | 1.247 | 1.266 | 5.04  |      |
| 12) 1,3-Dichlorobe...      | 1.596          | 1.487 | 1.520 | 1.440 | 1.622 | 1.546 | 1.480 | 1.527 | 4.29  |      |
| 13) C 1,4-Dichlorobe...    | 1.558          | 1.505 | 1.525 | 1.470 | 1.637 | 1.567 | 1.491 | 1.536 | 3.67  |      |
| 14) 1,2-Dichlorobe...      | 1.530          | 1.467 | 1.498 | 1.426 | 1.579 | 1.529 | 1.449 | 1.497 | 3.56  |      |
| 15) Benzyl Alcohol         | 0.883          | 0.950 | 1.128 | 1.149 | 1.306 | 1.288 | 1.236 | 1.134 | 14.43 |      |
| 16) 2,2'-oxybis(1-...      | 1.543          | 1.445 | 1.520 | 1.467 | 1.617 | 1.564 | 1.454 | 1.516 | 4.22  |      |
| 17) 2-Methylphenol         | 0.966          | 0.949 | 1.105 | 1.099 | 1.246 | 1.213 | 1.154 | 1.105 | 10.30 |      |
| 18) Hexachloroethane       | 0.606          | 0.591 | 0.582 | 0.551 | 0.623 | 0.597 | 0.570 | 0.589 | 4.04  |      |
| 19) P n-Nitroso-di-n...    | 0.880          | 0.977 | 0.967 | 1.086 | 1.048 | 1.142 | 1.132 | 1.026 | 1.032 | 8.63 |
| 20) 3+4-Methylphenols      | 1.221          | 1.302 | 1.503 | 1.515 | 1.702 | 1.692 | 1.584 | 1.503 | 12.21 |      |
|                            |                |       |       |       |       |       |       |       |       |      |
| 21) I Naphthalene-d8       | -----ISTD----- |       |       |       |       |       |       |       |       |      |
| 22) Acetophenone           | 0.486          | 0.481 | 0.511 | 0.483 | 0.534 | 0.512 | 0.491 | 0.500 | 3.97  |      |
| 23) S Nitrobenzene-d5      | 0.381          | 0.376 | 0.401 | 0.382 | 0.429 | 0.408 | 0.394 | 0.396 | 4.67  |      |
| 24) Nitrobenzene           | 0.333          | 0.340 | 0.355 | 0.337 | 0.373 | 0.356 | 0.344 | 0.348 | 4.03  |      |
| 25) Isophorone             | 0.644          | 0.640 | 0.695 | 0.673 | 0.753 | 0.721 | 0.682 | 0.687 | 5.91  |      |
| 26) C 2-Nitrophenol        | 0.135          | 0.143 | 0.168 | 0.172 | 0.196 | 0.192 | 0.189 | 0.171 | 14.05 |      |
| 27) 2,4-Dimethylph...      | 0.273          | 0.279 | 0.300 | 0.298 | 0.329 | 0.318 | 0.309 | 0.301 | 6.60  |      |
| 28) bis(2-Chloroet...      | 0.403          | 0.391 | 0.411 | 0.399 | 0.443 | 0.419 | 0.405 | 0.410 | 4.15  |      |
| 29) C 2,4-Dichloroph...    | 0.250          | 0.258 | 0.290 | 0.291 | 0.327 | 0.316 | 0.309 | 0.292 | 9.96  |      |
| 30) 1,2,4-Trichlor...      | 0.346          | 0.322 | 0.327 | 0.306 | 0.347 | 0.329 | 0.323 | 0.329 | 4.33  |      |
| 31) Naphthalene            | 1.064          | 1.026 | 1.049 | 0.980 | 1.091 | 1.037 | 1.007 | 1.036 | 3.54  |      |
| 32) Benzoic acid           |                | 0.089 | 0.146 | 0.191 | 0.215 | 0.220 | 0.225 | 0.181 | 29.55 |      |
| 33) 4-Chloroaniline        | 0.348          | 0.371 | 0.420 | 0.418 | 0.465 | 0.462 | 0.442 | 0.418 | 10.62 |      |
| 34) C Hexachlorobuta...    | 0.231          | 0.214 | 0.211 | 0.198 | 0.222 | 0.209 | 0.206 | 0.213 | 5.08  |      |
| 35) Caprolactam            | 0.082          | 0.092 | 0.104 | 0.109 | 0.121 | 0.121 | 0.110 | 0.106 | 13.80 |      |
| 36) C 4-Chloro-3-met...    | 0.316          | 0.325 | 0.358 | 0.356 | 0.391 | 0.384 | 0.359 | 0.356 | 7.78  |      |
| 37) 2-Methylnaphth...      | 0.673          | 0.654 | 0.670 | 0.640 | 0.713 | 0.693 | 0.654 | 0.671 | 3.73  |      |
| 38) 1-Methylnaphth...      | 0.741          | 0.700 | 0.720 | 0.690 | 0.751 | 0.733 | 0.690 | 0.718 | 3.47  |      |

Method Path : Z:\svoasrv\HPCHEM1\BNA\_P\Methods\  
 Method File : 8270E-BP051325.M

|       |                    |                |       |       |       |       |       |       |       |       |  |
|-------|--------------------|----------------|-------|-------|-------|-------|-------|-------|-------|-------|--|
| 39) I | Acenaphthene-d10   | -----ISTD----- |       |       |       |       |       |       |       |       |  |
| 40)   | 1,2,4,5-Tetrac...  | 0.593          | 0.558 | 0.574 | 0.549 | 0.625 | 0.580 | 0.586 | 0.581 | 4.26  |  |
| 41) P | Hexachlorocycl...  | 0.250          | 0.276 | 0.350 | 0.356 | 0.420 | 0.391 | 0.421 | 0.352 | 19.02 |  |
| 42) S | 2,4,6-Tribromo...  | 0.324          | 0.321 | 0.335 | 0.323 | 0.369 | 0.357 | 0.346 | 0.339 | 5.49  |  |
| 43) C | 2,4,6-Trichlor...  | 0.305          | 0.341 | 0.375 | 0.371 | 0.428 | 0.410 | 0.402 | 0.376 | 11.29 |  |
| 44)   | 2,4,5-Trichlor...  | 0.376          | 0.375 | 0.418 | 0.404 | 0.471 | 0.447 | 0.440 | 0.419 | 8.68  |  |
| 45) S | 2-Fluorobiphenyl   | 1.601          | 1.498 | 1.553 | 1.432 | 1.602 | 1.515 | 1.485 | 1.527 | 4.10  |  |
| 46)   | 1,1'-Biphenyl      | 1.524          | 1.434 | 1.492 | 1.383 | 1.586 | 1.473 | 1.456 | 1.478 | 4.40  |  |
| 47)   | 2-Chloronaphth...  | 1.147          | 1.106 | 1.131 | 1.065 | 1.196 | 1.132 | 1.113 | 1.127 | 3.56  |  |
| 48)   | 2-Nitroaniline     | 0.279          | 0.304 | 0.331 | 0.335 | 0.381 | 0.364 | 0.343 | 0.334 | 10.28 |  |
| 49)   | Acenaphthylene     | 1.845          | 1.818 | 1.920 | 1.804 | 2.029 | 1.930 | 1.856 | 1.886 | 4.19  |  |
| 50)   | Dimethylphthalate  | 1.570          | 1.527 | 1.518 | 1.450 | 1.611 | 1.535 | 1.460 | 1.524 | 3.73  |  |
| 51)   | 2,6-Dinitrotol...  | 0.299          | 0.308 | 0.326 | 0.312 | 0.354 | 0.337 | 0.319 | 0.322 | 5.75  |  |
| 52) C | Acenaphthene       | 1.105          | 1.054 | 1.094 | 1.028 | 1.159 | 1.099 | 1.052 | 1.084 | 4.02  |  |
| 53)   | 3-Nitroaniline     | 0.258          | 0.275 | 0.329 | 0.340 | 0.379 | 0.370 | 0.350 | 0.329 | 14.04 |  |
| 54) P | 2,4-Dinitrophenol  | 0.098          | 0.143 | 0.172 | 0.201 | 0.201 | 0.201 | 0.169 |       | 24.79 |  |
| 55)   | Dibenzofuran       | 1.810          | 1.716 | 1.740 | 1.633 | 1.816 | 1.733 | 1.658 | 1.730 | 4.00  |  |
| 56) P | 4-Nitrophenol      | 0.159          | 0.222 | 0.257 | 0.299 | 0.288 | 0.274 | 0.250 |       | 20.82 |  |
| 57)   | 2,4-Dinitrotol...  | 0.400          | 0.422 | 0.456 | 0.454 | 0.508 | 0.483 | 0.454 | 0.454 | 7.87  |  |
| 58)   | Fluorene           | 1.466          | 1.415 | 1.410 | 1.336 | 1.494 | 1.410 | 1.341 | 1.410 | 4.14  |  |
| 59)   | 2,3,4,6-Tetrac...  | 0.367          | 0.364 | 0.381 | 0.379 | 0.428 | 0.406 | 0.394 | 0.388 | 5.89  |  |
| 60)   | Diethylphthalate   | 1.593          | 1.542 | 1.537 | 1.444 | 1.639 | 1.563 | 1.468 | 1.541 | 4.40  |  |
| 61)   | 4-Chlorophenyl...  | 0.752          | 0.697 | 0.700 | 0.656 | 0.741 | 0.709 | 0.668 | 0.703 | 5.01  |  |
| 62)   | 4-Nitroaniline     | 0.228          | 0.259 | 0.326 | 0.330 | 0.375 | 0.363 | 0.341 | 0.317 | 17.06 |  |
| 63)   | Azobenzene         | 1.327          | 1.299 | 1.356 | 1.250 | 1.407 | 1.343 | 1.243 | 1.318 | 4.45  |  |
| 64) I | Phenanthrene-d10   | -----ISTD----- |       |       |       |       |       |       |       |       |  |
| 65)   | 4,6-Dinitro-2-...  | 0.094          | 0.120 | 0.129 | 0.149 | 0.143 | 0.141 | 0.129 |       | 15.64 |  |
| 66) c | n-Nitrosodiphe...  | 0.603          | 0.589 | 0.627 | 0.593 | 0.667 | 0.621 | 0.600 | 0.614 | 4.41  |  |
| 67)   | 4-Bromophenyl-...  | 0.231          | 0.223 | 0.237 | 0.226 | 0.252 | 0.242 | 0.240 | 0.236 | 4.31  |  |
| 68)   | Hexachlorobenzene  | 0.303          | 0.288 | 0.298 | 0.282 | 0.321 | 0.304 | 0.300 | 0.299 | 4.25  |  |
| 69)   | Atrazine           | 0.210          | 0.209 | 0.227 | 0.218 | 0.248 | 0.237 | 0.226 | 0.225 | 6.32  |  |
| 70) C | Pentachlorophenol  | 0.124          | 0.137 | 0.163 | 0.172 | 0.198 | 0.191 | 0.192 | 0.168 | 17.12 |  |
| 71)   | Phenanthrene       | 1.144          | 1.085 | 1.125 | 1.051 | 1.170 | 1.125 | 1.083 | 1.112 | 3.68  |  |
| 72)   | Anthracene         | 1.097          | 1.064 | 1.142 | 1.075 | 1.205 | 1.139 | 1.108 | 1.119 | 4.31  |  |
| 73)   | Carbazole          | 0.923          | 0.944 | 1.039 | 1.001 | 1.114 | 1.053 | 1.013 | 1.012 | 6.43  |  |
| 74)   | Di-n-butylphth...  | 1.182          | 1.218 | 1.332 | 1.260 | 1.447 | 1.363 | 1.313 | 1.302 | 6.97  |  |
| 75) C | Fluoranthene       | 1.271          | 1.254 | 1.314 | 1.250 | 1.399 | 1.337 | 1.272 | 1.300 | 4.18  |  |
| 76) I | Chrysene-d12       | -----ISTD----- |       |       |       |       |       |       |       |       |  |
| 77)   | Benzidine          | 0.362          | 0.543 | 0.560 | 0.657 | 0.599 | 0.548 | 0.545 |       | 18.22 |  |
| 78)   | Pyrene             | 1.184          | 1.137 | 1.197 | 1.153 | 1.273 | 1.222 | 1.223 | 1.198 | 3.85  |  |
| 79) S | Terphenyl-d14      | 1.192          | 1.113 | 1.165 | 1.125 | 1.226 | 1.175 | 1.167 | 1.166 | 3.30  |  |
| 80)   | Butylbenzylphth... | 0.458          | 0.465 | 0.537 | 0.527 | 0.604 | 0.571 | 0.569 | 0.533 | 10.28 |  |
| 81)   | Benzo(a)anthra...  | 1.251          | 1.218 | 1.253 | 1.208 | 1.336 | 1.275 | 1.250 | 1.256 | 3.36  |  |
| 82)   | 3,3'-Dichlorob...  | 0.357          | 0.392 | 0.474 | 0.477 | 0.539 | 0.511 | 0.514 | 0.466 | 14.45 |  |
| 83)   | Chrysene           | 1.214          | 1.180 | 1.185 | 1.131 | 1.255 | 1.188 | 1.180 | 1.190 | 3.16  |  |
| 84)   | Bis(2-ethylhex...  | 0.673          | 0.683 | 0.801 | 0.766 | 0.884 | 0.836 | 0.841 | 0.783 | 10.32 |  |
| 85) c | Di-n-octyl pht...  | 1.048          | 1.116 | 1.272 | 1.280 | 1.458 | 1.376 | 1.417 | 1.281 | 11.95 |  |

Method Path : Z:\svoasrv\HPCHEM1\BNA\_P\Methods\  
Method File : 8270E-BP051325.M

|       |                   |                |       |       |       |       |       |       |       |      |
|-------|-------------------|----------------|-------|-------|-------|-------|-------|-------|-------|------|
| 86) I | Perylene-d12      | -----ISTD----- |       |       |       |       |       |       |       |      |
| 87)   | Indeno(1,2,3-c... | 1.341          | 1.357 | 1.447 | 1.424 | 1.608 | 1.549 | 1.494 | 1.460 | 6.70 |
| 88)   | Benzo(b)fluora... | 1.028          | 1.070 | 1.152 | 1.103 | 1.288 | 1.184 | 1.189 | 1.145 | 7.58 |
| 89)   | Benzo(k)fluora... | 1.147          | 1.106 | 1.182 | 1.140 | 1.258 | 1.238 | 1.185 | 1.180 | 4.59 |
| 90) C | Benzo(a)pyrene    | 0.995          | 1.001 | 1.112 | 1.064 | 1.221 | 1.167 | 1.136 | 1.099 | 7.68 |
| 91)   | Dibenzo(a,h)an... | 1.068          | 1.066 | 1.186 | 1.167 | 1.321 | 1.271 | 1.236 | 1.188 | 8.18 |
| 92)   | Benzo(g,h,i)pe... | 1.101          | 1.106 | 1.167 | 1.147 | 1.294 | 1.242 | 1.212 | 1.181 | 6.07 |

-----  
(#) = Out of Range

7C

SEMIVOLATILE CONTINUING CALIBRATION CHECK

Lab Name: CHEMTECH Contract: CAMP02

Lab Code: CHEM Case No.: Q2075 SAS No.: Q2075 SDG No.: Q2075

Instrument ID: BNA\_F Calibration Date/Time: 05/21/2025 10:40

Lab File ID: BF142478.D Init. Calib. Date(s): 05/20/2025 05/20/2025

EPA Sample No.: SSTDCCC040 Init. Calib. Time(s): 12:10 15:31

GC Column: DB-UI ID: 0.18 (mm)

| COMPOUND                 | RRF   | RRF040 | MIN<br>RRF | %D    | MAX%D |
|--------------------------|-------|--------|------------|-------|-------|
| 2-Fluorophenol           | 1.187 | 1.087  |            | -8.4  |       |
| Phenol-d6                | 1.429 | 1.358  |            | -5.0  |       |
| Nitrobenzene-d5          | 0.367 | 0.343  |            | -6.5  |       |
| Naphthalene              | 0.985 | 0.928  |            | -5.8  |       |
| 2-Fluorobiphenyl         | 1.490 | 1.373  |            | -7.9  |       |
| Acenaphthylene           | 1.936 | 1.795  |            | -7.3  |       |
| Acenaphthene             | 1.182 | 1.125  |            | -4.8  | 20.0  |
| Fluorene                 | 1.314 | 1.229  |            | -6.5  |       |
| 2,4,6-Tribromophenol     | 0.222 | 0.225  |            | 1.4   |       |
| Phenanthrene             | 1.069 | 0.989  |            | -7.5  |       |
| Anthracene               | 1.091 | 1.022  |            | -6.3  |       |
| Fluoranthene             | 0.999 | 0.984  |            | -1.5  | 20.0  |
| Pyrene                   | 1.866 | 1.932  |            | 3.5   |       |
| Terphenyl-d14            | 1.464 | 1.466  |            | 0.1   |       |
| Benzo (a) anthracene     | 1.336 | 1.289  |            | -3.5  |       |
| Chrysene                 | 1.200 | 1.116  |            | -7.0  |       |
| Benzo (b) fluoranthene   | 1.184 | 1.216  |            | 2.7   |       |
| Benzo (k) fluoranthene   | 1.109 | 0.996  |            | -10.2 |       |
| Benzo (a) pyrene         | 1.116 | 1.061  |            | -4.9  | 20.0  |
| Indeno (1,2,3-cd) pyrene | 1.501 | 1.409  |            | -6.1  |       |
| Dibenzo (a,h) anthracene | 1.218 | 1.156  |            | -5.1  |       |
| Benzo (g,h,i) perylene   | 1.218 | 1.202  |            | -1.3  |       |

All other compounds must meet a minimum RRF of 0.010.

7C

SEMIVOLATILE CONTINUING CALIBRATION CHECK

Lab Name: CHEMTECH Contract: CAMP02  
Lab Code: CHEM Case No.: Q2075 SAS No.: Q2075 SDG No.: Q2075  
Instrument ID: BNA\_F Calibration Date/Time: 05/22/2025 11:11  
Lab File ID: BF142502.D Init. Calib. Date(s): 05/20/2025 05/20/2025  
EPA Sample No.: SSTDCCC040 Init. Calib. Time(s): 12:10 15:31  
GC Column: DB-UI ID: 0.18 (mm)

| COMPOUND                 | RRF   | RRF040 | MIN<br>RRF | %D    | MAX%D |
|--------------------------|-------|--------|------------|-------|-------|
| 2-Fluorophenol           | 1.187 | 1.158  |            | -2.4  |       |
| Phenol-d6                | 1.429 | 1.379  |            | -3.5  |       |
| Nitrobenzene-d5          | 0.367 | 0.356  |            | -3.0  |       |
| Naphthalene              | 0.985 | 0.939  |            | -4.7  |       |
| 2-Fluorobiphenyl         | 1.490 | 1.389  |            | -6.8  |       |
| Acenaphthylene           | 1.936 | 1.864  |            | -3.7  |       |
| Acenaphthene             | 1.182 | 1.118  |            | -5.4  | 20.0  |
| Fluorene                 | 1.314 | 1.233  |            | -6.2  |       |
| 2,4,6-Tribromophenol     | 0.222 | 0.208  |            | -6.3  |       |
| Phenanthrene             | 1.069 | 1.009  |            | -5.6  |       |
| Anthracene               | 1.091 | 1.031  |            | -5.5  |       |
| Fluoranthene             | 0.999 | 0.878  |            | -12.1 | 20.0  |
| Pyrene                   | 1.866 | 1.705  |            | -8.6  |       |
| Terphenyl-d14            | 1.464 | 1.259  |            | -14.0 |       |
| Benzo (a) anthracene     | 1.336 | 1.258  |            | -5.8  |       |
| Chrysene                 | 1.200 | 1.136  |            | -5.3  |       |
| Benzo (b) fluoranthene   | 1.184 | 1.087  |            | -8.2  |       |
| Benzo (k) fluoranthene   | 1.109 | 1.044  |            | -5.9  |       |
| Benzo (a) pyrene         | 1.116 | 1.078  |            | -3.4  | 20.0  |
| Indeno (1,2,3-cd) pyrene | 1.501 | 1.416  |            | -5.7  |       |
| Dibenzo (a,h) anthracene | 1.218 | 1.143  |            | -6.2  |       |
| Benzo (g,h,i) perylene   | 1.218 | 1.144  |            | -6.1  |       |

All other compounds must meet a minimum RRF of 0.010.

7C

SEMIVOLATILE CONTINUING CALIBRATION CHECK

Lab Name: CHEMTECH Contract: CAMP02  
Lab Code: CHEM Case No.: Q2075 SAS No.: Q2075 SDG No.: Q2075  
Instrument ID: BNA\_P Calibration Date/Time: 05/21/2025 14:48  
Lab File ID: BP024737.D Init. Calib. Date(s): 05/13/2025 05/13/2025  
EPA Sample No.: SSTDCCC040 Init. Calib. Time(s): 10:41 15:26  
GC Column: ZB-GR ID: 0.25 (mm)

| COMPOUND                 | RRF   | RRF040 | MIN<br>RRF | %D    | MAX%D |
|--------------------------|-------|--------|------------|-------|-------|
| 2-Fluorophenol           | 1.169 | 1.095  |            | -6.3  |       |
| Phenol-d6                | 1.492 | 1.334  |            | -10.6 |       |
| Nitrobenzene-d5          | 0.396 | 0.360  |            | -9.1  |       |
| Naphthalene              | 1.036 | 1.000  |            | -3.5  |       |
| 2-Fluorobiphenyl         | 1.527 | 1.480  |            | -3.1  |       |
| Acenaphthylene           | 1.886 | 1.807  |            | -4.2  |       |
| Acenaphthene             | 1.084 | 1.033  |            | -4.7  | 20.0  |
| Fluorene                 | 1.410 | 1.271  |            | -9.9  |       |
| 2,4,6-Tribromophenol     | 0.339 | 0.356  |            | 5.0   |       |
| Phenanthrene             | 1.112 | 1.063  |            | -4.4  |       |
| Anthracene               | 1.119 | 1.090  |            | -2.6  |       |
| Fluoranthene             | 1.300 | 1.252  |            | -3.7  | 20.0  |
| Pyrene                   | 1.198 | 1.164  |            | -2.8  |       |
| Terphenyl-d14            | 1.166 | 1.170  |            | 0.3   |       |
| Benzo (a) anthracene     | 1.256 | 1.204  |            | -4.1  |       |
| Chrysene                 | 1.190 | 1.132  |            | -4.9  |       |
| Benzo (b) fluoranthene   | 1.145 | 1.108  |            | -3.2  |       |
| Benzo (k) fluoranthene   | 1.180 | 1.122  |            | -4.9  |       |
| Benzo (a) pyrene         | 1.099 | 1.059  |            | -3.6  | 20.0  |
| Indeno (1,2,3-cd) pyrene | 1.460 | 1.437  |            | -1.6  |       |
| Dibenzo (a,h) anthracene | 1.188 | 1.179  |            | -0.8  |       |
| Benzo (g,h,i) perylene   | 1.181 | 1.143  |            | -3.2  |       |

All other compounds must meet a minimum RRF of 0.010.

7C

SEMIVOLATILE CONTINUING CALIBRATION CHECK

Lab Name: CHEMTECH Contract: CAMP02

Lab Code: CHEM Case No.: Q2075 SAS No.: Q2075 SDG No.: Q2075

Instrument ID: BNA\_P Calibration Date/Time: 05/22/2025 10:56

Lab File ID: BP024753.D Init. Calib. Date(s): 05/13/2025 05/13/2025

EPA Sample No.: SSTDCCC040 Init. Calib. Time(s): 10:41 15:26

GC Column: ZB-GR ID: 0.25 (mm)

| COMPOUND                 | RRF   | RRF040 | MIN<br>RRF | %D   | MAX%D |
|--------------------------|-------|--------|------------|------|-------|
| 2-Fluorophenol           | 1.169 | 1.135  |            | -2.9 |       |
| Phenol-d6                | 1.492 | 1.407  |            | -5.7 |       |
| Nitrobenzene-d5          | 0.396 | 0.368  |            | -7.1 |       |
| Naphthalene              | 1.036 | 0.988  |            | -4.6 |       |
| 2-Fluorobiphenyl         | 1.527 | 1.502  |            | -1.6 |       |
| Acenaphthylene           | 1.886 | 1.818  |            | -3.6 |       |
| Acenaphthene             | 1.084 | 1.055  |            | -2.7 | 20.0  |
| Fluorene                 | 1.410 | 1.365  |            | -3.2 |       |
| 2,4,6-Tribromophenol     | 0.339 | 0.364  |            | 7.4  |       |
| Phenanthrene             | 1.112 | 1.056  |            | -5.0 |       |
| Anthracene               | 1.119 | 1.093  |            | -2.3 |       |
| Fluoranthene             | 1.300 | 1.270  |            | -2.3 | 20.0  |
| Pyrene                   | 1.198 | 1.114  |            | -7.0 |       |
| Terphenyl-d14            | 1.166 | 1.110  |            | -4.8 |       |
| Benzo (a) anthracene     | 1.256 | 1.196  |            | -4.8 |       |
| Chrysene                 | 1.190 | 1.132  |            | -4.9 |       |
| Benzo (b) fluoranthene   | 1.145 | 1.090  |            | -4.8 |       |
| Benzo (k) fluoranthene   | 1.180 | 1.078  |            | -8.6 |       |
| Benzo (a) pyrene         | 1.099 | 1.059  |            | -3.6 | 20.0  |
| Indeno (1,2,3-cd) pyrene | 1.460 | 1.467  |            | 0.5  |       |
| Dibenzo (a,h) anthracene | 1.188 | 1.197  |            | 0.8  |       |
| Benzo (g,h,i) perylene   | 1.181 | 1.175  |            | -0.5 |       |

All other compounds must meet a minimum RRF of 0.010.



# SHIPPING DOCUMENTS

CLIENT INFORMATION

CLIENT PROJECT INFORMATION

CLIENT BILLING INFORMATION

REPORT TO BE SENT TO:

COMPANY: CDM Smith  
ADDRESS: 110 Fieldcrest Ave. #8 6th Floor  
CITY Edison STATE: NJ ZIP: 08817  
ATTENTION: M. Encinas  
PHONE: 732 590 4679 FAX:

PROJECT NAME: UTEN VST  
PROJECT NO.: LOCATION: Mt. Vernon NJ  
PROJECT MANAGER: M. Encinas  
e-mail: Encinas MA@cdm.smith.com  
PHONE: 732 590 4679 FAX:

BILL TO: CDM Smith PO#:   
ADDRESS: 110 Fieldcrest Ave #8 6th Floor  
CITY Edison STATE: NJ ZIP: 08817  
ATTENTION: M. Encinas PHONE: 732 590 4679

ANALYSIS

DATA TURNAROUND INFORMATION

FAX (RUSH) 5 business DAYS\*  
HARDCOPY (DATA PACKAGE): DAYS\*  
EDD: DAYS\*

\*TO BE APPROVED BY CHEMTECH

STANDARD HARDCOPY TURNAROUND TIME IS 10 BUSINESS

DATA DELIVERABLE INFORMATION

☐ Level 1 (Results Only) ☐ Level 4 (QC + Full Raw Data)  
☐ Level 2 (Results + QC) ☐ NJ Reduced ☐ US EPA CLP  
☐ Level 3 (Results + QC) ☐ NYS ASP A ☒ NYS ASP B  
+ Raw Data ☐ Other   
☐ EDD FORMAT

1. PAUSE 5/15/25  
2. MISSING DATA  
3. MISSING DATA

PRESERVATIVES

COMMENTS

| ALLIANCE<br>SAMPLE<br>ID | PROJECT<br>SAMPLE IDENTIFICATION | SAMPLE<br>MATRIX | SAMPLE<br>TYPE |      | SAMPLE<br>COLLECTION |      | # OF BOTTLES |   |   |   |   |   |   |   |   |   | Specify Preservatives<br>A-HCl D-NaOH<br>B-HNO3 E-ICE<br>C-H2SO4 F-OTHER |
|--------------------------|----------------------------------|------------------|----------------|------|----------------------|------|--------------|---|---|---|---|---|---|---|---|---|--------------------------------------------------------------------------|
|                          |                                  |                  | COMP           | GRAB | DATE                 | TIME |              | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |                                                                          |
| 1.                       | FB-05152025                      | Ag               |                | ✓    | 5/15/25              | 1230 | 3            | ✓ | ✓ |   |   |   |   |   |   |   | CP-51 Table 3<br>Per email and<br>see attached                           |
| 2.                       | SS-10                            | Soil             |                | ✓    | 5/15/25              | 1310 | 5            | ✓ | ✓ |   |   |   |   |   |   |   |                                                                          |
| 3.                       | SS-910                           | Soil             |                | ✓    | 5/15/25              | 1315 | 5            | ✓ | ✓ |   |   |   |   |   |   |   |                                                                          |
| 4.                       | SS-11 (MS/MSB)                   | Soil             |                | ✓    | 5/15/25              | 1400 | 15           | ✓ | ✓ |   |   |   |   |   |   |   |                                                                          |
| 5.                       | SS-MW-11.5                       | Soil             |                | ✓    | 5/16/25              | 0835 | 5            | ✓ | ✓ |   |   |   |   |   |   |   |                                                                          |
| 6.                       | FB-05162025                      | Ag               |                | ✓    | 5/16/25              | 1535 | 3            | ✓ | ✓ |   |   |   |   |   |   |   |                                                                          |
| 7.                       |                                  |                  |                |      |                      |      |              |   |   |   |   |   |   |   |   |   |                                                                          |
| 8.                       |                                  |                  |                |      |                      |      |              |   |   |   |   |   |   |   |   |   |                                                                          |
| 9.                       |                                  |                  |                |      |                      |      |              |   |   |   |   |   |   |   |   |   |                                                                          |
| 10.                      |                                  |                  |                |      |                      |      |              |   |   |   |   |   |   |   |   |   |                                                                          |

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION INCLUDING COURIER DELIVERY

|                                          |                                   |                                       |                                                                                                                                                                                     |
|------------------------------------------|-----------------------------------|---------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| RELINQUISHED BY SAMPLER:<br>1. <u>GC</u> | DATE/TIME:<br><u>5/15/25 1555</u> | RECEIVED BY:<br>1. <u>[Signature]</u> | Conditions of bottles or coolers at receipt: <input type="checkbox"/> COMPLIANT <input type="checkbox"/> NON COMPLIANT <input type="checkbox"/> COOLER TEMP <u>2.4 °C</u>           |
| RELINQUISHED BY SAMPLER:<br>2.           | DATE/TIME:                        | RECEIVED BY:<br>2.                    | Comments: <u>IR Con #1</u>                                                                                                                                                          |
| RELINQUISHED BY SAMPLER:<br>3.           | DATE/TIME:                        | RECEIVED BY:<br>3.                    | Page <u>1</u> of <u>1</u> CLIENT: <input type="checkbox"/> Hand Delivered <input type="checkbox"/> Other Shipment Complete <input type="checkbox"/> YES <input type="checkbox"/> NO |

### Laboratory Certification

| Certified By         | License No.      |
|----------------------|------------------|
|                      |                  |
| CAS EPA CLP Contract | 68HERH20D0011    |
|                      |                  |
| Connecticut          | PH-0830          |
|                      |                  |
| DOD ELAP (ANAB)      | L2219            |
|                      |                  |
| Maine                | 2024021          |
|                      |                  |
| Maryland             | 296              |
|                      |                  |
| New Hampshire        | 255424 Rev 1     |
|                      |                  |
| New Jersey           | 20012            |
|                      |                  |
| New York             | 11376            |
|                      |                  |
| Pennsylvania         | 68-00548         |
|                      |                  |
| Soil Permit          | 525-24-234-08441 |
|                      |                  |
| Texas                | T104704488       |

## LOGIN REPORT/SAMPLE TRANSFER

|                                             |        |                                                 |                                |
|---------------------------------------------|--------|-------------------------------------------------|--------------------------------|
| <b>Order ID :</b> Q2075                     | CAMP02 | <b>Order Date :</b> 5/16/2025 4:10:00 PM        | <b>Project Mgr :</b>           |
| <b>Client Name :</b> CDM Smith              |        | <b>Project Name :</b> Con Ed UTEN Mount Vern    | <b>Report Type :</b> NYS ASP B |
| <b>Client Contact :</b> Marcie Ann Encinas  |        | <b>Receive Date/Time :</b> 5/16/2025 3:55:00 PM | <b>EDD Type :</b> EQUIS        |
| <b>Invoice Name :</b> CDM Smith             |        | <b>Purchase Order :</b>                         | <b>Hard Copy Date :</b>        |
| <b>Invoice Contact :</b> Marcie Ann Encinas |        |                                                 | <b>Date Signoff :</b>          |

| LAB ID   | CLIENT ID   | MATRIX | SAMPLE DATE | SAMPLE TIME               | TEST         | TEST GROUP | METHOD   | FAX DATE                | DUE DATES |
|----------|-------------|--------|-------------|---------------------------|--------------|------------|----------|-------------------------|-----------|
| Q2075-01 | SS-10       | Solid  | 05/15/2025  | <del>12:30</del><br>13:10 | VOCMS Group3 |            | 8260D    | <del>10 Bus. Days</del> | 5 days    |
| Q2075-02 | SS-910      | Solid  | 05/15/2025  | <del>13:40</del><br>13:15 | VOCMS Group3 |            | 8260D    | <del>10 Bus. Days</del> |           |
| Q2075-03 | SS-11       | Solid  | 05/15/2025  | <del>13:15</del><br>14:00 | VOCMS Group3 |            | 8260D    | <del>40 Bus. Days</del> |           |
| Q2075-04 | Q2075-03MS  | Solid  | 05/15/2025  | <del>13:15</del><br>14:00 | VOCMS Group3 |            | 8260D    | <del>10 Bus. Days</del> |           |
| Q2075-05 | Q2075-03MSD | Solid  | 05/15/2025  | <del>13:15</del><br>14:00 | VOCMS Group3 |            | 8260D    | <del>10 Bus. Days</del> |           |
| Q2075-06 | SS-MW1-11.5 | Solid  | 05/16/2025  | 08:35                     | VOCMS Group3 |            | 8260D    | <del>10 Bus. Days</del> |           |
| Q2075-07 | FB-05152025 | Water  | 05/15/2025  | 12:30                     | VOCMS Group3 |            | 8260-Low | <del>10 Bus. Days</del> |           |
| Q2075-08 | FB-05162025 | Water  | 05/16/2025  | 15:35                     |              |            |          |                         |           |

## LOGIN REPORT/SAMPLE TRANSFER

|                                             |        |                                                |                                |
|---------------------------------------------|--------|------------------------------------------------|--------------------------------|
| <b>Order ID :</b> Q2075                     | CAMP02 | <b>Order Date :</b> 5/16/2025 4:10:00 PM       | <b>Project Mgr :</b>           |
| <b>Client Name :</b> CDM Smith              |        | <b>Project Name :</b> Con Ed UTEN Mount Vern   | <b>Report Type :</b> NYS ASP B |
| <b>Client Contact :</b> Marcie Ann Encinas  |        | <b>Receive DateTime :</b> 5/16/2025 3:55:00 PM | <b>EDD Type :</b> EQUIS        |
| <b>Invoice Name :</b> CDM Smith             |        | <b>Purchase Order :</b>                        | <b>Hard Copy Date :</b>        |
| <b>Invoice Contact :</b> Marcie Ann Encinas |        |                                                | <b>Date Signoff :</b>          |

| LAB ID | CLIENT ID | MATRIX | SAMPLE DATE | SAMPLE TIME | TEST         | TEST GROUP | METHOD   | FAX DATE     | DUE DATES |
|--------|-----------|--------|-------------|-------------|--------------|------------|----------|--------------|-----------|
|        |           |        |             |             | VOCMS Group3 |            | 8260-Low | 40 Bus. Days | 5 Days    |

Relinquished By : cl

Date / Time : 5/19/25 11:30

Received By : Iram

Date / Time : 05/19/25 11:30

Storage Area : VOA Refridgerator Room

*Handwritten notes:*  
Ry # 6  
Ry # 4