



A

B

C

SAMPLE DATA

Report of Analysis

Client:	ENTACT	Date Collected:	05/13/25 12:00
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	05/19/25
Client Sample ID:	WC-A4-04-C	SDG No.:	Q2078
Lab Sample ID:	Q2078-02	Matrix:	SOIL
		% Solid:	76.4

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Oil and Grease	667		1	7.59	32.7	mg/Kg		05/23/25 09:30	SW9071B
Paint Filter	1.00	U	1	1.00	1.00	ml/100gm		05/20/25 08:40	9095B
pH	12.1	H	1	0	0	pH		05/20/25 16:44	9045D
TS	76.7		1	1.00	5.00	%		05/20/25 11:00	SM 2540 B-15
TVS	3.90	J	1	1.00	10.0	%		05/20/25 15:30	160.4

Comments: pH result reported at temperature 20.8 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ENTACT	Date Collected:	05/13/25 12:00
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	05/19/25
Client Sample ID:	WC-A4-04-C	SDG No.:	Q2078
Lab Sample ID:	Q2078-03	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Corrosivity	12.1	H	1	0	0	pH		05/20/25 16:44	9045D
Ignitability	NO		1	0	0	oC		05/20/25 10:30	1030
Reactive Cyanide	0.012	J	1	0.0083	0.049	mg/Kg	05/20/25 10:45	05/20/25 14:11	9012B
Reactive Sulfide	1.58	J	1	0.20	10.0	mg/Kg	05/20/25 08:50	05/20/25 11:20	9034

Comments: pH result reported at temperature 20.8 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ENTACT	Date Collected:	05/13/25 12:00
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	05/19/25
Client Sample ID:	WC-A4-04-C	SDG No.:	Q2078
Lab Sample ID:	Q2078-04	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
ASTM Ammonia	0.42		1	0.030	0.10	mg/L	05/21/25 14:50	05/22/25 13:41	SM 4500-NH3 B plus NH3 G-11
ASTM COD	39.7		1	1.50	10.0	mg/L		05/22/25 13:22	SM 5220 D-11
ASTM Oil and Grease	0.29	U	1	0.29	5.00	mg/L		05/21/25 15:25	SW1664A
ASTM TS	1040		1	1.00	5.00	mg/L		05/22/25 11:00	SM 2540 B-15

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits

Report of Analysis

Client:	ENTACT	Date Collected:	05/13/25 12:00
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	05/19/25
Client Sample ID:	WC-A4-05-C	SDG No.:	Q2078
Lab Sample ID:	Q2078-06	Matrix:	SOIL
		% Solid:	79.3

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Oil and Grease	340		1	7.32	31.5	mg/Kg		05/23/25 09:30	SW9071B
Paint Filter	1.00	U	1	1.00	1.00	ml/100gm		05/20/25 08:55	9095B
pH	12.2	H	1	0	0	pH		05/20/25 16:48	9045D
TS	79.4		1	1.00	5.00	%		05/20/25 11:00	SM 2540 B-15
TVS	3.50	J	1	1.00	10.0	%		05/20/25 15:30	160.4

Comments: pH result reported at temperature 20.1 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ENTACT	Date Collected:	05/13/25 12:00
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	05/19/25
Client Sample ID:	WC-A4-05-C	SDG No.:	Q2078
Lab Sample ID:	Q2078-07	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Corrosivity	12.2	H	1	0	0	pH		05/20/25 16:48	9045D
Ignitability	NO		1	0	0	oC		05/20/25 10:45	1030
Reactive Cyanide	0.0083	U	1	0.0083	0.050	mg/Kg	05/20/25 10:45	05/20/25 14:11	9012B
Reactive Sulfide	1.59	J	1	0.20	10.0	mg/Kg	05/20/25 08:50	05/20/25 11:23	9034

Comments: pH result reported at temperature 20.1 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ENTACT	Date Collected:	05/13/25 12:00
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	05/19/25
Client Sample ID:	WC-A4-05-C	SDG No.:	Q2078
Lab Sample ID:	Q2078-08	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
ASTM Ammonia	0.94		1	0.030	0.10	mg/L	05/21/25 14:50	05/22/25 13:03	SM 4500-NH3 B plus NH3 G-11
ASTM COD	65.6		1	1.50	10.0	mg/L		05/22/25 13:24	SM 5220 D-11
ASTM Oil and Grease	0.30	J	1	0.29	5.00	mg/L		05/21/25 15:25	SW1664A
ASTM TS	1180		1	1.00	5.00	mg/L		05/22/25 11:00	SM 2540 B-15

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ENTACT	Date Collected:	05/13/25 12:00
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	05/19/25
Client Sample ID:	WC-A1-06A-C	SDG No.:	Q2078
Lab Sample ID:	Q2078-10	Matrix:	SOIL
		% Solid:	76.8

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Oil and Grease	111		1	7.55	32.5	mg/Kg		05/23/25 09:30	SW9071B
Paint Filter	1.00	U	1	1.00	1.00	ml/100gm		05/20/25 09:02	9095B
pH	12.1	H	1	0	0	pH		05/20/25 16:50	9045D
TS	76.6		1	1.00	5.00	%		05/20/25 11:00	SM 2540 B-15
TVS	2.40	J	1	1.00	10.0	%		05/20/25 15:30	160.4

Comments: pH result reported at temperature 20.5 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ENTACT	Date Collected:	05/13/25 12:00
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	05/19/25
Client Sample ID:	WC-A1-06A-C	SDG No.:	Q2078
Lab Sample ID:	Q2078-11	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Corrosivity	12.1	H	1	0	0	pH		05/20/25 16:50	9045D
Ignitability	NO		1	0	0	oC		05/20/25 10:52	1030
Reactive Cyanide	0.011	J	1	0.0084	0.050	mg/Kg	05/20/25 10:45	05/20/25 14:11	9012B
Reactive Sulfide	1.60	J	1	0.20	10.0	mg/Kg	05/20/25 08:50	05/20/25 11:25	9034

Comments: pH result reported at temperature 20.5 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ENTACT	Date Collected:	05/13/25 12:00
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	05/19/25
Client Sample ID:	WC-A1-06A-C	SDG No.:	Q2078
Lab Sample ID:	Q2078-12	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
ASTM Ammonia	0.93		1	0.030	0.10	mg/L	05/21/25 14:50	05/22/25 13:03	SM 4500-NH3 B plus NH3 G-11
ASTM COD	17.8		1	1.50	10.0	mg/L		05/22/25 13:24	SM 5220 D-11
ASTM Oil and Grease	0.40	J	1	0.29	5.00	mg/L		05/21/25 15:25	SW1664A
ASTM TS	1220		1	1.00	5.00	mg/L		05/22/25 11:00	SM 2540 B-15

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ENTACT	Date Collected:	05/13/25 12:00
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	05/19/25
Client Sample ID:	WC-A1-07A-C	SDG No.:	Q2078
Lab Sample ID:	Q2078-14	Matrix:	SOIL
		% Solid:	79.1

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Oil and Grease	303		1	7.33	31.5	mg/Kg		05/23/25 09:30	SW9071B
Paint Filter	1.00	U	1	1.00	1.00	ml/100gm		05/20/25 09:10	9095B
pH	12.2	H	1	0	0	pH		05/20/25 16:55	9045D
TS	80.5		1	1.00	5.00	%		05/20/25 11:00	SM 2540 B-15
TVS	4.10	J	1	1.00	10.0	%		05/20/25 15:30	160.4

Comments: pH result reported at temperature 20.8 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ENTACT	Date Collected:	05/13/25 12:00
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	05/19/25
Client Sample ID:	WC-A1-07A-C	SDG No.:	Q2078
Lab Sample ID:	Q2078-15	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Corrosivity	12.2	H	1	0	0	pH		05/20/25 16:55	9045D
Ignitability	NO		1	0	0	oC		05/20/25 11:00	1030
Reactive Cyanide	0.010	J	1	0.0083	0.049	mg/Kg	05/20/25 10:45	05/20/25 14:11	9012B
Reactive Sulfide	1.58	J	1	0.20	10.0	mg/Kg	05/20/25 08:50	05/20/25 11:28	9034

Comments: pH result reported at temperature 20.8 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ENTACT	Date Collected:	05/13/25 12:00
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	05/19/25
Client Sample ID:	WC-A1-07A-C	SDG No.:	Q2078
Lab Sample ID:	Q2078-16	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
ASTM Ammonia	0.64		1	0.030	0.10	mg/L	05/21/25 14:50	05/22/25 13:03	SM 4500-NH3 B plus NH3 G-11
ASTM COD	36.7		1	1.50	10.0	mg/L		05/22/25 13:25	SM 5220 D-11
ASTM Oil and Grease	0.50	J	1	0.29	5.00	mg/L		05/21/25 15:25	SW1664A
ASTM TS	921		1	1.00	5.00	mg/L		05/22/25 11:00	SM 2540 B-15

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

Report of Analysis

Client:	ENTACT	Date Collected:	05/14/25 12:00
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	05/19/25
Client Sample ID:	WC-A4-06-C	SDG No.:	Q2078
Lab Sample ID:	Q2078-18	Matrix:	SOIL
		% Solid:	79.4

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Oil and Grease	283		1	7.31	31.4	mg/Kg		05/23/25 09:30	SW9071B
Paint Filter	1.00	U	1	1.00	1.00	ml/100gm		05/20/25 09:18	9095B
pH	12.1	H	1	0	0	pH		05/20/25 17:00	9045D
TS	78.9		1	1.00	5.00	%		05/20/25 11:00	SM 2540 B-15
TVS	2.30	J	1	1.00	10.0	%		05/20/25 15:30	160.4

Comments: pH result reported at temperature 20.9 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ENTACT	Date Collected:	05/14/25 12:00
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	05/19/25
Client Sample ID:	WC-A4-06-C	SDG No.:	Q2078
Lab Sample ID:	Q2078-19	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Corrosivity	12.1	H	1	0	0	pH		05/20/25 17:00	9045D
Ignitability	NO		1	0	0	oC		05/20/25 11:08	1030
Reactive Cyanide	0.010	J	1	0.0084	0.050	mg/Kg	05/20/25 10:45	05/20/25 14:11	9012B
Reactive Sulfide	1.58	J	1	0.20	10.0	mg/Kg	05/20/25 08:50	05/20/25 11:31	9034

Comments: pH result reported at temperature 20.9 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ENTACT	Date Collected:	05/14/25 12:00
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	05/19/25
Client Sample ID:	WC-A4-06-C	SDG No.:	Q2078
Lab Sample ID:	Q2078-20	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
ASTM Ammonia	0.65		1	0.030	0.10	mg/L	05/21/25 14:50	05/22/25 13:11	SM 4500-NH3 B plus NH3 G-11
ASTM COD	44.7		1	1.50	10.0	mg/L		05/22/25 13:25	SM 5220 D-11
ASTM Oil and Grease	0.40	J	1	0.29	5.00	mg/L		05/21/25 15:25	SW1664A
ASTM TS	898		1	1.00	5.00	mg/L		05/22/25 11:00	SM 2540 B-15

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits

LAB CHRONICLE

OrderID:	Q2078	OrderDate:	5/19/2025 2:08:00 PM
Client:	ENTACT	Project:	540 Degraw St, Brooklyn, NY - E9309
Contact:	Jarod Stanfield	Location:	L41

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q2078-02	WC-A4-04-C	SOIL			05/13/25 12:00			05/19/25
			Oil and Grease	9071B			05/23/25 09:30	
			Paint Filter	9095B			05/20/25 08:40	
			pH	9045D			05/20/25 16:44	
			TS	SM2540 B			05/20/25 11:00	
			TVS	160.4			05/20/25 15:30	
Q2078-03	WC-A4-04-C	SOIL			05/13/25 12:00			05/19/25
			Corrosivity	9045D			05/20/25 16:44	
			Ignitability	1030			05/20/25 10:30	
			Reactive Cyanide	9012B		05/20/25	05/20/25 14:11	
			Reactive Sulfide	9034		05/20/25	05/20/25 11:20	
Q2078-04	WC-A4-04-C	WATER			05/13/25 12:00			05/19/25
			ASTM Ammonia	SM4500-NH3		05/21/25	05/22/25 13:41	
			ASTM COD	SM5220 D			05/22/25 13:22	
			ASTM Oil and Grease	1664A			05/21/25 15:25	

LAB CHRONICLE

Q2078-06	WC-A4-05-C	SOIL	ASTM TS	SM2540 B		05/22/25 11:00	05/19/25
					05/13/25 12:00		
			Oil and Grease	9071B		05/23/25 09:30	
			Paint Filter	9095B		05/20/25 08:55	
			pH	9045D		05/20/25 16:48	
			TS	SM2540 B		05/20/25 11:00	
			TVS	160.4		05/20/25 15:30	
Q2078-07	WC-A4-05-C	SOIL			05/13/25 12:00		05/19/25
			Corrosivity	9045D		05/20/25 16:48	
			Ignitability	1030		05/20/25 10:45	
			Reactive Cyanide	9012B	05/20/25	05/20/25 14:11	
			Reactive Sulfide	9034	05/20/25	05/20/25 11:23	
Q2078-08	WC-A4-05-C	WATER			05/13/25 12:00		05/19/25
			ASTM Ammonia	SM4500-NH3	05/21/25	05/22/25 13:03	
			ASTM COD	SM5220 D		05/22/25 13:24	
			ASTM Oil and Grease	1664A		05/21/25 15:25	
Q2078-10	WC-A1-06A-C	SOIL	ASTM TS	SM2540 B		05/22/25 11:00	05/19/25
					05/13/25 12:00		
			Oil and Grease	9071B		05/23/25 09:30	

LAB CHRONICLE

Q2078-11	WC-A1-06A-C	SOIL	Paint Filter	9095B		05/20/25 09:02
			pH	9045D		05/20/25 16:50
			TS	SM2540 B		05/20/25 11:00
			TVS	160.4		05/20/25 15:30
					05/13/25 12:00	05/19/25
Q2078-12	WC-A1-06A-C	WATER	Corrosivity	9045D		05/20/25 16:50
			Ignitability	1030		05/20/25 10:52
			Reactive Cyanide	9012B	05/20/25	05/20/25 14:11
			Reactive Sulfide	9034	05/20/25	05/20/25 11:25
					05/13/25 12:00	05/19/25
Q2078-14	WC-A1-07A-C	SOIL	ASTM Ammonia	SM4500-NH3	05/21/25	05/22/25 13:03
			ASTM COD	SM5220 D		05/22/25 13:24
			ASTM Oil and Grease	1664A		05/21/25 15:25
			ASTM TS	SM2540 B		05/22/25 11:00
					05/13/25 12:00	05/19/25
			Oil and Grease	9071B		05/23/25 09:30
			Paint Filter	9095B		05/20/25 09:10
			pH	9045D		05/20/25 16:55
			TS	SM2540 B		05/20/25 11:00

LAB CHRONICLE

Q2078-15	WC-A1-07A-C	SOIL	TVS	160.4		05/20/25 15:30	05/19/25
					05/13/25 12:00		
			Corrosivity	9045D		05/20/25 16:55	
			Ignitability	1030		05/20/25 11:00	
			Reactive Cyanide	9012B	05/20/25	05/20/25 14:11	
			Reactive Sulfide	9034	05/20/25	05/20/25 11:28	
Q2078-16	WC-A1-07A-C	WATER			05/13/25 12:00		05/19/25
			ASTM Ammonia	SM4500-NH3	05/21/25	05/22/25 13:03	
			ASTM COD	SM5220 D		05/22/25 13:25	
			ASTM Oil and Grease	1664A		05/21/25 15:25	
			ASTM TS	SM2540 B		05/22/25 11:00	
Q2078-18	WC-A4-06-C	SOIL			05/14/25 12:00		05/19/25
			Oil and Grease	9071B		05/23/25 09:30	
			Paint Filter	9095B		05/20/25 09:18	
			pH	9045D		05/20/25 17:00	
			TS	SM2540 B		05/20/25 11:00	
			TVS	160.4		05/20/25 15:30	
Q2078-19	WC-A4-06-C	SOIL			05/14/25 12:00		05/19/25
			Corrosivity	9045D		05/20/25 17:00	

LAB CHRONICLE

Q2078-20	WC-A4-06-C	WATER	Ignitability	1030		05/20/25 11:08	05/14/25 12:00	05/19/25
			Reactive Cyanide	9012B	05/20/25	05/20/25 14:11		
			Reactive Sulfide	9034	05/20/25	05/20/25 11:31		
			ASTM Ammonia	SM4500-NH3	05/21/25	05/22/25 13:11		
			ASTM COD	SM5220 D		05/22/25 13:25		
			ASTM Oil and Grease	1664A		05/21/25 15:25		
			ASTM TS	SM2540 B		05/22/25 11:00		