

Hit Summary Sheet
SW-846

SDG No.:	Q2078	Order ID:	Q2078
Client:	ENTACT	Project ID:	540 Degraw St, Brooklyn, NY - E9309

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID : WC-A4-04-C								
Q2078-03	WC-A4-04-C	TCLP	Barium	0.60		0.073	0.50	mg/L
Q2078-03	WC-A4-04-C	TCLP	Nickel	0.025	J	0.015	0.20	mg/L
Client ID : WC-A4-05-C								
Q2078-07	WC-A4-05-C	TCLP	Barium	0.47	J	0.073	0.50	mg/L
Q2078-07	WC-A4-05-C	TCLP	Chromium	0.015	J	0.011	0.050	mg/L
Q2078-07	WC-A4-05-C	TCLP	Nickel	0.026	J	0.015	0.20	mg/L
Client ID : WC-A1-06A-C								
Q2078-11	WC-A1-06A-C	TCLP	Barium	0.48	J	0.073	0.50	mg/L
Q2078-11	WC-A1-06A-C	TCLP	Copper	0.028	J	0.023	0.10	mg/L
Q2078-11	WC-A1-06A-C	TCLP	Nickel	0.024	J	0.015	0.20	mg/L
Client ID : WC-A1-07A-C								
Q2078-15	WC-A1-07A-C	TCLP	Barium	0.26	J	0.073	0.50	mg/L
Q2078-15	WC-A1-07A-C	TCLP	Chromium	0.016	J	0.011	0.050	mg/L
Q2078-15	WC-A1-07A-C	TCLP	Copper	0.036	J	0.023	0.10	mg/L
Q2078-15	WC-A1-07A-C	TCLP	Nickel	0.022	J	0.015	0.20	mg/L
Client ID : WC-A4-06-C								
Q2078-19	WC-A4-06-C	TCLP	Barium	0.27	J	0.073	0.50	mg/L



SAMPLE DATA

A

B

C

D

Report of Analysis

Client:	ENTACT	Date Collected:	05/13/25
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	05/19/25
Client Sample ID:	WC-A4-04-C	SDG No.:	Q2078
Lab Sample ID:	Q2078-03	Matrix:	TCLP
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-38-2	Arsenic	0.026	U	1	0.026	0.10	mg/L	05/21/25 12:30	05/22/25 17:01	6010D	SW3050
7440-39-3	Barium	0.60		1	0.073	0.50	mg/L	05/21/25 12:30	05/22/25 17:01	6010D	SW3050
7440-43-9	Cadmium	0.0025	U	1	0.0025	0.030	mg/L	05/21/25 12:30	05/22/25 17:01	6010D	SW3050
7440-47-3	Chromium	0.011	U	1	0.011	0.050	mg/L	05/21/25 12:30	05/22/25 17:01	6010D	SW3050
7440-50-8	Copper	0.023	U	1	0.023	0.10	mg/L	05/21/25 12:30	05/22/25 17:01	6010D	SW3050
7439-92-1	Lead	0.012	U	1	0.012	0.060	mg/L	05/21/25 12:30	05/22/25 17:01	6010D	SW3050
7439-97-6	Mercury	0.00076	U	1	0.00076	0.0020	mg/L	05/22/25 13:30	05/23/25 09:34	7470A	
7440-02-0	Nickel	0.025	J	1	0.015	0.20	mg/L	05/21/25 12:30	05/22/25 17:01	6010D	SW3050
7782-49-2	Selenium	0.048	U	1	0.048	0.10	mg/L	05/21/25 12:30	05/22/25 17:01	6010D	SW3050
7440-22-4	Silver	0.0081	U	1	0.0081	0.050	mg/L	05/21/25 12:30	05/22/25 17:01	6010D	SW3050
7440-66-6	Zinc	0.083	U	1	0.083	0.20	mg/L	05/21/25 12:30	05/22/25 17:01	6010D	SW3050

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	TCLP-FULL			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N = Spiked sample recovery not within control limits

Report of Analysis

Client:	ENTACT	Date Collected:	05/13/25
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	05/19/25
Client Sample ID:	WC-A4-05-C	SDG No.:	Q2078
Lab Sample ID:	Q2078-07	Matrix:	TCLP
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-38-2	Arsenic	0.026	U	1	0.026	0.10	mg/L	05/21/25 12:30	05/22/25 17:06	6010D	SW3050
7440-39-3	Barium	0.47	J	1	0.073	0.50	mg/L	05/21/25 12:30	05/22/25 17:06	6010D	SW3050
7440-43-9	Cadmium	0.0025	U	1	0.0025	0.030	mg/L	05/21/25 12:30	05/22/25 17:06	6010D	SW3050
7440-47-3	Chromium	0.015	J	1	0.011	0.050	mg/L	05/21/25 12:30	05/22/25 17:06	6010D	SW3050
7440-50-8	Copper	0.023	U	1	0.023	0.10	mg/L	05/21/25 12:30	05/22/25 17:06	6010D	SW3050
7439-92-1	Lead	0.012	U	1	0.012	0.060	mg/L	05/21/25 12:30	05/22/25 17:06	6010D	SW3050
7439-97-6	Mercury	0.00076	U	1	0.00076	0.0020	mg/L	05/22/25 13:30	05/23/25 09:36	7470A	
7440-02-0	Nickel	0.026	J	1	0.015	0.20	mg/L	05/21/25 12:30	05/22/25 17:06	6010D	SW3050
7782-49-2	Selenium	0.048	U	1	0.048	0.10	mg/L	05/21/25 12:30	05/22/25 17:06	6010D	SW3050
7440-22-4	Silver	0.0081	U	1	0.0081	0.050	mg/L	05/21/25 12:30	05/22/25 17:06	6010D	SW3050
7440-66-6	Zinc	0.083	U	1	0.083	0.20	mg/L	05/21/25 12:30	05/22/25 17:06	6010D	SW3050

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	TCLP-FULL			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N = Spiked sample recovery not within control limits

Report of Analysis

Client:	ENTACT	Date Collected:	05/13/25
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	05/19/25
Client Sample ID:	WC-A1-06A-C	SDG No.:	Q2078
Lab Sample ID:	Q2078-11	Matrix:	TCLP
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-38-2	Arsenic	0.026	U	1	0.026	0.10	mg/L	05/21/25 12:30	05/22/25 17:10	6010D	SW3050
7440-39-3	Barium	0.48	J	1	0.073	0.50	mg/L	05/21/25 12:30	05/22/25 17:10	6010D	SW3050
7440-43-9	Cadmium	0.0025	U	1	0.0025	0.030	mg/L	05/21/25 12:30	05/22/25 17:10	6010D	SW3050
7440-47-3	Chromium	0.011	U	1	0.011	0.050	mg/L	05/21/25 12:30	05/22/25 17:10	6010D	SW3050
7440-50-8	Copper	0.028	J	1	0.023	0.10	mg/L	05/21/25 12:30	05/22/25 17:10	6010D	SW3050
7439-92-1	Lead	0.012	U	1	0.012	0.060	mg/L	05/21/25 12:30	05/22/25 17:10	6010D	SW3050
7439-97-6	Mercury	0.00076	U	1	0.00076	0.0020	mg/L	05/22/25 13:30	05/23/25 09:38	7470A	
7440-02-0	Nickel	0.024	J	1	0.015	0.20	mg/L	05/21/25 12:30	05/22/25 17:10	6010D	SW3050
7782-49-2	Selenium	0.048	U	1	0.048	0.10	mg/L	05/21/25 12:30	05/22/25 17:10	6010D	SW3050
7440-22-4	Silver	0.0081	U	1	0.0081	0.050	mg/L	05/21/25 12:30	05/22/25 17:10	6010D	SW3050
7440-66-6	Zinc	0.083	U	1	0.083	0.20	mg/L	05/21/25 12:30	05/22/25 17:10	6010D	SW3050

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	TCLP-FULL			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N = Spiked sample recovery not within control limits

Report of Analysis

Client:	ENTACT	Date Collected:	05/13/25
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	05/19/25
Client Sample ID:	WC-A1-07A-C	SDG No.:	Q2078
Lab Sample ID:	Q2078-15	Matrix:	TCLP
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-38-2	Arsenic	0.026	U	1	0.026	0.10	mg/L	05/21/25 12:30	05/22/25 17:14	6010D	SW3050
7440-39-3	Barium	0.26	J	1	0.073	0.50	mg/L	05/21/25 12:30	05/22/25 17:14	6010D	SW3050
7440-43-9	Cadmium	0.0025	U	1	0.0025	0.030	mg/L	05/21/25 12:30	05/22/25 17:14	6010D	SW3050
7440-47-3	Chromium	0.016	J	1	0.011	0.050	mg/L	05/21/25 12:30	05/22/25 17:14	6010D	SW3050
7440-50-8	Copper	0.036	J	1	0.023	0.10	mg/L	05/21/25 12:30	05/22/25 17:14	6010D	SW3050
7439-92-1	Lead	0.012	U	1	0.012	0.060	mg/L	05/21/25 12:30	05/22/25 17:14	6010D	SW3050
7439-97-6	Mercury	0.00076	U	1	0.00076	0.0020	mg/L	05/22/25 13:30	05/23/25 09:41	7470A	
7440-02-0	Nickel	0.022	J	1	0.015	0.20	mg/L	05/21/25 12:30	05/22/25 17:14	6010D	SW3050
7782-49-2	Selenium	0.048	U	1	0.048	0.10	mg/L	05/21/25 12:30	05/22/25 17:14	6010D	SW3050
7440-22-4	Silver	0.0081	U	1	0.0081	0.050	mg/L	05/21/25 12:30	05/22/25 17:14	6010D	SW3050
7440-66-6	Zinc	0.083	U	1	0.083	0.20	mg/L	05/21/25 12:30	05/22/25 17:14	6010D	SW3050

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	TCLP-FULL			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N = Spiked sample recovery not within control limits

Report of Analysis

Client:	ENTACT	Date Collected:	05/14/25
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	05/19/25
Client Sample ID:	WC-A4-06-C	SDG No.:	Q2078
Lab Sample ID:	Q2078-19	Matrix:	TCLP
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-38-2	Arsenic	0.026	U	1	0.026	0.10	mg/L	05/21/25 12:30	05/22/25 17:19	6010D	SW3050
7440-39-3	Barium	0.27	J	1	0.073	0.50	mg/L	05/21/25 12:30	05/22/25 17:19	6010D	SW3050
7440-43-9	Cadmium	0.0025	U	1	0.0025	0.030	mg/L	05/21/25 12:30	05/22/25 17:19	6010D	SW3050
7440-47-3	Chromium	0.011	U	1	0.011	0.050	mg/L	05/21/25 12:30	05/22/25 17:19	6010D	SW3050
7440-50-8	Copper	0.023	U	1	0.023	0.10	mg/L	05/21/25 12:30	05/22/25 17:19	6010D	SW3050
7439-92-1	Lead	0.012	U	1	0.012	0.060	mg/L	05/21/25 12:30	05/22/25 17:19	6010D	SW3050
7439-97-6	Mercury	0.00076	U	1	0.00076	0.0020	mg/L	05/22/25 13:30	05/23/25 09:43	7470A	
7440-02-0	Nickel	0.015	U	1	0.015	0.20	mg/L	05/21/25 12:30	05/22/25 17:19	6010D	SW3050
7782-49-2	Selenium	0.048	U	1	0.048	0.10	mg/L	05/21/25 12:30	05/22/25 17:19	6010D	SW3050
7440-22-4	Silver	0.0081	U	1	0.0081	0.050	mg/L	05/21/25 12:30	05/22/25 17:19	6010D	SW3050
7440-66-6	Zinc	0.083	U	1	0.083	0.20	mg/L	05/21/25 12:30	05/22/25 17:19	6010D	SW3050

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	TCLP-FULL			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N = Spiked sample recovery not within control limits

LAB CHRONICLE

OrderID:	Q2078	OrderDate:	5/19/2025 2:08:00 PM
Client:	ENTACT	Project:	540 Degraw St, Brooklyn, NY - E9309
Contact:	Jarod Stanfield	Location:	L41

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q2078-03	WC-A4-04-C	TCLP			05/13/25			05/19/25
			TCLP Mercury	7470A		05/22/25	05/23/25	
			TCLPMetals Group2	6010D		05/21/25	05/22/25	
Q2078-07	WC-A4-05-C	TCLP			05/13/25			05/19/25
			TCLP Mercury	7470A		05/22/25	05/23/25	
			TCLPMetals Group2	6010D		05/21/25	05/22/25	
Q2078-11	WC-A1-06A-C	TCLP			05/13/25			05/19/25
			TCLP Mercury	7470A		05/22/25	05/23/25	
			TCLPMetals Group2	6010D		05/21/25	05/22/25	
Q2078-15	WC-A1-07A-C	TCLP			05/13/25			05/19/25
			TCLP Mercury	7470A		05/22/25	05/23/25	
			TCLPMetals Group2	6010D		05/21/25	05/22/25	
Q2078-19	WC-A4-06-C	TCLP			05/14/25			05/19/25
			TCLP Mercury	7470A		05/22/25	05/23/25	
			TCLPMetals Group2	6010D		05/21/25	05/22/25	