

## Report of Analysis

Client:	ENTACT		Date Collected:	05/13/25	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	05/19/25	
Client Sample ID:	WC-A1-07A-C		SDG No.:	Q2078	
Lab Sample ID:	Q2078-14		Matrix:	SOIL	
Analytical Method:	8082A		% Solid:	79.1	Decanted:
Sample Wt/Vol:	30.1	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PP072251.D	1	05/21/25 09:00	05/21/25 14:55	PB168099

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
<b>TARGETS</b>						
12674-11-2	Aroclor-1016	0.0050	U	0.0050	0.021	mg/Kg
11104-28-2	Aroclor-1221	0.0051	U	0.0051	0.021	mg/Kg
11141-16-5	Aroclor-1232	0.0047	U	0.0047	0.021	mg/Kg
53469-21-9	Aroclor-1242	0.0051	U	0.0051	0.021	mg/Kg
12672-29-6	Aroclor-1248	0.0075	U	0.0075	0.021	mg/Kg
11097-69-1	Aroclor-1254	0.0040	U	0.0040	0.021	mg/Kg
37324-23-5	Aroclor-1262	0.0063	U	0.0063	0.021	mg/Kg
11100-14-4	Aroclor-1268	0.0045	U	0.0045	0.021	mg/Kg
11096-82-5	Aroclor-1260	0.0041	U	0.0041	0.021	mg/Kg
<b>SURROGATES</b>						
877-09-8	Tetrachloro-m-xylene	16.2		30 (32) - 150 (144)	81%	SPK: 20
2051-24-3	Decachlorobiphenyl	13.1		30 (32) - 150 (175)	65%	SPK: 20

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit