

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP052325\
 Data File : BP024789.D
 Acq On : 23 May 2025 12:20
 Operator : RC/JU
 Sample : PB168131BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 PB168131BL

Quant Time: May 23 12:42:52 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP051325.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue May 13 16:21:39 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.652	152	92865	20.000	ng	-0.01
21) Naphthalene-d8	10.422	136	345394	20.000	ng	#-0.01
39) Acenaphthene-d10	14.287	164	198239	20.000	ng	-0.02
64) Phenanthrene-d10	17.086	188	413374	20.000	ng	-0.01
76) Chrysene-d12	21.521	240	524054	20.000	ng	0.00
86) Perylene-d12	24.798	264	672842	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.281	112	737128	135.763	ng	0.00
7) Phenol-d6	6.852	99	832369	120.119	ng	0.00
23) Nitrobenzene-d5	8.799	82	511449	74.818	ng	-0.01
42) 2,4,6-Tribromophenol	15.804	330	524369	156.029	ng	0.00
45) 2-Fluorobiphenyl	12.893	172	1283293	84.810	ng	-0.01
79) Terphenyl-d14	19.804	244	2526787	82.676	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP052325\
Data File : BP024789.D
Acq On : 23 May 2025 12:20
Operator : RC/JU
Sample : PB168131BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
PB168131BL

Quant Time: May 23 12:42:52 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP051325.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue May 13 16:21:39 2025
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.652 min Scan# 71
Delta R.T. -0.011 min
Lab File: BP024789.D
Acq: 23 May 2025 12:20




Instrument :
BNA_P
ClientSampleId :
PB168131BL


Tgt Ion:152 Resp: 92865
Ion Ratio Lower Upper
152 100
150 152.0 125.9 188.9
115 57.4 50.1 75.1



#5
2-Fluorophenol
Concen: 135.763 ng
RT: 5.281 min Scan# 373
Delta R.T. -0.006 min
Lab File: BP024789.D
Acq: 23 May 2025 12:20

Tgt Ion:112 Resp: 737128
Ion Ratio Lower Upper
112 100
64 50.6 44.1 66.1
63 28.1 23.5 35.3









#7
Phenol-d6
Concen: 120.119 ng
RT: 6.852 min Scan# 640
Delta R.T. -0.000 min
Lab File: BP024789.D
Acq: 23 May 2025 12:20




Instrument :
BNA_P
ClientSampleId :
PB168131BL


Tgt Ion: 99 Resp: 832369
Ion Ratio Lower Upper
99 100
42 17.5 14.4 21.6
71 36.5 29.2 43.8



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.422 min Scan# 1247
Delta R.T. -0.012 min
Lab File: BP024789.D
Acq: 23 May 2025 12:20

Tgt Ion: 136 Resp: 345394
Ion Ratio Lower Upper
136 100
137 10.8 8.8 13.2
54 6.0 5.5 8.3
68 4.1 4.2 6.2#









#23
Nitrobenzene-d5
Concen: 74.818 ng
RT: 8.799 min Scan# 91
Delta R.T. -0.012 min
Lab File: BP024789.D
Acq: 23 May 2025 12:20




Instrument :
BNA_P
ClientSampleId :
PB168131BL


Tgt Ion: 82 Resp: 511449
Ion Ratio Lower Upper
82 100
128 49.3 37.0 55.4
54 51.2 38.7 58.1



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.287 min Scan# 1904
Delta R.T. -0.018 min
Lab File: BP024789.D
Acq: 23 May 2025 12:20

Tgt Ion: 164 Resp: 198239
Ion Ratio Lower Upper
164 100
162 103.6 81.8 122.6
160 45.1 36.3 54.5





#42

2,4,6-Tribromophenol

Concen: 156.029 ng

RT: 15.804 min Scan# 2163

Delta R.T. -0.006 min

Lab File: BP024789.D

Acq: 23 May 2025 12:20

Instrument :

BNA_P

ClientSampleId :

PB168131BL





Tgt Ion:330 Resp: 524369

Ion Ratio Lower Upper

330 100

332 96.2 78.2 117.4

141 24.7 24.3 36.5



#45

2-Fluorobiphenyl

Concen: 84.810 ng

RT: 12.893 min Scan# 1667

Delta R.T. -0.012 min

Lab File: BP024789.D

Acq: 23 May 2025 12:20




Tgt Ion:172 Resp: 1283293


Ion Ratio Lower Upper

172 100

171 36.4 28.8 43.2

170 23.3 18.8 28.2









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.086 min Scan# 21
Delta R.T. -0.012 min
Lab File: BP024789.D
Acq: 23 May 2025 12:20




Instrument :
BNA_P
ClientSampleId :
PB168131BL


Tgt Ion:188 Resp: 413374
Ion Ratio Lower Upper
188 100
94 7.4 6.5 9.7
80 8.3 7.3 10.9



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.521 min Scan# 3134
Delta R.T. -0.000 min
Lab File: BP024789.D
Acq: 23 May 2025 12:20

Tgt Ion:240 Resp: 524054
Ion Ratio Lower Upper
240 100
120 9.1 7.8 11.6
236 25.5 20.6 31.0





#79

Terphenyl-d14

Concen: 82.676 ng

RT: 19.804 min Scan# 21

Delta R.T. -0.006 min

Lab File: BP024789.D

Acq: 23 May 2025 12:20

Instrument :

BNA_P

ClientSampleId :

PB168131BL





Tgt Ion:244 Resp: 2526787

Ion Ratio Lower Upper

244 100

212 6.8 5.5 8.3

122 8.8 7.4 11.0



#86

Perylene-d12

Concen: 20.000 ng

RT: 24.798 min Scan# 3691

Delta R.T. -0.006 min

Lab File: BP024789.D

Acq: 23 May 2025 12:20

Tgt Ion:264 Resp: 672842

Ion Ratio Lower Upper

264 100

260 24.7 18.7 28.1

265 22.3 17.0 25.6

