

Analytical Sequence

Client: CDM Smith

SDG No.: Q2100

Project: South River WM Replacement

Instrument ID: ECD_O

GC Column: ZB-MR1

ID: 0.32 (mm)

Inst. Calib. Date(s): 05/14/2025

05/14/2025

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

EPA SAMPLE NO.	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCB RT #	TCX RT #
IBLK	IBLK	05/14/2025	17:01	PO111057.D	8.72	3.68
AR1660ICC1000	AR1660ICC1000	05/14/2025	17:19	PO111058.D	8.73	3.68
AR1660ICC750	AR1660ICC750	05/14/2025	17:38	PO111059.D	8.73	3.68
AR1660ICC500	AR1660ICC500	05/14/2025	17:56	PO111060.D	8.72	3.68
AR1660ICC250	AR1660ICC250	05/14/2025	18:15	PO111061.D	8.72	3.68
AR1660ICC050	AR1660ICC050	05/14/2025	18:33	PO111062.D	8.72	3.68
AR1221ICC500	AR1221ICC500	05/14/2025	18:51	PO111063.D	8.72	3.68
AR1232ICC500	AR1232ICC500	05/14/2025	19:10	PO111064.D	8.72	3.68
AR1242ICC1000	AR1242ICC1000	05/14/2025	19:28	PO111065.D	8.72	3.68
AR1242ICC750	AR1242ICC750	05/14/2025	19:46	PO111066.D	8.72	3.68
AR1242ICC500	AR1242ICC500	05/14/2025	20:05	PO111067.D	8.73	3.68
AR1242ICC250	AR1242ICC250	05/14/2025	20:23	PO111068.D	8.72	3.68
AR1242ICC050	AR1242ICC050	05/14/2025	20:41	PO111069.D	8.72	3.68
AR1248ICC1000	AR1248ICC1000	05/14/2025	21:00	PO111070.D	8.72	3.68
AR1248ICC750	AR1248ICC750	05/14/2025	21:18	PO111071.D	8.72	3.68
AR1248ICC500	AR1248ICC500	05/14/2025	21:37	PO111072.D	8.72	3.68
AR1248ICC250	AR1248ICC250	05/14/2025	21:54	PO111073.D	8.72	3.68
AR1248ICC050	AR1248ICC050	05/14/2025	22:12	PO111074.D	8.72	3.68
AR1254ICC1000	AR1254ICC1000	05/14/2025	22:31	PO111075.D	8.73	3.68
AR1254ICC750	AR1254ICC750	05/14/2025	22:49	PO111076.D	8.73	3.68
AR1254ICC500	AR1254ICC500	05/14/2025	23:06	PO111077.D	8.72	3.68
AR1254ICC250	AR1254ICC250	05/14/2025	23:25	PO111078.D	8.72	3.68
AR1254ICC050	AR1254ICC050	05/14/2025	23:43	PO111079.D	8.72	3.68
AR1262ICC500	AR1262ICC500	05/15/2025	00:01	PO111080.D	8.73	3.68
AR1268ICC1000	AR1268ICC1000	05/15/2025	00:19	PO111081.D	8.72	3.68
AR1268ICC750	AR1268ICC750	05/15/2025	00:37	PO111082.D	8.72	3.68
AR1268ICC500	AR1268ICC500	05/15/2025	00:56	PO111083.D	8.73	3.68
AR1268ICC250	AR1268ICC250	05/15/2025	01:14	PO111084.D	8.72	3.68
AR1268ICC050	AR1268ICC050	05/15/2025	01:31	PO111085.D	8.72	3.68
AR1660CCC500	AR1660CCC500	05/22/2025	10:10	PO111273.D	8.72	3.68
IBLK	IBLK	05/22/2025	11:23	PO111277.D	8.72	3.68
TP-16	Q2100-01	05/22/2025	12:54	PO111282.D	8.72	3.68
TP-22	Q2100-02	05/22/2025	13:12	PO111283.D	8.72	3.68
TP-21	Q2100-03	05/22/2025	13:29	PO111284.D	8.72	3.68
TP-21MS	Q2100-03MS	05/22/2025	13:48	PO111285.D	8.72	3.68
TP-21MSD	Q2100-03MSD	05/22/2025	14:06	PO111286.D	8.72	3.68
TP-45	Q2100-04	05/22/2025	14:25	PO111287.D	8.72	3.68
AR1660CCC500	AR1660CCC500	05/22/2025	15:37	PO111288.D	8.72	3.68
IBLK	IBLK	05/22/2025	17:09	PO111292.D	8.72	3.68
IBLK	IBLK	05/19/2025	09:26	PP072163.D	10.21	4.50
AR1660ICC1000	AR1660ICC1000	05/19/2025	09:42	PP072164.D	10.21	4.50
AR1660ICC750	AR1660ICC750	05/19/2025	09:59	PP072165.D	10.21	4.50

Analytical Sequence

AR1660ICC500	AR1660ICC500	05/19/2025	10:15	PP072166.D	10.21	4.50
AR1660ICC250	AR1660ICC250	05/19/2025	10:32	PP072167.D	10.21	4.50
AR1660ICC050	AR1660ICC050	05/19/2025	10:48	PP072168.D	10.21	4.50
AR1221ICC500	AR1221ICC500	05/19/2025	11:05	PP072169.D	10.21	4.50
AR1232ICC1000	AR1232ICC1000	05/19/2025	11:21	PP072170.D	10.21	4.50
AR1232ICC750	AR1232ICC750	05/19/2025	11:38	PP072171.D	10.22	4.50
AR1232ICC500	AR1232ICC500	05/19/2025	11:54	PP072172.D	10.21	4.50
AR1232ICC250	AR1232ICC250	05/19/2025	12:10	PP072173.D	10.22	4.50
AR1232ICC050	AR1232ICC050	05/19/2025	12:27	PP072174.D	10.21	4.50
AR1242ICC1000	AR1242ICC1000	05/19/2025	12:43	PP072175.D	10.22	4.50
AR1242ICC750	AR1242ICC750	05/19/2025	12:59	PP072176.D	10.22	4.50
AR1242ICC500	AR1242ICC500	05/19/2025	13:15	PP072177.D	10.22	4.51
AR1242ICC250	AR1242ICC250	05/19/2025	13:32	PP072178.D	10.21	4.50
AR1242ICC050	AR1242ICC050	05/19/2025	13:48	PP072179.D	10.22	4.50
AR1248ICC1000	AR1248ICC1000	05/19/2025	14:04	PP072180.D	10.22	4.51
AR1248ICC750	AR1248ICC750	05/19/2025	14:20	PP072181.D	10.21	4.50
AR1248ICC500	AR1248ICC500	05/19/2025	14:37	PP072182.D	10.22	4.50
AR1248ICC250	AR1248ICC250	05/19/2025	14:53	PP072183.D	10.22	4.50
AR1248ICC050	AR1248ICC050	05/19/2025	15:25	PP072184.D	10.21	4.50
AR1254ICC1000	AR1254ICC1000	05/19/2025	15:42	PP072185.D	10.22	4.50
AR1254ICC750	AR1254ICC750	05/19/2025	15:58	PP072186.D	10.22	4.50
AR1254ICC500	AR1254ICC500	05/19/2025	16:14	PP072187.D	10.22	4.50
AR1254ICC250	AR1254ICC250	05/19/2025	16:31	PP072188.D	10.22	4.50
AR1254ICC050	AR1254ICC050	05/19/2025	16:47	PP072189.D	10.22	4.50
AR1262ICC500	AR1262ICC500	05/19/2025	17:03	PP072190.D	10.22	4.50
AR1268ICC1000	AR1268ICC1000	05/19/2025	17:20	PP072191.D	10.22	4.50
AR1268ICC750	AR1268ICC750	05/19/2025	17:36	PP072192.D	10.22	4.51
AR1268ICC500	AR1268ICC500	05/19/2025	17:53	PP072193.D	10.22	4.50
AR1268ICC250	AR1268ICC250	05/19/2025	18:09	PP072194.D	10.21	4.50
AR1268ICC050	AR1268ICC050	05/19/2025	18:25	PP072195.D	10.22	4.50
AR1660CCC500	AR1660CCC500	05/22/2025	10:03	PP072286.D	10.21	4.50
IBLK	IBLK	05/22/2025	11:41	PP072290.D	10.23	4.51
PB168124BL	PB168124BL	05/22/2025	11:58	PP072291.D	10.21	4.50
PB168124BS	PB168124BS	05/22/2025	12:14	PP072292.D	10.21	4.50
AR1660CCC500	AR1660CCC500	05/22/2025	15:49	PP072301.D	10.21	4.50
IBLK	IBLK	05/22/2025	17:12	PP072305.D	10.21	4.50

Analytical Sequence

Client: CDM Smith	SDG No.: Q2100
Project: South River WM Replacement	Instrument ID: ECD_O
GC Column: ZB-MR2	ID: 0.32 (mm) Inst. Calib. Date(s): 05/14/2025 05/14/2025

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

EPA SAMPLE NO.	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCB RT #	TCX RT #
IBLK	IBLK	05/14/2025	17:01	PO111057.D	8.67	3.68
AR1660ICC1000	AR1660ICC1000	05/14/2025	17:19	PO111058.D	8.67	3.68
AR1660ICC750	AR1660ICC750	05/14/2025	17:38	PO111059.D	8.67	3.68
AR1660ICC500	AR1660ICC500	05/14/2025	17:56	PO111060.D	8.67	3.68
AR1660ICC250	AR1660ICC250	05/14/2025	18:15	PO111061.D	8.68	3.68
AR1660ICC050	AR1660ICC050	05/14/2025	18:33	PO111062.D	8.67	3.68
AR1221ICC500	AR1221ICC500	05/14/2025	18:51	PO111063.D	8.67	3.68
AR1232ICC500	AR1232ICC500	05/14/2025	19:10	PO111064.D	8.68	3.68
AR1242ICC1000	AR1242ICC1000	05/14/2025	19:28	PO111065.D	8.67	3.68
AR1242ICC750	AR1242ICC750	05/14/2025	19:46	PO111066.D	8.67	3.68
AR1242ICC500	AR1242ICC500	05/14/2025	20:05	PO111067.D	8.67	3.68
AR1242ICC250	AR1242ICC250	05/14/2025	20:23	PO111068.D	8.67	3.68
AR1242ICC050	AR1242ICC050	05/14/2025	20:41	PO111069.D	8.67	3.68
AR1248ICC1000	AR1248ICC1000	05/14/2025	21:00	PO111070.D	8.67	3.68
AR1248ICC750	AR1248ICC750	05/14/2025	21:18	PO111071.D	8.67	3.68
AR1248ICC500	AR1248ICC500	05/14/2025	21:37	PO111072.D	8.68	3.68
AR1248ICC250	AR1248ICC250	05/14/2025	21:54	PO111073.D	8.69	3.69
AR1248ICC050	AR1248ICC050	05/14/2025	22:12	PO111074.D	8.67	3.68
AR1254ICC1000	AR1254ICC1000	05/14/2025	22:31	PO111075.D	8.67	3.68
AR1254ICC750	AR1254ICC750	05/14/2025	22:49	PO111076.D	8.67	3.68
AR1254ICC500	AR1254ICC500	05/14/2025	23:06	PO111077.D	8.67	3.68
AR1254ICC250	AR1254ICC250	05/14/2025	23:25	PO111078.D	8.67	3.68
AR1254ICC050	AR1254ICC050	05/14/2025	23:43	PO111079.D	8.67	3.68
AR1262ICC500	AR1262ICC500	05/15/2025	00:01	PO111080.D	8.67	3.68
AR1268ICC1000	AR1268ICC1000	05/15/2025	00:19	PO111081.D	8.67	3.68
AR1268ICC750	AR1268ICC750	05/15/2025	00:37	PO111082.D	8.67	3.68
AR1268ICC500	AR1268ICC500	05/15/2025	00:56	PO111083.D	8.67	3.68
AR1268ICC250	AR1268ICC250	05/15/2025	01:14	PO111084.D	8.67	3.68
AR1268ICC050	AR1268ICC050	05/15/2025	01:31	PO111085.D	8.67	3.68
AR1660CCC500	AR1660CCC500	05/22/2025	10:10	PO111273.D	8.67	3.68
IBLK	IBLK	05/22/2025	11:23	PO111277.D	8.67	3.68
TP-16	Q2100-01	05/22/2025	12:54	PO111282.D	8.67	3.68
TP-22	Q2100-02	05/22/2025	13:12	PO111283.D	8.67	3.68
TP-21	Q2100-03	05/22/2025	13:29	PO111284.D	8.67	3.68
TP-21MS	Q2100-03MS	05/22/2025	13:48	PO111285.D	8.67	3.68
TP-21MSD	Q2100-03MSD	05/22/2025	14:06	PO111286.D	8.67	3.68
TP-45	Q2100-04	05/22/2025	14:25	PO111287.D	8.67	3.68
AR1660CCC500	AR1660CCC500	05/22/2025	15:37	PO111288.D	8.67	3.68
IBLK	IBLK	05/22/2025	17:09	PO111292.D	8.67	3.68
IBLK	IBLK	05/19/2025	09:26	PP072163.D	8.82	3.79
AR1660ICC1000	AR1660ICC1000	05/19/2025	09:42	PP072164.D	8.82	3.79
AR1660ICC750	AR1660ICC750	05/19/2025	09:59	PP072165.D	8.82	3.79

Analytical Sequence

AR1660ICC500	AR1660ICC500	05/19/2025	10:15	PP072166.D	8.82	3.79
AR1660ICC250	AR1660ICC250	05/19/2025	10:32	PP072167.D	8.82	3.79
AR1660ICC050	AR1660ICC050	05/19/2025	10:48	PP072168.D	8.82	3.79
AR1221ICC500	AR1221ICC500	05/19/2025	11:05	PP072169.D	8.82	3.79
AR1232ICC1000	AR1232ICC1000	05/19/2025	11:21	PP072170.D	8.82	3.80
AR1232ICC750	AR1232ICC750	05/19/2025	11:38	PP072171.D	8.82	3.80
AR1232ICC500	AR1232ICC500	05/19/2025	11:54	PP072172.D	8.82	3.80
AR1232ICC250	AR1232ICC250	05/19/2025	12:10	PP072173.D	8.82	3.80
AR1232ICC050	AR1232ICC050	05/19/2025	12:27	PP072174.D	8.82	3.80
AR1242ICC1000	AR1242ICC1000	05/19/2025	12:43	PP072175.D	8.83	3.80
AR1242ICC750	AR1242ICC750	05/19/2025	12:59	PP072176.D	8.83	3.80
AR1242ICC500	AR1242ICC500	05/19/2025	13:15	PP072177.D	8.83	3.80
AR1242ICC250	AR1242ICC250	05/19/2025	13:32	PP072178.D	8.83	3.80
AR1242ICC050	AR1242ICC050	05/19/2025	13:48	PP072179.D	8.82	3.80
AR1248ICC1000	AR1248ICC1000	05/19/2025	14:04	PP072180.D	8.83	3.80
AR1248ICC750	AR1248ICC750	05/19/2025	14:20	PP072181.D	8.83	3.80
AR1248ICC500	AR1248ICC500	05/19/2025	14:37	PP072182.D	8.83	3.80
AR1248ICC250	AR1248ICC250	05/19/2025	14:53	PP072183.D	8.83	3.80
AR1248ICC050	AR1248ICC050	05/19/2025	15:25	PP072184.D	8.82	3.80
AR1254ICC1000	AR1254ICC1000	05/19/2025	15:42	PP072185.D	8.83	3.80
AR1254ICC750	AR1254ICC750	05/19/2025	15:58	PP072186.D	8.83	3.80
AR1254ICC500	AR1254ICC500	05/19/2025	16:14	PP072187.D	8.83	3.80
AR1254ICC250	AR1254ICC250	05/19/2025	16:31	PP072188.D	8.83	3.80
AR1254ICC050	AR1254ICC050	05/19/2025	16:47	PP072189.D	8.83	3.80
AR1262ICC500	AR1262ICC500	05/19/2025	17:03	PP072190.D	8.83	3.80
AR1268ICC1000	AR1268ICC1000	05/19/2025	17:20	PP072191.D	8.83	3.80
AR1268ICC750	AR1268ICC750	05/19/2025	17:36	PP072192.D	8.83	3.80
AR1268ICC500	AR1268ICC500	05/19/2025	17:53	PP072193.D	8.83	3.80
AR1268ICC250	AR1268ICC250	05/19/2025	18:09	PP072194.D	8.82	3.80
AR1268ICC050	AR1268ICC050	05/19/2025	18:25	PP072195.D	8.82	3.80
AR1660CCC500	AR1660CCC500	05/22/2025	10:03	PP072286.D	8.82	3.80
IBLK	IBLK	05/22/2025	11:41	PP072290.D	8.83	3.80
PB168124BL	PB168124BL	05/22/2025	11:58	PP072291.D	8.82	3.80
PB168124BS	PB168124BS	05/22/2025	12:14	PP072292.D	8.82	3.80
AR1660CCC500	AR1660CCC500	05/22/2025	15:49	PP072301.D	8.82	3.80
IBLK	IBLK	05/22/2025	17:12	PP072305.D	8.82	3.80