

Report of Analysis

Client:	PSEG	Date Collected:	05/21/25
Project:	Trenton Gas and Appliance Service MA00006789	Date Received:	05/21/25
Client Sample ID:	TR-06-052125	SDG No.:	Q2104
Lab Sample ID:	Q2104-01	Matrix:	SOIL
Analytical Method:	8260D	% Solid:	91.9
Sample Wt/Vol:	5.12 Units: g	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	RXI-624 ID : 0.25	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY022376.D	1		05/21/25 18:39	VY052125

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
75-71-8	Dichlorodifluoromethane	0.0012	U	0.0012	0.0053	mg/Kg
74-87-3	Chloromethane	0.0012	U	0.0012	0.0053	mg/Kg
75-01-4	Vinyl Chloride	0.00084	U	0.00084	0.0053	mg/Kg
74-83-9	Bromomethane	0.0011	U	0.0011	0.0053	mg/Kg
75-00-3	Chloroethane	0.0013	U	0.0013	0.0053	mg/Kg
75-69-4	Trichlorofluoromethane	0.0013	U	0.0013	0.0053	mg/Kg
76-13-1	1,1,2-Trichlorotrifluoroethane	0.0011	U	0.0011	0.0053	mg/Kg
75-35-4	1,1-Dichloroethene	0.0011	U	0.0011	0.0053	mg/Kg
67-64-1	Acetone	0.0050	U	0.0050	0.027	mg/Kg
75-15-0	Carbon Disulfide	0.0011	U	0.0011	0.0053	mg/Kg
1634-04-4	Methyl tert-butyl Ether	0.00078	U	0.00078	0.0053	mg/Kg
79-20-9	Methyl Acetate	0.0016	U	0.0016	0.0053	mg/Kg
75-09-2	Methylene Chloride	0.0038	U	0.0038	0.011	mg/Kg
156-60-5	trans-1,2-Dichloroethene	0.00091	U	0.00091	0.0053	mg/Kg
75-34-3	1,1-Dichloroethane	0.00085	U	0.00085	0.0053	mg/Kg
110-82-7	Cyclohexane	0.00084	U	0.00084	0.0053	mg/Kg
78-93-3	2-Butanone	0.0069	U	0.0069	0.027	mg/Kg
56-23-5	Carbon Tetrachloride	0.0010	U	0.0010	0.0053	mg/Kg
156-59-2	cis-1,2-Dichloroethene	0.00080	U	0.00080	0.0053	mg/Kg
74-97-5	Bromochloromethane	0.0012	U	0.0012	0.0053	mg/Kg
67-66-3	Chloroform	0.00089	U	0.00089	0.0053	mg/Kg
71-55-6	1,1,1-Trichloroethane	0.00099	U	0.00099	0.0053	mg/Kg
108-87-2	Methylcyclohexane	0.00097	U	0.00097	0.0053	mg/Kg
71-43-2	Benzene	0.00084	U	0.00084	0.0053	mg/Kg
107-06-2	1,2-Dichloroethane	0.00084	U	0.00084	0.0053	mg/Kg
79-01-6	Trichloroethene	0.00086	U	0.00086	0.0053	mg/Kg
78-87-5	1,2-Dichloropropane	0.00097	U	0.00097	0.0053	mg/Kg
75-27-4	Bromodichloromethane	0.00083	U	0.00083	0.0053	mg/Kg
108-10-1	4-Methyl-2-Pentanone	0.0038	U	0.0038	0.027	mg/Kg
108-88-3	Toluene	0.00083	U	0.00083	0.0053	mg/Kg

Report of Analysis

Client:	PSEG	Date Collected:	05/21/25
Project:	Trenton Gas and Appliance Service MA00006789	Date Received:	05/21/25
Client Sample ID:	TR-06-052125	SDG No.:	Q2104
Lab Sample ID:	Q2104-01	Matrix:	SOIL
Analytical Method:	8260D	% Solid:	91.9
Sample Wt/Vol:	5.12	Units:	g
Soil Aliquot Vol:			uL
GC Column:	RXI-624	Test:	VOC-TCLVOA-10
Prep Method :	ID :	Level :	LOW
	0.25		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY022376.D	1		05/21/25 18:39	VY052125

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
10061-02-6	t-1,3-Dichloropropene	0.00069	U	0.00069	0.0053	mg/Kg
10061-01-5	cis-1,3-Dichloropropene	0.00066	U	0.00066	0.0053	mg/Kg
79-00-5	1,1,2-Trichloroethane	0.00098	U	0.00098	0.0053	mg/Kg
591-78-6	2-Hexanone	0.0039	U	0.0039	0.027	mg/Kg
124-48-1	Dibromochloromethane	0.00092	U	0.00092	0.0053	mg/Kg
106-93-4	1,2-Dibromoethane	0.00094	U	0.00094	0.0053	mg/Kg
127-18-4	Tetrachloroethene	0.0011	U	0.0011	0.0053	mg/Kg
108-90-7	Chlorobenzene	0.00097	U	0.00097	0.0053	mg/Kg
100-41-4	Ethyl Benzene	0.00071	U	0.00071	0.0053	mg/Kg
179601-23-1	m/p-Xylenes	0.0013	U	0.0013	0.011	mg/Kg
95-47-6	o-Xylene	0.00087	U	0.00087	0.0053	mg/Kg
100-42-5	Styrene	0.00075	U	0.00075	0.0053	mg/Kg
75-25-2	Bromoform	0.00091	U	0.00091	0.0053	mg/Kg
98-82-8	Isopropylbenzene	0.00083	U	0.00083	0.0053	mg/Kg
79-34-5	1,1,2,2-Tetrachloroethane	0.0013	U	0.0013	0.0053	mg/Kg
541-73-1	1,3-Dichlorobenzene	0.0018	U	0.0018	0.0053	mg/Kg
106-46-7	1,4-Dichlorobenzene	0.0017	U	0.0017	0.0053	mg/Kg
95-50-1	1,2-Dichlorobenzene	0.0015	U	0.0015	0.0053	mg/Kg
96-12-8	1,2-Dibromo-3-Chloropropane	0.0020	U	0.0020	0.0053	mg/Kg
120-82-1	1,2,4-Trichlorobenzene	0.0032	U	0.0032	0.0053	mg/Kg
87-61-6	1,2,3-Trichlorobenzene	0.0034	U	0.0034	0.0053	mg/Kg

SURROGATES

17060-07-0	1,2-Dichloroethane-d4	46.3		63 - 155	93%	SPK: 50
1868-53-7	Dibromofluoromethane	25.1	*	70 - 134	50%	SPK: 50
2037-26-5	Toluene-d8	44.8		74 - 123	90%	SPK: 50
460-00-4	4-Bromofluorobenzene	25.6		38 - 136	51%	SPK: 50

INTERNAL STANDARDS

363-72-4	Pentafluorobenzene	6430	7.707
540-36-3	1,4-Difluorobenzene	10600	8.622
3114-55-4	Chlorobenzene-d5	6520	11.42
3855-82-1	1,4-Dichlorobenzene-d4	905	13.346

TENTATIVE IDENTIFIED COMPOUNDS

Report of Analysis

Client:	PSEG	Date Collected:	05/21/25
Project:	Trenton Gas and Appliance Service MA00006789	Date Received:	05/21/25
Client Sample ID:	TR-06-052125	SDG No.:	Q2104
Lab Sample ID:	Q2104-01	Matrix:	SOIL
Analytical Method:	8260D	% Solid:	91.9
Sample Wt/Vol:	5.12 Units: g	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	RXI-624 ID : 0.25	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY022376.D	1		05/21/25 18:39	VY052125

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
050267-11-3	unknown2.092	38.2	J		2.09	ug/Kg
	unknown12.731	62.1	J		12.7	ug/Kg
	unknown12.962	13.3	J		13.0	ug/Kg
	unknown13.243	27.2	J		13.2	ug/Kg
	3,8,11-Trioxatetracyclo[4.4.1.0(2,	35.0	J		13.7	ug/Kg
	unknown14.169	13.3	J		14.2	ug/Kg

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products