

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF052025\
 Data File : BF142469.D
 Acq On : 20 May 2025 13:07
 Operator : RC/JU
 Sample : SSTDICC010
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC010

Quant Time: May 20 16:55:01 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF052025.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue May 20 16:26:47 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.898	152	93167	20.000	ng	0.00
21) Naphthalene-d8	8.187	136	365488	20.000	ng	0.00
39) Acenaphthene-d10	9.939	164	205654	20.000	ng	0.00
64) Phenanthrene-d10	11.428	188	357871	20.000	ng	0.00
76) Chrysene-d12	14.069	240	197144	20.000	ng	0.00
86) Perylene-d12	15.563	264	160066	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.504	112	113098	20.452	ng	-0.01
7) Phenol-d6	6.516	99	134953	20.273	ng	-0.02
23) Nitrobenzene-d5	7.457	82	133256	19.881	ng	-0.02
42) 2,4,6-Tribromophenol	10.728	330	46280	20.276	ng	-0.01
45) 2-Fluorobiphenyl	9.257	172	332871	21.719	ng	-0.01
79) Terphenyl-d14	13.010	244	311785	21.612	ng	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	2.669	88	21412	9.676	ng	99
3) Pyridine	3.440	79	53586	9.509	ng	97
4) n-Nitrosodimethylamine	3.369	42	27624	9.441	ng	# 97
6) Aniline	6.557	93	87993	9.831	ng	99
8) 2-Chlorophenol	6.681	128	60216	9.997	ng	100
9) Benzaldehyde	6.446	77	45431	11.347	ng	98
10) Phenol	6.528	94	75527	10.083	ng	97
11) bis(2-Chloroethyl)ether	6.628	93	53797	9.978	ng	99
12) 1,3-Dichlorobenzene	6.840	146	68483	10.189	ng	98
13) 1,4-Dichlorobenzene	6.916	146	68774	10.158	ng	98
14) 1,2-Dichlorobenzene	7.069	146	65441	10.102	ng	99
15) Benzyl Alcohol	7.034	79	47712	9.699	ng	97
16) 2,2'-oxybis(1-Chloropr...	7.175	45	92128	10.175	ng	100
17) 2-Methylphenol	7.140	107	46205	9.825	ng	98
18) Hexachloroethane	7.416	117	23425	9.909	ng	98
19) n-Nitroso-di-n-propyla...	7.298	70	40995	9.937	ng	96
20) 3+4-Methylphenols	7.293	107	61444	10.203	ng	# 86
22) Acetophenone	7.304	105	82804	10.234	ng	98
24) Nitrobenzene	7.475	77	59873	9.904	ng	98
25) Isophorone	7.716	82	112365	10.027	ng	98
26) 2-Nitrophenol	7.798	139	31085	9.623	ng	96
27) 2,4-Dimethylphenol	7.828	122	57543	10.102	ng	99
28) bis(2-Chloroethoxy)met...	7.928	93	71943	10.277	ng	97
29) 2,4-Dichlorophenol	8.034	162	51500	9.941	ng	99
30) 1,2,4-Trichlorobenzene	8.122	180	57228	10.179	ng	97
31) Naphthalene	8.204	128	186515	10.364	ng	100
32) Benzoic acid	7.893	122	25042	7.222	ng	96
33) 4-Chloroaniline	8.251	127	74805	10.258	ng	98
34) Hexachlorobutadiene	8.322	225	35161	10.016	ng	99
35) Caprolactam	8.587	113	13862	9.527	ng	99
36) 4-Chloro-3-methylphenol	8.722	107	52919	9.968	ng	98
37) 2-Methylnaphthalene	8.892	142	116592	10.298	ng	98
38) 1-Methylnaphthalene	8.992	142	122130	10.429	ng	99
40) 1,2,4,5-Tetrachloroben...	9.063	216	59609	10.097	ng	99
41) Hexachlorocyclopentadiene	9.051	237	36016	9.044	ng	97
43) 2,4,6-Trichlorophenol	9.169	196	38354	9.635	ng	97

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF052025\
 Data File : BF142469.D
 Acq On : 20 May 2025 13:07
 Operator : RC/JU
 Sample : SSTDICC010
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC010

Quant Time: May 20 16:55:01 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF052025.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue May 20 16:26:47 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	9.210	196	42272	10.069	ng	96
46) 1,1'-Biphenyl	9.357	154	165063	10.346	ng	99
47) 2-Chloronaphthalene	9.387	162	120339	10.208	ng	96
48) 2-Nitroaniline	9.475	65	32722	9.604	ng	98
49) Acenaphthylene	9.798	152	203767	10.237	ng	99
50) Dimethylphthalate	9.651	163	137804	10.155	ng	100
51) 2,6-Dinitrotoluene	9.716	165	29112	9.940	ng	98
52) Acenaphthene	9.975	154	125669	10.339	ng	96
53) 3-Nitroaniline	9.887	138	31820	9.947	ng	99
54) 2,4-Dinitrophenol	9.992	184	11352	7.502	ng #	82
55) Dibenzofuran	10.145	168	181558	10.380	ng	98
56) 4-Nitrophenol	10.034	139	22320	9.456	ng	92
57) 2,4-Dinitrotoluene	10.116	165	37749	9.869	ng	97
58) Fluorene	10.486	166	143883	10.648	ng	99
59) 2,3,4,6-Tetrachlorophenol	10.257	232	34548	9.857	ng	99
60) Diethylphthalate	10.357	149	134662	10.161	ng	99
61) 4-Chlorophenyl-phenyle...	10.481	204	69739	10.506	ng	97
62) 4-Nitroaniline	10.492	138	29122	10.038	ng	98
63) Azobenzene	10.639	77	122806	10.317	ng	99
65) 4,6-Dinitro-2-methylph...	10.522	198	16782	8.403	ng	94
66) n-Nitrosodiphenylamine	10.592	169	121959	9.961	ng	100
67) 4-Bromophenyl-phenylether	10.969	248	42057	9.939	ng	96
68) Hexachlorobenzene	11.034	284	47773	10.207	ng	98
69) Atrazine	11.116	200	31184	9.591	ng	98
70) Pentachlorophenol	11.228	266	24115	9.126	ng	99
71) Phenanthrene	11.451	178	195667	10.231	ng	100
72) Anthracene	11.504	178	202509	10.375	ng	99
73) Carbazole	11.657	167	173217	10.381	ng	100
74) Di-n-butylphthalate	11.986	149	185880	10.177	ng	100
75) Fluoranthene	12.639	202	193456	10.825	ng	99
77) Benzidine	12.763	184	77091	10.508	ng	99
78) Pyrene	12.869	202	193842	10.540	ng	100
80) Butylbenzylphthalate	13.486	149	44682	8.793	ng	97
81) Benzo(a)anthracene	14.057	228	126886	9.639	ng	99
82) 3,3'-Dichlorobenzidine	14.022	252	35845	8.977	ng	99
83) Chrysene	14.092	228	118674	10.032	ng	99
84) Bis(2-ethylhexyl)phtha...	14.045	149	54056	8.310	ng	98
85) Di-n-octyl phthalate	14.663	149	94445	7.425	ng	100
87) Indeno(1,2,3-cd)pyrene	17.068	276	119642	9.956	ng	99
88) Benzo(b)fluoranthene	15.121	252	88432	9.335	ng	98
89) Benzo(k)fluoranthene	15.151	252	93315	10.517	ng	99
90) Benzo(a)pyrene	15.498	252	86477	9.684	ng	100
91) Dibenzo(a,h)anthracene	17.086	278	98308	10.087	ng	98
92) Benzo(g,h,i)perylene	17.521	276	97640	10.016	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quant Time: May 20 16:55:01 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF052025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue May 20 16:26:47 2025
Response via : Initial Calibration








#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.898 min Scan# 80
 Delta R.T. -0.006 min
 Lab File: BF142469.D
 Acq: 20 May 2025 13:07




Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC010


Tgt Ion:152 Resp: 93167
 Ion Ratio Lower Upper
 152 100
 150 157.7 128.2 192.4
 115 59.6 48.3 72.5



#2
 1,4-Dioxane
 Concen: 9.676 ng
 RT: 2.669 min Scan# 81
 Delta R.T. 0.006 min
 Lab File: BF142469.D
 Acq: 20 May 2025 13:07

Tgt Ion: 88 Resp: 21412
 Ion Ratio Lower Upper
 88 100
 58 89.3 70.8 106.2
 43 34.8 26.6 40.0









#3
Pyridine
Concen: 9.509 ng
RT: 3.440 min Scan# 212
Delta R.T. 0.000 min
Lab File: BF142469.D
Acq: 20 May 2025 13:07




Instrument :
BNA_F
ClientSampleId :
SSTDICC010


Tgt Ion: 79 Resp: 53586
Ion Ratio Lower Upper
79 100
52 88.4 69.2 103.8
51 44.2 33.3 49.9



#4
n-Nitrosodimethylamine
Concen: 9.441 ng
RT: 3.369 min Scan# 200
Delta R.T. -0.035 min
Lab File: BF142469.D
Acq: 20 May 2025 13:07

Tgt Ion: 42 Resp: 27624
Ion Ratio Lower Upper
42 100
74 113.0 88.2 132.4
44 8.8 5.4 8.2#









#5
2-Fluorophenol
Concen: 20.452 ng
RT: 5.504 min Scan# 51
Delta R.T. -0.012 min
Lab File: BF142469.D
Acq: 20 May 2025 13:07




Instrument :
BNA_F
ClientSampleId :
SSTDICC010


Tgt Ion:112 Resp: 113098
Ion Ratio Lower Upper
112 100
64 59.1 47.5 71.3
63 30.7 24.9 37.3



#6
Aniline
Concen: 9.831 ng
RT: 6.557 min Scan# 742
Delta R.T. -0.012 min
Lab File: BF142469.D
Acq: 20 May 2025 13:07

Tgt Ion: 93 Resp: 87993
Ion Ratio Lower Upper
93 100
66 40.3 32.0 48.0
65 20.8 16.1 24.1









#7
Phenol-d6
Concen: 20.273 ng
RT: 6.516 min Scan# 71
Delta R.T. -0.017 min
Lab File: BF142469.D
Acq: 20 May 2025 13:07




Instrument :
BNA_F
ClientSampleId :
SSTDICC010


Tgt Ion: 99 Resp: 134953
Ion Ratio Lower Upper
99 100
42 20.0 16.2 24.2
71 32.8 27.3 40.9



#8
2-Chlorophenol
Concen: 9.997 ng
RT: 6.681 min Scan# 763
Delta R.T. -0.006 min
Lab File: BF142469.D
Acq: 20 May 2025 13:07

Tgt Ion: 128 Resp: 60216
Ion Ratio Lower Upper
128 100
130 32.4 12.6 52.6
64 45.3 25.1 65.1





#9

Benzaldehyde

Concen: 11.347 ng

RT: 6.446 min Scan# 71

Delta R.T. -0.006 min

Lab File: BF142469.D

Acq: 20 May 2025 13:07

Instrument :

BNA_F

ClientSampleId :

SSTDICC010





Tgt Ion: 77 Resp: 45431

Ion Ratio Lower Upper

77 100

105 103.6 82.5 122.5

106 97.0 80.0 120.0



#10

Phenol

Concen: 10.083 ng

RT: 6.528 min Scan# 737

Delta R.T. -0.023 min

Lab File: BF142469.D

Acq: 20 May 2025 13:07




Tgt Ion: 94 Resp: 75527


Ion Ratio Lower Upper

94 100

65 28.8 10.3 50.3

66 40.4 22.6 62.6









#11
bis(2-Chloroethyl)ether
Concen: 9.978 ng
RT: 6.628 min Scan# 754
Delta R.T. -0.012 min
Lab File: BF142469.D
Acq: 20 May 2025 13:07




Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion: 93 Resp: 53797
Ion Ratio Lower Upper
93 100
63 80.3 60.2 100.2
95 33.1 12.3 52.3



#12
1,3-Dichlorobenzene
Concen: 10.189 ng
RT: 6.840 min Scan# 790
Delta R.T. -0.006 min
Lab File: BF142469.D
Acq: 20 May 2025 13:07

Tgt Ion: 146 Resp: 68483
Ion Ratio Lower Upper
146 100
148 62.2 50.6 75.8
75 27.9 23.8 35.6









#13
1,4-Dichlorobenzene
Concen: 10.158 ng
RT: 6.916 min Scan# 803
Delta R.T. -0.006 min
Lab File: BF142469.D
Acq: 20 May 2025 13:07




Instrument :
BNA_F
ClientSampleId :
SSTDICC010


Tgt Ion:146 Resp: 68774
Ion Ratio Lower Upper
146 100
148 64.1 50.4 75.6
111 40.9 34.1 51.1



#14
1,2-Dichlorobenzene
Concen: 10.102 ng
RT: 7.069 min Scan# 829
Delta R.T. -0.006 min
Lab File: BF142469.D
Acq: 20 May 2025 13:07

Tgt Ion:146 Resp: 65441
Ion Ratio Lower Upper
146 100
148 63.1 51.0 76.4
111 42.9 35.0 52.6









#15
Benzyl Alcohol
Concen: 9.699 ng
RT: 7.034 min Scan# 81
Delta R.T. -0.012 min
Lab File: BF142469.D
Acq: 20 May 2025 13:07




Instrument :
BNA_F
ClientSampleId :
SSTDICC010


Tgt Ion: 79 Resp: 47712
Ion Ratio Lower Upper
79 100
108 82.2 62.1 93.1
77 62.4 49.5 74.3



#16
2,2'-oxybis(1-Chloropropane)
Concen: 10.175 ng
RT: 7.175 min Scan# 847
Delta R.T. -0.006 min
Lab File: BF142469.D
Acq: 20 May 2025 13:07

Tgt Ion: 45 Resp: 92128
Ion Ratio Lower Upper
45 100
77 12.1 0.0 32.0
79 9.3 0.0 29.2








#17
2-Methylphenol
Concen: 9.825 ng
RT: 7.140 min Scan# 841
Delta R.T. -0.012 min
Lab File: BF142469.D
Acq: 20 May 2025 13:07




Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion:107	Resp:	46205
Ion	Ratio	Lower Upper
107	100	
108	115.4	90.2 135.2
77	45.6	36.1 54.1
79	47.6	36.2 54.4



#18
Hexachloroethane
Concen: 9.909 ng
RT: 7.416 min Scan# 888
Delta R.T. 0.000 min
Lab File: BF142469.D
Acq: 20 May 2025 13:07

Tgt Ion:117	Resp:	23425
Ion	Ratio	Lower Upper
117	100	
119	92.7	76.6 114.8
201	103.3	81.3 121.9









#19
n-Nitroso-di-n-propylamine
Concen: 9.937 ng
RT: 7.298 min Scan# 81
Delta R.T. -0.029 min
Lab File: BF142469.D
Acq: 20 May 2025 13:07




Instrument :
BNA_F
ClientSampleId :
SSTDIC010


Tgt Ion:	70	Resp:	40995
Ion	Ratio	Lower	Upper
70	100		
42	69.6	52.4	78.6
101	10.7	7.8	11.8
130	22.8	18.0	27.0



#20
3+4-Methylphenols
Concen: 10.203 ng
RT: 7.293 min Scan# 867
Delta R.T. -0.017 min
Lab File: BF142469.D
Acq: 20 May 2025 13:07

Tgt Ion:	107	Resp:	61444
Ion	Ratio	Lower	Upper
107	100		
108	87.9	70.4	110.4
77	87.2	95.4	135.4#
79	28.1	9.9	49.9









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.187 min Scan# 1019
Delta R.T. 0.000 min
Lab File: BF142469.D
Acq: 20 May 2025 13:07

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion:136 Resp: 365488




Ion	Ratio	Lower	Upper
136	100		
137	10.9	8.6	13.0
54	7.8	6.6	10.0
68	4.7	4.1	6.1




#22
Acetophenone
Concen: 10.234 ng
RT: 7.304 min Scan# 869
Delta R.T. -0.012 min
Lab File: BF142469.D
Acq: 20 May 2025 13:07

Tgt Ion:105 Resp: 82804

Ion	Ratio	Lower	Upper
105	100		
71	7.5	6.4	9.6
51	34.5	28.6	42.8
120	23.7	18.5	27.7





#23

Nitrobenzene-d5

Concen: 19.881 ng

RT: 7.457 min Scan# 896

Delta R.T. -0.017 min

Lab File: BF142469.D

Acq: 20 May 2025 13:07

Instrument :

BNA_F

ClientSampleId :

SSTDICC010





Tgt Ion: 82 Resp: 133256

Ion Ratio Lower Upper

82 100

128 46.4 37.4 56.2

54 57.7 46.6 70.0



#24

Nitrobenzene

Concen: 9.904 ng

RT: 7.475 min Scan# 898

Delta R.T. -0.017 min

Lab File: BF142469.D

Acq: 20 May 2025 13:07




Tgt Ion: 77 Resp: 59873


Ion Ratio Lower Upper

77 100

123 48.8 40.6 61.0

65 14.3 11.4 17.2









#25
Isophorone
Concen: 10.027 ng
RT: 7.716 min Scan# 911
Delta R.T. -0.017 min
Lab File: BF142469.D
Acq: 20 May 2025 13:07




Instrument :
BNA_F
ClientSampleId :
SSTDICC010


Tgt Ion: 82 Resp: 112365
Ion Ratio Lower Upper
82 100
95 7.6 6.0 9.0
138 20.8 15.5 23.3



#26
2-Nitrophenol
Concen: 9.623 ng
RT: 7.798 min Scan# 953
Delta R.T. -0.006 min
Lab File: BF142469.D
Acq: 20 May 2025 13:07

Tgt Ion:139 Resp: 31085
Ion Ratio Lower Upper
139 100
109 26.0 22.6 33.8
65 46.4 39.4 59.0





#27

2,4-Dimethylphenol

Concen: 10.102 ng

RT: 7.828 min Scan# 91

Delta R.T. -0.012 min

Lab File: BF142469.D

Acq: 20 May 2025 13:07

Instrument :

BNA_F

ClientSampleId :

SSTDICC010





Tgt Ion:122 Resp: 57543

Ion Ratio Lower Upper

122 100

107 109.2 88.1 132.1

121 59.3 47.3 70.9



#28

bis(2-Chloroethoxy)methane

Concen: 10.277 ng

RT: 7.928 min Scan# 975

Delta R.T. -0.012 min

Lab File: BF142469.D

Acq: 20 May 2025 13:07




Tgt Ion: 93 Resp: 71943


Ion Ratio Lower Upper

93 100

95 31.8 26.4 39.6

123 11.3 10.6 15.8





#29

2,4-Dichlorophenol

Concen: 9.941 ng

RT: 8.034 min Scan# 994

Delta R.T. -0.012 min

Lab File: BF142469.D

Acq: 20 May 2025 13:07

Instrument :

BNA_F

ClientSampleId :

SSTDICC010





Tgt Ion:162 Resp: 51500

Ion Ratio Lower Upper

162 100

164 63.2 43.7 83.7

98 34.8 15.5 55.5



#30

1,2,4-Trichlorobenzene

Concen: 10.179 ng

RT: 8.122 min Scan# 1008

Delta R.T. -0.006 min

Lab File: BF142469.D

Acq: 20 May 2025 13:07




Tgt Ion:180 Resp: 57228


Ion Ratio Lower Upper

180 100

182 94.4 78.0 117.0

145 30.8 25.0 37.6








#31
Naphthalene
Concen: 10.364 ng
RT: 8.204 min Scan# 1023
Delta R.T. -0.006 min
Lab File: BF142469.D
Acq: 20 May 2025 13:07




Instrument :
BNA_F
ClientSampleId :
SSTDICC010


Tgt Ion:128 Resp: 186515
Ion Ratio Lower Upper
128 100
129 10.9 8.9 13.3
127 13.0 10.5 15.7



#32
Benzoic acid
Concen: 7.222 ng
RT: 7.893 min Scan# 969
Delta R.T. -0.082 min
Lab File: BF142469.D
Acq: 20 May 2025 13:07

Tgt Ion:122 Resp: 25042
Ion Ratio Lower Upper
122 100
105 114.9 101.7 141.7
77 87.9 69.5 109.5









#33
4-Chloroaniline
Concen: 10.258 ng
RT: 8.251 min Scan# 1030
Delta R.T. -0.006 min
Lab File: BF142469.D
Acq: 20 May 2025 13:07




Instrument :
BNA_F
ClientSampleId :
SSTDICC010


Tgt Ion:	127	Resp:	74805
Ion	Ratio	Lower	Upper
127	100		
129	32.2	26.1	39.1
65	29.0	24.9	37.3
92	18.7	15.6	23.4



#34
Hexachlorobutadiene
Concen: 10.016 ng
RT: 8.322 min Scan# 1042
Delta R.T. -0.006 min
Lab File: BF142469.D
Acq: 20 May 2025 13:07

Tgt Ion:	225	Resp:	35161
Ion	Ratio	Lower	Upper
225	100		
223	62.7	49.7	74.5
227	63.2	50.3	75.5









#35
 Caprolactam
 Concen: 9.527 ng
 RT: 8.587 min Scan# 1087
 Delta R.T. -0.059 min
 Lab File: BF142469.D
 Acq: 20 May 2025 13:07




Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC010


Tgt Ion:113 Resp: 13862
 Ion Ratio Lower Upper
 113 100
 55 172.8 154.7 194.7
 56 133.0 113.2 153.2



#36
 4-Chloro-3-methylphenol
 Concen: 9.968 ng
 RT: 8.722 min Scan# 1110
 Delta R.T. -0.017 min
 Lab File: BF142469.D
 Acq: 20 May 2025 13:07

Tgt Ion:107 Resp: 52919
 Ion Ratio Lower Upper
 107 100
 144 26.9 20.9 31.3
 142 82.4 64.2 96.2









#37
2-Methylnaphthalene
Concen: 10.298 ng
RT: 8.892 min Scan# 1139
Delta R.T. -0.006 min
Lab File: BF142469.D
Acq: 20 May 2025 13:07




Instrument :
BNA_F
ClientSampleId :
SSTDICC010


Tgt Ion:142 Resp: 116592
Ion Ratio Lower Upper
142 100
141 90.2 70.7 106.1



#38
1-Methylnaphthalene
Concen: 10.429 ng
RT: 8.992 min Scan# 1156
Delta R.T. -0.006 min
Lab File: BF142469.D
Acq: 20 May 2025 13:07

Tgt Ion:142 Resp: 122130
Ion Ratio Lower Upper
142 100
141 92.6 73.4 110.2









#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.939 min Scan# 1117
Delta R.T. -0.006 min
Lab File: BF142469.D
Acq: 20 May 2025 13:07




Instrument :
BNA_F
ClientSampleId :
SSTDICC010


Tgt Ion:164 Resp: 205654
Ion Ratio Lower Upper
164 100
162 100.2 80.2 120.4
160 44.7 35.6 53.4



#40
1,2,4,5-Tetrachlorobenzene
Concen: 10.097 ng
RT: 9.063 min Scan# 1168
Delta R.T. -0.006 min
Lab File: BF142469.D
Acq: 20 May 2025 13:07


Tgt Ion:216 Resp: 59609
Ion Ratio Lower Upper
216 100
214 77.8 62.9 94.3
179 20.4 16.9 25.3
108 17.4 14.6 22.0








#41
Hexachlorocyclopentadiene
Concen: 9.044 ng
RT: 9.051 min Scan# 1166
Delta R.T. 0.000 min
Lab File: BF142469.D
Acq: 20 May 2025 13:07


Instrument :
BNA_F
ClientSampleId :
SSTDIC010





Tgt Ion:237 Resp: 36016
Ion Ratio Lower Upper
237 100
235 60.5 43.3 83.3
272 12.9 0.0 32.4



#42
2,4,6-Tribromophenol
Concen: 20.276 ng
RT: 10.728 min Scan# 1451
Delta R.T. -0.012 min
Lab File: BF142469.D
Acq: 20 May 2025 13:07



Tgt Ion:330 Resp: 46280
Ion Ratio Lower Upper
330 100
332 96.3 77.6 116.4
141 30.8 24.6 36.8








#43
2,4,6-Trichlorophenol
Concen: 9.635 ng
RT: 9.169 min Scan# 1186
Delta R.T. -0.006 min
Lab File: BF142469.D
Acq: 20 May 2025 13:07




Instrument :
BNA_F
ClientSampleId :
SSTDICC010


Tgt Ion:196 Resp: 38354
Ion Ratio Lower Upper
196 100
198 95.1 78.8 118.2
200 32.1 24.9 37.3



#44
2,4,5-Trichlorophenol
Concen: 10.069 ng
RT: 9.210 min Scan# 1193
Delta R.T. -0.006 min
Lab File: BF142469.D
Acq: 20 May 2025 13:07

Tgt Ion:196 Resp: 42272
Ion Ratio Lower Upper
196 100
198 98.5 75.5 113.3
97 46.3 39.3 58.9
132 29.2 23.3 34.9









#45
2-Fluorobiphenyl
Concen: 21.719 ng
RT: 9.257 min Scan# 11
Delta R.T. -0.012 min
Lab File: BF142469.D
Acq: 20 May 2025 13:07




Instrument :
BNA_F
ClientSampleId :
SSTDICC010


Tgt Ion:172 Resp: 332871
Ion Ratio Lower Upper
172 100
171 34.7 28.6 42.8
170 23.2 18.9 28.3



#46
1,1'-Biphenyl
Concen: 10.346 ng
RT: 9.357 min Scan# 1218
Delta R.T. -0.012 min
Lab File: BF142469.D
Acq: 20 May 2025 13:07

Tgt Ion:154 Resp: 165063
Ion Ratio Lower Upper
154 100
153 40.8 20.4 60.4
76 10.6 0.0 30.8









#47
2-Chloronaphthalene
Concen: 10.208 ng
RT: 9.387 min Scan# 1223
Delta R.T. -0.006 min
Lab File: BF142469.D
Acq: 20 May 2025 13:07




Instrument :
BNA_F
ClientSampleId :
SSTDICC010


Tgt Ion:162 Resp: 120339
Ion Ratio Lower Upper
162 100
127 38.3 33.5 50.3
164 31.8 26.1 39.1



#48
2-Nitroaniline
Concen: 9.604 ng
RT: 9.475 min Scan# 1238
Delta R.T. -0.011 min
Lab File: BF142469.D
Acq: 20 May 2025 13:07


Tgt Ion: 65 Resp: 32722
Ion Ratio Lower Upper
65 100
92 70.6 54.4 81.6
138 112.5 91.4 137.2








#49
Acenaphthylene
Concen: 10.237 ng
RT: 9.798 min Scan# 11
Delta R.T. -0.012 min
Lab File: BF142469.D
Acq: 20 May 2025 13:07


Instrument :
BNA_F
ClientSampleId :
SSTDICC010





Tgt Ion:152 Resp: 203767
Ion Ratio Lower Upper
152 100
151 19.7 15.8 23.8
153 12.6 10.6 15.8




#50
Dimethylphthalate
Concen: 10.155 ng
RT: 9.651 min Scan# 1268
Delta R.T. -0.017 min
Lab File: BF142469.D
Acq: 20 May 2025 13:07



Tgt Ion:163 Resp: 137804
Ion Ratio Lower Upper
163 100
194 3.9 3.3 4.9
164 10.2 8.2 12.4









#51
2,6-Dinitrotoluene
Concen: 9.940 ng
RT: 9.716 min Scan# 1279
Delta R.T. -0.012 min
Lab File: BF142469.D
Acq: 20 May 2025 13:07




Instrument :
BNA_F
ClientSampleId :
SSTDIC010


Tgt Ion:165 Resp: 29112
Ion Ratio Lower Upper
165 100
63 55.8 42.9 64.3
89 49.6 40.2 60.4



#52
Acenaphthene
Concen: 10.339 ng
RT: 9.975 min Scan# 1323
Delta R.T. -0.005 min
Lab File: BF142469.D
Acq: 20 May 2025 13:07

Tgt Ion:154 Resp: 125669
Ion Ratio Lower Upper
154 100
153 108.4 90.0 135.0
152 51.3 42.6 64.0









#53
3-Nitroaniline
Concen: 9.947 ng
RT: 9.887 min Scan# 11
Delta R.T. -0.012 min
Lab File: BF142469.D
Acq: 20 May 2025 13:07




Instrument :
BNA_F
ClientSampleId :
SSTDICC010


Tgt Ion:138 Resp: 31820
Ion Ratio Lower Upper
138 100
108 10.1 8.1 12.1
92 107.8 85.2 127.8



#54
2,4-Dinitrophenol
Concen: 7.502 ng
RT: 9.992 min Scan# 1326
Delta R.T. -0.012 min
Lab File: BF142469.D
Acq: 20 May 2025 13:07

Tgt Ion:184 Resp: 11352
Ion Ratio Lower Upper
184 100
63 58.7 46.3 69.5
154 97.5 56.8 85.2#









#55
Dibenzofuran
Concen: 10.380 ng
RT: 10.145 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF142469.D
Acq: 20 May 2025 13:07




Instrument :
BNA_F
ClientSampleId :
SSTDICC010


Tgt Ion:168 Resp: 181558
Ion Ratio Lower Upper
168 100
139 36.0 30.2 45.2
169 13.0 10.7 16.1



#56
4-Nitrophenol
Concen: 9.456 ng
RT: 10.034 min Scan# 1333
Delta R.T. -0.017 min
Lab File: BF142469.D
Acq: 20 May 2025 13:07

Tgt Ion:139 Resp: 22320
Ion Ratio Lower Upper
139 100
109 69.1 45.1 85.1
65 98.8 69.7 109.7









#57
2,4-Dinitrotoluene
Concen: 9.869 ng
RT: 10.116 min Scan# 11
Delta R.T. -0.017 min
Lab File: BF142469.D
Acq: 20 May 2025 13:07




Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion:165	Resp:	37749
Ion	Ratio	Lower Upper
165	100	
63	43.7	33.6 50.4
89	65.7	50.2 75.4
182	3.1	2.2 3.4



#58
Fluorene
Concen: 10.648 ng
RT: 10.486 min Scan# 1410
Delta R.T. -0.012 min
Lab File: BF142469.D
Acq: 20 May 2025 13:07

Tgt Ion:166	Resp:	143883
Ion	Ratio	Lower Upper
166	100	
165	94.2	75.8 113.8
167	13.3	10.6 16.0









#59
2,3,4,6-Tetrachlorophenol
Concen: 9.857 ng
RT: 10.257 min Scan# 1371
Delta R.T. -0.012 min
Lab File: BF142469.D
Acq: 20 May 2025 13:07




Instrument :
BNA_F
ClientSampleId :
SSTDICC010


Tgt Ion:232 Resp: 34548
Ion Ratio Lower Upper
232 100
131 44.5 35.2 52.8
130 2.2 1.7 2.5
166 30.5 23.4 35.0



#60
Diethylphthalate
Concen: 10.161 ng
RT: 10.357 min Scan# 1388
Delta R.T. -0.012 min
Lab File: BF142469.D
Acq: 20 May 2025 13:07

Tgt Ion:149 Resp: 134662
Ion Ratio Lower Upper
149 100
177 22.5 17.6 26.4
150 11.8 10.1 15.1









#61
4-Chlorophenyl-phenylether
Concen: 10.506 ng
RT: 10.481 min Scan# 1410
Delta R.T. -0.005 min
Lab File: BF142469.D
Acq: 20 May 2025 13:07




Instrument :
BNA_F
ClientSampleId :
SSTDICC010


Tgt Ion:204 Resp: 69739
Ion Ratio Lower Upper
204 100
206 33.0 26.3 39.5
141 58.7 49.5 74.3



#62
4-Nitroaniline
Concen: 10.038 ng
RT: 10.492 min Scan# 1411
Delta R.T. -0.023 min
Lab File: BF142469.D
Acq: 20 May 2025 13:07

Tgt Ion:138 Resp: 29122
Ion Ratio Lower Upper
138 100
92 45.0 26.0 66.0
108 67.1 48.4 88.4









#63
Azobenzene
Concen: 10.317 ng
RT: 10.639 min Scan# 14
Delta R.T. -0.006 min
Lab File: BF142469.D
Acq: 20 May 2025 13:07




Instrument :
BNA_F
ClientSampleId :
SSTDICC010


Tgt Ion: 77	Resp: 122806
Ion Ratio	Lower Upper
77 100	
182 28.3	9.0 49.0
105 22.5	2.4 42.4
51 33.4	13.5 53.5



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.428 min Scan# 1570
Delta R.T. -0.006 min
Lab File: BF142469.D
Acq: 20 May 2025 13:07

Tgt Ion:188	Resp: 357871
Ion Ratio	Lower Upper
188 100	
94 8.3	6.6 10.0
80 8.7	7.4 11.0









#65
4,6-Dinitro-2-methylphenol
Concen: 8.403 ng
RT: 10.522 min Scan# 1418
Delta R.T. -0.017 min
Lab File: BF142469.D
Acq: 20 May 2025 13:07




Instrument :
BNA_F
ClientSampleId :
SSTDIC010

Tgt Ion:198 Resp: 16782
Ion Ratio Lower Upper
198 100
51 54.0 28.3 68.3
105 43.7 21.3 61.3



#66
n-Nitrosodiphenylamine
Concen: 9.961 ng
RT: 10.592 min Scan# 1428
Delta R.T. -0.012 min
Lab File: BF142469.D
Acq: 20 May 2025 13:07

Tgt Ion:169 Resp: 121959
Ion Ratio Lower Upper
169 100
168 66.0 52.7 79.1
167 35.8 28.3 42.5









#67
4-Bromophenyl-phenylether
Concen: 9.939 ng
RT: 10.969 min Scan# 1492
Delta R.T. -0.006 min
Lab File: BF142469.D
Acq: 20 May 2025 13:07




Instrument :
BNA_F
ClientSampleId :
SSTDICC010


Tgt Ion:248 Resp: 42057
Ion Ratio Lower Upper
248 100
250 93.3 79.0 118.4
141 74.4 58.4 87.6



#68
Hexachlorobenzene
Concen: 10.207 ng
RT: 11.034 min Scan# 1503
Delta R.T. -0.012 min
Lab File: BF142469.D
Acq: 20 May 2025 13:07

Tgt Ion:284 Resp: 47773
Ion Ratio Lower Upper
284 100
142 29.8 24.8 37.2
249 28.4 23.6 35.4





#69

Atrazine

Concen: 9.591 ng

RT: 11.116 min Scan# 1517

Delta R.T. -0.011 min

Lab File: BF142469.D

Acq: 20 May 2025 13:07

Instrument :

BNA_F

ClientSampleId :

SSTDIC010





Tgt Ion:200 Resp: 31184

Ion Ratio Lower Upper

200 100

173 27.7 7.4 47.4

215 50.2 28.5 68.5



#70

Pentachlorophenol

Concen: 9.126 ng

RT: 11.228 min Scan# 1536

Delta R.T. -0.006 min

Lab File: BF142469.D

Acq: 20 May 2025 13:07




Tgt Ion:266 Resp: 24115


Ion Ratio Lower Upper

266 100

268 63.9 51.7 77.5

264 63.7 50.4 75.6





#71

Phenanthrene

Concen: 10.231 ng

RT: 11.451 min Scan# 1574

Delta R.T. -0.006 min

Lab File: BF142469.D

Acq: 20 May 2025 13:07

Instrument :

BNA_F

ClientSampleId :

SSTDICC010





Tgt Ion:178 Resp: 195667

Ion Ratio Lower Upper

178 100

176 18.9 15.4 23.0

179 15.5 12.3 18.5



#72

Anthracene

Concen: 10.375 ng

RT: 11.504 min Scan# 1583

Delta R.T. -0.006 min

Lab File: BF142469.D

Acq: 20 May 2025 13:07




Tgt Ion:178 Resp: 202509


Ion Ratio Lower Upper

178 100

176 18.4 14.6 21.8

179 15.0 12.4 18.6









#73
 Carbazole
 Concen: 10.381 ng
 RT: 11.657 min Scan# 1609
 Delta R.T. -0.006 min
 Lab File: BF142469.D
 Acq: 20 May 2025 13:07




Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC010


Tgt Ion:167 Resp: 173217
 Ion Ratio Lower Upper
 167 100
 166 21.0 16.9 25.3
 139 12.5 10.2 15.4



#74
 Di-n-butylphthalate
 Concen: 10.177 ng
 RT: 11.986 min Scan# 1665
 Delta R.T. -0.006 min
 Lab File: BF142469.D
 Acq: 20 May 2025 13:07

Tgt Ion:149 Resp: 185880
 Ion Ratio Lower Upper
 149 100
 150 8.9 7.3 10.9
 104 4.4 3.6 5.4









#75
Fluoranthene
Concen: 10.825 ng
RT: 12.639 min Scan# 1776
Delta R.T. -0.006 min
Lab File: BF142469.D
Acq: 20 May 2025 13:07




Instrument :
BNA_F
ClientSampleId :
SSTDIC010


Tgt Ion:202 Resp: 193456
Ion Ratio Lower Upper
202 100
101 10.1 0.0 29.6
203 17.2 0.0 37.2



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.069 min Scan# 2019
Delta R.T. -0.006 min
Lab File: BF142469.D
Acq: 20 May 2025 13:07

Tgt Ion:240 Resp: 197144
Ion Ratio Lower Upper
240 100
120 10.5 7.5 11.3
236 24.7 19.6 29.4









#77
Benzidine
Concen: 10.508 ng
RT: 12.763 min Scan# 11
Delta R.T. 0.000 min
Lab File: BF142469.D
Acq: 20 May 2025 13:07




Instrument :
BNA_F
ClientSampleId :
SSTDIC010


Tgt Ion:184 Resp: 77091
Ion Ratio Lower Upper
184 100
185 14.2 11.6 17.4
183 10.6 9.0 13.4



#78
Pyrene
Concen: 10.540 ng
RT: 12.869 min Scan# 1815
Delta R.T. -0.006 min
Lab File: BF142469.D
Acq: 20 May 2025 13:07

Tgt Ion:202 Resp: 193842
Ion Ratio Lower Upper
202 100
200 20.0 16.1 24.1
203 17.3 13.9 20.9









#79
 Terphenyl-d14
 Concen: 21.612 ng
 RT: 13.010 min Scan# 1840
 Delta R.T. -0.006 min
 Lab File: BF142469.D
 Acq: 20 May 2025 13:07




Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC010


Tgt Ion:244 Resp: 311785
 Ion Ratio Lower Upper
 244 100
 212 6.7 5.3 7.9
 122 10.9 8.2 12.2



#80
 Butylbenzylphthalate
 Concen: 8.793 ng
 RT: 13.486 min Scan# 1920
 Delta R.T. -0.006 min
 Lab File: BF142469.D
 Acq: 20 May 2025 13:07

Tgt Ion:149 Resp: 44682
 Ion Ratio Lower Upper
 149 100
 91 69.0 52.9 79.3
 206 20.6 16.2 24.2





#81

Benzo(a)anthracene

Concen: 9.639 ng

RT: 14.057 min Scan# 2017

Delta R.T. -0.006 min

Lab File: BF142469.D

Acq: 20 May 2025 13:07

Instrument :

BNA_F

ClientSampleId :

SSTDICC010





Tgt Ion:228 Resp: 126886

Ion Ratio Lower Upper

228 100

226 26.9 21.2 31.8

229 19.2 15.5 23.3



#82

3,3'-Dichlorobenzidine

Concen: 8.977 ng

RT: 14.022 min Scan# 2011

Delta R.T. -0.006 min

Lab File: BF142469.D

Acq: 20 May 2025 13:07




Tgt Ion:252 Resp: 35845


Ion Ratio Lower Upper

252 100

254 64.2 52.0 78.0

126 11.4 8.9 13.3





#83

Chrysene

Concen: 10.032 ng

RT: 14.092 min Scan# 20

Delta R.T. -0.012 min

Lab File: BF142469.D

Acq: 20 May 2025 13:07

Instrument :

BNA_F

ClientSampleId :

SSTDICC010





Tgt Ion:228 Resp: 118674

Ion Ratio Lower Upper

228 100

226 29.2 23.8 35.6

229 18.8 15.4 23.2



#84

Bis(2-ethylhexyl)phthalate

Concen: 8.310 ng

RT: 14.045 min Scan# 2015

Delta R.T. -0.006 min

Lab File: BF142469.D

Acq: 20 May 2025 13:07




Tgt Ion:149 Resp: 54056


Ion Ratio Lower Upper

149 100

167 27.8 21.5 32.3

279 3.7 3.2 4.8









#85
Di-n-octyl phthalate
Concen: 7.425 ng
RT: 14.663 min Scan# 2120
Delta R.T. -0.005 min
Lab File: BF142469.D
Acq: 20 May 2025 13:07




Instrument :
BNA_F
ClientSampleId :
SSTDICC010


Tgt Ion:149 Resp: 94445
Ion Ratio Lower Upper
149 100
167 1.5 1.2 1.8
43 9.8 7.9 11.9



#86
Perylene-d12
Concen: 20.000 ng
RT: 15.563 min Scan# 2273
Delta R.T. -0.006 min
Lab File: BF142469.D
Acq: 20 May 2025 13:07

Tgt Ion:264 Resp: 160066
Ion Ratio Lower Upper
264 100
260 22.6 18.6 28.0
265 20.9 17.7 26.5









#87
Indeno(1,2,3-cd)pyrene
Concen: 9.956 ng
RT: 17.068 min Scan# 2198
Delta R.T. -0.023 min
Lab File: BF142469.D
Acq: 20 May 2025 13:07




Instrument :
BNA_F
ClientSampleId :
SSTDICC010


Tgt Ion:276 Resp: 119642
Ion Ratio Lower Upper
276 100
138 25.8 19.9 29.9
277 25.3 20.2 30.2



#88
Benzo(b)fluoranthene
Concen: 9.335 ng
RT: 15.121 min Scan# 2198
Delta R.T. -0.006 min
Lab File: BF142469.D
Acq: 20 May 2025 13:07

Tgt Ion:252 Resp: 88432
Ion Ratio Lower Upper
252 100
253 22.2 17.0 25.4
125 9.5 7.4 11.0





#89

Benzo(k)fluoranthene

Concen: 10.517 ng

RT: 15.151 min Scan# 2203

Delta R.T. -0.012 min

Lab File: BF142469.D

Acq: 20 May 2025 13:07

Instrument :

BNA_F

ClientSampleId :

SSTDICC010





Tgt Ion:252 Resp: 93315

Ion Ratio Lower Upper

252 100

253 20.8 17.0 25.4

125 9.1 7.3 10.9



#90

Benzo(a)pyrene

Concen: 9.684 ng

RT: 15.498 min Scan# 2262

Delta R.T. -0.012 min

Lab File: BF142469.D

Acq: 20 May 2025 13:07




Tgt Ion:252 Resp: 86477


Ion Ratio Lower Upper

252 100

253 21.8 17.4 26.0

125 10.4 7.9 11.9









#91
Dibenzo(a,h)anthracene
Concen: 10.087 ng
RT: 17.086 min Scan# 21
Delta R.T. -0.029 min
Lab File: BF142469.D
Acq: 20 May 2025 13:07

Instrument :
BNA_F
ClientSampleId :
SSTDIC010

Tgt Ion:278 Resp: 98308
Ion Ratio Lower Upper
278 100
139 15.1 12.8 19.2
279 22.6 18.6 28.0



#92
Benzo(g,h,i)perylene
Concen: 10.016 ng
RT: 17.521 min Scan# 2606
Delta R.T. -0.035 min
Lab File: BF142469.D
Acq: 20 May 2025 13:07

Tgt Ion:276 Resp: 97640
Ion Ratio Lower Upper
276 100
277 23.0 19.2 28.8
138 21.1 16.8 25.2

