

Report of Analysis

Client:	ATG-GREENVILLE AEC		Date Collected:	
Project:	AEC-2025-0013- 14 Fisher Lane, White Plains Bus Co		Date Received:	
Client Sample ID:	VN0523WBS01		SDG No.:	Q2116
Lab Sample ID:	VN0523WBS01		Matrix:	Water
Analytical Method:	8260D		% Solid:	0
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:		uL	Test:	VOC-BTEX
GC Column:	RXI-624	ID : 0.25	Level :	LOW
Prep Method :				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN086769.D	1		05/23/25 11:16	VN052325

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
71-43-2	Benzene	17.5		0.15	1.00	ug/L
108-88-3	Toluene	18.2		0.14	1.00	ug/L
100-41-4	Ethyl Benzene	18.3		0.13	1.00	ug/L
179601-23-1	m/p-Xylenes	39.0		0.24	2.00	ug/L
95-47-6	o-Xylene	19.1		0.12	1.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	41.9		74 - 125	84%	SPK: 50
1868-53-7	Dibromofluoromethane	49.6		75 - 124	99%	SPK: 50
2037-26-5	Toluene-d8	49.6		86 - 113	99%	SPK: 50
460-00-4	4-Bromofluorobenzene	49.9		77 - 121	100%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	283000	8.224			
540-36-3	1,4-Difluorobenzene	486000	9.1			
3114-55-4	Chlorobenzene-d5	427000	11.865			
3855-82-1	1,4-Dichlorobenzene-d4	194000	13.788			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products