

Report of Analysis

Client:	Tetra Tech NUS, Inc.		Date Collected:	
Project:	NWIRP Bethpage 112G08005-WE13		Date Received:	
Client Sample ID:	VY0523SBS01		SDG No.:	Q2118
Lab Sample ID:	VY0523SBS01		Matrix:	SOIL
Analytical Method:	8260D		% Solid:	100
Sample Wt/Vol:	5	Units: g	Final Vol:	5000 uL
Soil Aliquot Vol:		uL	Test:	VOCMS Group1
GC Column:	RXI-624	ID : 0.25	Level :	LOW
Prep Method :				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY022409.D	1		05/23/25 16:28	VY052325

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units(Dry Weight)
TARGETS							
74-87-3	Chloromethane	24.0		1.10	2.50	5.00	ug/Kg
75-01-4	Vinyl Chloride	25.2		0.79	2.50	5.00	ug/Kg
74-83-9	Bromomethane	34.5		1.10	4.00	5.00	ug/Kg
75-00-3	Chloroethane	27.1		1.30	2.50	5.00	ug/Kg
75-69-4	Trichlorofluoromethane	22.9		1.20	4.00	5.00	ug/Kg
76-13-1	1,1,2-Trichlorotrifluoroethane	22.8		1.10	2.50	5.00	ug/Kg
75-35-4	1,1-Dichloroethene	22.1		1.00	2.50	5.00	ug/Kg
67-64-1	Acetone	140		4.70	20.0	25.0	ug/Kg
75-15-0	Carbon Disulfide	19.9		1.10	4.00	5.00	ug/Kg
1634-04-4	Methyl tert-butyl Ether	20.1		0.73	2.50	5.00	ug/Kg
75-09-2	Methylene Chloride	19.6		3.50	8.00	10.0	ug/Kg
156-60-5	trans-1,2-Dichloroethene	20.4		0.86	2.50	5.00	ug/Kg
75-34-3	1,1-Dichloroethane	20.0		0.80	2.50	5.00	ug/Kg
78-93-3	2-Butanone	110		6.50	20.0	25.0	ug/Kg
56-23-5	Carbon Tetrachloride	20.9		0.97	2.50	5.00	ug/Kg
156-59-2	cis-1,2-Dichloroethene	20.5		0.75	2.50	5.00	ug/Kg
67-66-3	Chloroform	20.5		0.84	4.00	5.00	ug/Kg
71-55-6	1,1,1-Trichloroethane	20.7		0.93	2.50	5.00	ug/Kg
108-87-2	Methylcyclohexane	21.4		0.91	2.50	5.00	ug/Kg
71-43-2	Benzene	20.3		0.79	2.50	5.00	ug/Kg
107-06-2	1,2-Dichloroethane	19.6		0.79	2.50	5.00	ug/Kg
79-01-6	Trichloroethene	20.8		0.81	2.50	5.00	ug/Kg
78-87-5	1,2-Dichloropropane	20.0		0.91	2.50	5.00	ug/Kg
75-27-4	Bromodichloromethane	20.0		0.78	2.50	5.00	ug/Kg
108-10-1	4-Methyl-2-Pentanone	92.8		3.60	12.5	25.0	ug/Kg
108-88-3	Toluene	20.2		0.78	2.50	5.00	ug/Kg
10061-02-6	t-1,3-Dichloropropene	19.6		0.65	2.50	5.00	ug/Kg
10061-01-5	cis-1,3-Dichloropropene	19.7		0.62	2.50	5.00	ug/Kg
79-00-5	1,1,2-Trichloroethane	20.2		0.92	2.50	5.00	ug/Kg
591-78-6	2-Hexanone	100		3.70	12.5	25.0	ug/Kg

Report of Analysis

Client:	Tetra Tech NUS, Inc.		Date Collected:	
Project:	NWIRP Bethpage 112G08005-WE13		Date Received:	
Client Sample ID:	VY0523SBS01		SDG No.:	Q2118
Lab Sample ID:	VY0523SBS01		Matrix:	SOIL
Analytical Method:	8260D		% Solid:	100
Sample Wt/Vol:	5	Units: g	Final Vol:	5000 uL
Soil Aliquot Vol:		uL	Test:	VOCMS Group1
GC Column:	RXI-624	ID : 0.25	Level :	LOW
Prep Method :				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY022409.D	1		05/23/25 16:28	VY052325

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units(Dry Weight)
124-48-1	Dibromochloromethane	20.4		0.87	2.50	5.00	ug/Kg
127-18-4	Tetrachloroethene	21.1		1.10	2.50	5.00	ug/Kg
108-90-7	Chlorobenzene	20.5		0.91	2.50	5.00	ug/Kg
100-41-4	Ethyl Benzene	20.3		0.67	2.50	5.00	ug/Kg
179601-23-1	m/p-Xylenes	40.6		1.20	5.00	10.0	ug/Kg
95-47-6	o-Xylene	19.9		0.82	2.50	5.00	ug/Kg
100-42-5	Styrene	19.8		0.71	2.50	5.00	ug/Kg
75-25-2	Bromoform	20.0		0.86	2.50	5.00	ug/Kg
98-82-8	Isopropylbenzene	21.0		0.78	2.50	5.00	ug/Kg
79-34-5	1,1,2,2-Tetrachloroethane	20.9		1.20	2.50	5.00	ug/Kg
541-73-1	1,3-Dichlorobenzene	20.2		1.70	2.50	5.00	ug/Kg
106-46-7	1,4-Dichlorobenzene	20.5		1.60	2.50	5.00	ug/Kg
95-50-1	1,2-Dichlorobenzene	20.5		1.50	2.50	5.00	ug/Kg
SURROGATES							
17060-07-0	1,2-Dichloroethane-d4	50.7		71 - 136		101%	SPK: 50
1868-53-7	Dibromofluoromethane	53.6		78 - 119		107%	SPK: 50
2037-26-5	Toluene-d8	53.5		85 - 116		107%	SPK: 50
460-00-4	4-Bromofluorobenzene	48.8		79 - 119		98%	SPK: 50
INTERNAL STANDARDS							
363-72-4	Pentafluorobenzene	220000	7.713				
540-36-3	1,4-Difluorobenzene	365000	8.621				
3114-55-4	Chlorobenzene-d5	306000	11.42				
3855-82-1	1,4-Dichlorobenzene-d4	142000	13.352				

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products