


Manual Integration Report

Sequence:	BM060525	Instrument	BNA_m

Sample ID	File ID	Parameter	Review By	Review On	Supervised By	Supervised On	Reason
SSTDICC005	BM050195.D	2,3,4,6-Tetrachlorophen ol	Rahul	6/6/2025 12:19:17 PM	Jagrut	6/6/2025 1:16:08 PM	Peak Integrated by Software
SSTDICC005	BM050195.D	Benzaldehyde	Rahul	6/6/2025 12:19:17 PM	Jagrut	6/6/2025 1:16:08 PM	Peak Integrated by Software
SSTDICC010	BM050196.D	2,3,4,6-Tetrachlorophen ol	Rahul	6/5/2025 4:48:25 PM	Jagrut	6/6/2025 1:16:10 PM	Peak Integrated by Software
SSTDICC020	BM050197.D	Benzaldehyde	Rahul	6/6/2025 12:19:19 PM	Jagrut	6/6/2025 1:16:13 PM	Peak Integrated by Software
SSTDICCC040	BM050198.D	2,3,4,6-Tetrachlorophen ol	Rahul	6/5/2025 4:48:28 PM	Jagrut	6/6/2025 1:16:15 PM	Peak Integrated by Software
SSTDICV040	BM050202.D	Benzaldehyde	Rahul	6/5/2025 4:48:30 PM	Jagrut	6/6/2025 1:16:18 PM	Peak Integrated by Software



Alliar	nce
TECHNICAL	

Manual Integration Report

Sequence:	bm060925	Instrument	BNA_m

Sample ID	File ID	Parameter	Review By	Review On	Supervised By	Supervised On	Reason
SSTDCCC040	BM050236.D	2,3,4,6-Tetrachlorophen ol	Rahul	6/10/2025 5:09:05 PM	Jagrut	6/10/2025 5:10:15 PM	Peak Integrated by Software
PB168340BS	BM050238.D	Acenaphthene	Rahul	6/10/2025 5:09:07 PM	Jagrut	6/10/2025 5:10:18 PM	Peak Integrated by Software
PB168340BS	BM050238.D	Caprolactam	Rahul	6/10/2025 5:09:07 PM	Jagrut	6/10/2025 5:10:18 PM	Peak Integrated by Software
Q2125-08MS	BM050241.D	2,3,4,6-Tetrachlorophen ol	Rahul	6/10/2025 5:09:10 PM	Jagrut	6/10/2025 5:10:21 PM	Peak Integrated by Software
Q2125-08MS	BM050241.D	Acenaphthene	Rahul	6/10/2025 5:09:10 PM	Jagrut	6/10/2025 5:10:21 PM	Peak Integrated by Software
Q2125-08MSD	BM050242.D	Acenaphthene	Rahul	6/10/2025 5:09:12 PM	Jagrut	6/10/2025 5:10:23 PM	Peak Integrated by Software
SSTDCCC040	BM050245.D	2,3,4,6-Tetrachlorophen ol	Rahul	6/10/2025 5:09:14 PM	Jagrut	6/10/2025 5:10:26 PM	Peak Integrated by Software
SSTDCCC040	BM050262.D	2,3,4,6-Tetrachlorophen ol	Rahul	6/10/2025 5:09:18 PM	Jagrut	6/10/2025 5:10:33 PM	Peak Integrated by Software