

Report of Analysis

Client:	Alliance Technical Group, LLC - Newark		Date Collected:	05/23/25	
Project:	LOD-LOQ-MDL Study		Date Received:	05/23/25	
Client Sample ID:	LOD-MDL-WATER-01-QT2-2025		SDG No.:	Q2126	
Lab Sample ID:	Q2126-07		Matrix:	Water	
Analytical Method:	NJEPH		% Solid:	0	
Sample Wt/Vol:	1000	Units: mL	Final Vol:	2000	uL
Soil Aliquot Vol:		uL	Test:	EPH	
Prep Method :	SW3510				

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FG016097.D	1	06/11/25	06/16/25	PB168409

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aliphatic C9-C12	Aliphatic C9-C12	9.99	J	8.28	30.0	ug/l
Aliphatic C12-C16	Aliphatic C12-C16	20.0	U	13.5	20.0	ug/l
Aliphatic C16-C21	Aliphatic C16-C21	12.9	J	8.34	30.0	ug/l
Aliphatic C21-C28	Aliphatic C21-C28	17.9	J	12.5	40.0	ug/l
Aliphatic C28-C40	Aliphatic C28-C40	32.8	J	23.8	60.0	ug/l
SURROGATES						
3383-33-2	1-chlorooctadecane (SURR)	40.9		40 - 140	82%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	0.00		40 - 140	0%	SPK: 50

Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	Q2126-07	Acq On:	16 Jun 2025 13:29
Client Sample ID:	LOD-MDL-WATER-01-QT	Operator:	YP\AJ
Data file:	FG016097.D	Misc:	2.5 PPM WATER LOD
Instrument:	FID_G	ALS Vial:	26
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.		Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.320	6.958	546109	4.995	300	ug/ml
Aliphatic C12-C16	6.959	10.415	468354	4.188	200	ug/ml
Aliphatic C16-C21	10.416	13.803	736855	6.437	300	ug/ml
Aliphatic C21-C28	13.804	17.486	1024830	8.959	400	ug/ml
Aliphatic C28-C40	17.487	22.538	1509159	16.405	600	ug/ml
Aliphatic EPH	3.320	22.538	4285307	40.983		ug/ml
ortho-Terphenyl (SURR)	0.000	0.000	0	0		ug/ml
1-chlorooctadecane (SURR)	13.538	13.538	4117999	40.87		ug/ml
Aliphatic C9-C28	3.320	17.486	2776148	24.579	1200	ug/ml