

Report of Analysis

Client:	Alliance Technical Group, LLC - Newark		Date Collected:	05/23/25	
Project:	LOD-LOQ-MDL Study		Date Received:	05/23/25	
Client Sample ID:	LOQ-SOIL-02-QT2-2025		SDG No.:	Q2126	
Lab Sample ID:	Q2126-02		Matrix:	SOIL	
Analytical Method:	8082A		% Solid:	100	Decanted:
Sample Wt/Vol:	30.04	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PO111796.D	1	06/19/25 09:25	06/21/25 06:36	PB168547

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	17.0	U	3.90	17.0	ug/kg
11104-28-2	Aroclor-1221	17.0	U	4.00	17.0	ug/kg
11141-16-5	Aroclor-1232	17.0	U	3.70	17.0	ug/kg
53469-21-9	Aroclor-1242	17.0	U	4.00	17.0	ug/kg
12672-29-6	Aroclor-1248	17.0	U	5.90	17.0	ug/kg
11097-69-1	Aroclor-1254	17.0	U	3.20	17.0	ug/kg
37324-23-5	Aroclor-1262	17.0	U	5.00	17.0	ug/kg
11100-14-4	Aroclor-1268	12.7	J	3.60	17.0	ug/kg
11096-82-5	Aroclor-1260	17.0	U	3.20	17.0	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	20.5	*	32 - 144	103%	SPK: 20
2051-24-3	Decachlorobiphenyl	23.9	*	32 - 175	119%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit