



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

CASE NARRATIVE

G Environmental

Project Name: DPW

Project # N/A

Order ID # Q2134

Test Name: Metals Group3

A. Number of Samples and Date of Receipt:

1 Water sample was received on 05/28/2025.

B. Parameters:

According to the Chain of Custody document, the following analyses were requested: Metals Group3, SVOCMS Group2 and VOCMS Group2. This data package contains results for Metals Group3.

C. Analytical Techniques:

The analysis of Metals Group3 was based on method 6010D and digestion based on method 3010 (waters).

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Blank Spike met requirements for all samples.

The Duplicate (SUPPLYMSD) analysis met criteria for all samples except for Sodium due to Chemical Interference during Digestion Process.

The Matrix Spike (SUPPLYMS) analysis met criteria for all samples except for Manganese due to Chemical Interference during Digestion Process.

The Matrix Spike Duplicate analysis met criteria for all samples.

The Blank analysis did not indicate the presence of lab contamination.

The Calibration met the requirements.

The Serial Dilution met the acceptable requirements.

E. Additional Comments:

In analytical Sequence LB135981, The % Recovery outside limit for all parameters in CCV10 but, no any samples associated under this CCV.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature_____