

Hit Summary Sheet
SW-846

SDG No.: Q2145 **Order ID:** Q2145
Client: Kinderprep **Project ID:** Kinderprep School Drinking Water 2025

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID :	MAIN-SINK							
Q2145-01	MAIN-SINK	Water	Copper	471		0.65	2.00	ug/L
Client ID :	CLASSROOM-SINK-1							
Q2145-02	CLASSROOM-SINK-1	Water	Copper	39.6		0.65	2.00	ug/L
Client ID :	CLASSROOM-SINK-2							
Q2145-03	CLASSROOM-SINK-2	Water	Copper	63.8		0.65	2.00	ug/L
Client ID :	CLASSROOM-SINK-3							
Q2145-04	CLASSROOM-SINK-3	Water	Copper	116		0.65	2.00	ug/L
Q2145-04	CLASSROOM-SINK-3	Water	Lead	0.50	J	0.27	1.00	ug/L
Client ID :	BATHROOM-7							
Q2145-05	BATHROOM-7	Water	Copper	207		0.65	2.00	ug/L
Q2145-05	BATHROOM-7	Water	Lead	0.38	J	0.27	1.00	ug/L
Client ID :	CLASSROOM-5							
Q2145-06	CLASSROOM-5	Water	Copper	116		0.65	2.00	ug/L
Client ID :	CLASSROOM-9							
Q2145-07	CLASSROOM-9	Water	Copper	129		0.65	2.00	ug/L
Client ID :	BATHROOM-14							
Q2145-08	BATHROOM-14	Water	Copper	322		0.65	2.00	ug/L
Client ID :	CLASSROOM-12-BATHROOM							
Q2145-09	CLASSROOM-12-BATHROOM	Water	Copper	409		0.65	2.00	ug/L
Client ID :	CLASSROOM-12-SINK							
Q2145-10	CLASSROOM-12-SINK	Water	Copper	52.6		0.65	2.00	ug/L
Client ID :	BASEMENT-CLASSROOM-FRONT							
Q2145-11	BASEMENT-CLASSROOM-FR	Water	Copper	361		0.65	2.00	ug/L
Client ID :	BASEMENT-BATHROOM-A							
Q2145-12	BASEMENT-BATHROOM-A	Water	Copper	267		0.65	2.00	ug/L
Q2145-12	BASEMENT-BATHROOM-A	Water	Lead	0.35	J	0.27	1.00	ug/L
Client ID :	BASEMENT-BATHROOM-B							
Q2145-13	BASEMENT-BATHROOM-B	Water	Copper	164		0.65	2.00	ug/L
Client ID :	CLASSROOM-SINK-16							

Hit Summary Sheet
SW-846

SDG No.:	Q2145	Order ID:	Q2145
Client:	Kinderprep	Project ID:	Kinderprep School Drinking Water 2025

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Q2145-14	CLASSROOM-SINK-16	Water	Copper	31.4		0.65	2.00	ug/L
Client ID : FB-5-28-25								
Q2145-15	FB-5-28-25	Water	Copper	1.66	J	0.65	2.00	ug/L
Q2145-15	FB-5-28-25	Water	Lead	0.33	J	0.27	1.00	ug/L
Client ID : MAIN-SINK-B								
Q2145-18	MAIN-SINK-B	Water	Copper	244		0.65	2.00	ug/L
Q2145-18	MAIN-SINK-B	Water	Lead	0.66	J	0.27	1.00	ug/L
Client ID : CLASSROOM-SINK-1-B								
Q2145-19	CLASSROOM-SINK-1-B	Water	Copper	156		0.65	2.00	ug/L
Q2145-19	CLASSROOM-SINK-1-B	Water	Lead	0.53	J	0.27	1.00	ug/L
Client ID : CLASSROOM-SINK-2-B								
Q2145-20	CLASSROOM-SINK-2-B	Water	Copper	65.6		0.65	2.00	ug/L
Q2145-20	CLASSROOM-SINK-2-B	Water	Lead	0.40	J	0.27	1.00	ug/L
Client ID : CLASSROOM-SINK-3-B								
Q2145-21	CLASSROOM-SINK-3-B	Water	Copper	116		0.65	2.00	ug/L
Q2145-21	CLASSROOM-SINK-3-B	Water	Lead	0.66	J	0.27	1.00	ug/L
Client ID : BATHROOM-7-B								
Q2145-22	BATHROOM-7-B	Water	Copper	210		0.65	2.00	ug/L
Q2145-22	BATHROOM-7-B	Water	Lead	0.55	J	0.27	1.00	ug/L
Client ID : CLASSROOM-5-B								
Q2145-23	CLASSROOM-5-B	Water	Copper	61.7		0.65	2.00	ug/L
Q2145-23	CLASSROOM-5-B	Water	Lead	0.27	J	0.27	1.00	ug/L
Client ID : CLASSROOM-9-B								
Q2145-24	CLASSROOM-9-B	Water	Copper	128		0.65	2.00	ug/L
Q2145-24	CLASSROOM-9-B	Water	Lead	0.31	J	0.27	1.00	ug/L
Client ID : BATHROOM-14-B								
Q2145-25	BATHROOM-14-B	Water	Copper	324		0.65	2.00	ug/L
Client ID : CLASSROOM-12-BATHROOM-B								
Q2145-26	CLASSROOM-12-BATHROOM	Water	Copper	411		0.65	2.00	ug/L
Q2145-26	CLASSROOM-12-BATHROOM	Water	Lead	0.32	J	0.27	1.00	ug/L
Client ID : CLASSROOM-12-SINK-B								
Q2145-27	CLASSROOM-12-SINK-B	Water	Copper	51.7		0.65	2.00	ug/L
Q2145-27	CLASSROOM-12-SINK-B	Water	Lead	0.33	J	0.27	1.00	ug/L

A
B
C
D

Hit Summary Sheet
SW-846

SDG No.: Q2145

Order ID: Q2145

Client: Kinderprep

Project ID: Kinderprep School Drinking Water 2025

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID : BASEMENT-CLASSROOM-FRONT-B								
Q2145-28	BASEMENT-CLASSROOM-FR Water		Copper	56.4		0.65	2.00	ug/L
Q2145-28	BASEMENT-CLASSROOM-FR Water		Lead	0.31	J	0.27	1.00	ug/L
Client ID : BASEMENT-BATHROOM-A-B								
Q2145-29	BASEMENT-BATHROOM-A-B Water		Copper	262		0.65	2.00	ug/L
Q2145-29	BASEMENT-BATHROOM-A-B Water		Lead	0.60	J	0.27	1.00	ug/L
Client ID : BASEMENT-BATHROOM-B-B								
Q2145-30	BASEMENT-BATHROOM-B-B Water		Copper	29.4		0.65	2.00	ug/L
Client ID : CLASSROOM-SINK-16 -B								
Q2145-31	CLASSROOM-SINK-16 -B Water		Copper	126		0.65	2.00	ug/L
Q2145-31	CLASSROOM-SINK-16 -B Water		Lead	0.40	J	0.27	1.00	ug/L

A

B

C

D



SAMPLE DATA

A

B

C

D

Report of Analysis

Client:	Kinderprep	Date Collected:	05/28/25
Project:	Kinderprep School Drinking Water 2025	Date Received:	05/28/25
Client Sample ID:	MAIN-SINK	SDG No.:	Q2145
Lab Sample ID:	Q2145-01	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-50-8	Copper	471		1	0.65	2.00	ug/L	05/29/25 10:11	06/09/25 17:57	200.8	
7439-92-1	Lead	0.27	U	1	0.27	1.00	ug/L	05/29/25 10:11	06/09/25 17:57	200.8	

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group3			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Kinderprep	Date Collected:	05/28/25
Project:	Kinderprep School Drinking Water 2025	Date Received:	05/28/25
Client Sample ID:	CLASSROOM-SINK-1	SDG No.:	Q2145
Lab Sample ID:	Q2145-02	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-50-8	Copper	39.6		1	0.65	2.00	ug/L	05/29/25 10:11	06/09/25 18:00	200.8	
7439-92-1	Lead	0.27	U	1	0.27	1.00	ug/L	05/29/25 10:11	06/09/25 18:00	200.8	

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group3			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Kinderprep	Date Collected:	05/28/25
Project:	Kinderprep School Drinking Water 2025	Date Received:	05/28/25
Client Sample ID:	CLASSROOM-SINK-2	SDG No.:	Q2145
Lab Sample ID:	Q2145-03	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-50-8	Copper	63.8		1	0.65	2.00	ug/L	05/29/25 10:11	06/09/25 18:03	200.8	
7439-92-1	Lead	0.27	U	1	0.27	1.00	ug/L	05/29/25 10:11	06/09/25 18:03	200.8	

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group3			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Kinderprep	Date Collected:	05/28/25
Project:	Kinderprep School Drinking Water 2025	Date Received:	05/28/25
Client Sample ID:	CLASSROOM-SINK-3	SDG No.:	Q2145
Lab Sample ID:	Q2145-04	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-50-8	Copper	116		1	0.65	2.00	ug/L	05/29/25 10:11	06/09/25 18:06	200.8	
7439-92-1	Lead	0.50	J	1	0.27	1.00	ug/L	05/29/25 10:11	06/09/25 18:06	200.8	

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group3			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Kinderprep	Date Collected:	05/28/25
Project:	Kinderprep School Drinking Water 2025	Date Received:	05/28/25
Client Sample ID:	BATHROOM-7	SDG No.:	Q2145
Lab Sample ID:	Q2145-05	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-50-8	Copper	207		1	0.65	2.00	ug/L	05/29/25 10:11	06/09/25 18:09	200.8	
7439-92-1	Lead	0.38	J	1	0.27	1.00	ug/L	05/29/25 10:11	06/09/25 18:09	200.8	

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group3			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Kinderprep	Date Collected:	05/28/25
Project:	Kinderprep School Drinking Water 2025	Date Received:	05/28/25
Client Sample ID:	CLASSROOM-5	SDG No.:	Q2145
Lab Sample ID:	Q2145-06	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-50-8	Copper	116		1	0.65	2.00	ug/L	05/29/25 10:11	06/09/25 18:12	200.8	
7439-92-1	Lead	0.27	U	1	0.27	1.00	ug/L	05/29/25 10:11	06/09/25 18:12	200.8	

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group3			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Kinderprep	Date Collected:	05/28/25
Project:	Kinderprep School Drinking Water 2025	Date Received:	05/28/25
Client Sample ID:	CLASSROOM-9	SDG No.:	Q2145
Lab Sample ID:	Q2145-07	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-50-8	Copper	129		1	0.65	2.00	ug/L	05/29/25 10:11	06/09/25 18:15	200.8	
7439-92-1	Lead	0.27	U	1	0.27	1.00	ug/L	05/29/25 10:11	06/09/25 18:15	200.8	

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group3			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Kinderprep	Date Collected:	05/28/25
Project:	Kinderprep School Drinking Water 2025	Date Received:	05/28/25
Client Sample ID:	BATHROOM-14	SDG No.:	Q2145
Lab Sample ID:	Q2145-08	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-50-8	Copper	322		1	0.65	2.00	ug/L	05/29/25 10:11	06/09/25 18:31	200.8	
7439-92-1	Lead	0.27	U	1	0.27	1.00	ug/L	05/29/25 10:11	06/09/25 18:31	200.8	

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group3			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Kinderprep	Date Collected:	05/28/25
Project:	Kinderprep School Drinking Water 2025	Date Received:	05/28/25
Client Sample ID:	CLASSROOM-12-BATHROOM	SDG No.:	Q2145
Lab Sample ID:	Q2145-09	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-50-8	Copper	409		1	0.65	2.00	ug/L	05/29/25 10:11	06/09/25 18:34	200.8	
7439-92-1	Lead	0.27	U	1	0.27	1.00	ug/L	05/29/25 10:11	06/09/25 18:34	200.8	

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group3			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Kinderprep	Date Collected:	05/28/25
Project:	Kinderprep School Drinking Water 2025	Date Received:	05/28/25
Client Sample ID:	CLASSROOM-12-SINK	SDG No.:	Q2145
Lab Sample ID:	Q2145-10	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-50-8	Copper	52.6		1	0.65	2.00	ug/L	05/29/25 10:11	06/09/25 18:37	200.8	
7439-92-1	Lead	0.27	U	1	0.27	1.00	ug/L	05/29/25 10:11	06/09/25 18:37	200.8	

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group3			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Kinderprep	Date Collected:	05/28/25
Project:	Kinderprep School Drinking Water 2025	Date Received:	05/28/25
Client Sample ID:	BASEMENT-CLASSROOM-FRONT	SDG No.:	Q2145
Lab Sample ID:	Q2145-11	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-50-8	Copper	361		1	0.65	2.00	ug/L	05/29/25 10:11	06/09/25 18:40	200.8	
7439-92-1	Lead	0.27	U	1	0.27	1.00	ug/L	05/29/25 10:11	06/09/25 18:40	200.8	

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group3			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Kinderprep	Date Collected:	05/28/25
Project:	Kinderprep School Drinking Water 2025	Date Received:	05/28/25
Client Sample ID:	BASEMENT-BATHROOM-A	SDG No.:	Q2145
Lab Sample ID:	Q2145-12	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-50-8	Copper	267		1	0.65	2.00	ug/L	05/29/25 10:11	06/09/25 18:43	200.8	
7439-92-1	Lead	0.35	J	1	0.27	1.00	ug/L	05/29/25 10:11	06/09/25 18:43	200.8	

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group3			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Kinderprep	Date Collected:	05/28/25
Project:	Kinderprep School Drinking Water 2025	Date Received:	05/28/25
Client Sample ID:	BASEMENT-BATHROOM-B	SDG No.:	Q2145
Lab Sample ID:	Q2145-13	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-50-8	Copper	164		1	0.65	2.00	ug/L	05/29/25 10:11	06/09/25 18:45	200.8	
7439-92-1	Lead	0.27	U	1	0.27	1.00	ug/L	05/29/25 10:11	06/09/25 18:45	200.8	

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group3			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Kinderprep	Date Collected:	05/28/25
Project:	Kinderprep School Drinking Water 2025	Date Received:	05/28/25
Client Sample ID:	CLASSROOM-SINK-16	SDG No.:	Q2145
Lab Sample ID:	Q2145-14	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-50-8	Copper	31.4		1	0.65	2.00	ug/L	05/29/25 10:11	06/09/25 18:48	200.8	
7439-92-1	Lead	0.27	U	1	0.27	1.00	ug/L	05/29/25 10:11	06/09/25 18:48	200.8	

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group3			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Kinderprep	Date Collected:	05/29/25
Project:	Kinderprep School Drinking Water 2025	Date Received:	05/28/25
Client Sample ID:	FB-5-28-25	SDG No.:	Q2145
Lab Sample ID:	Q2145-15	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-50-8	Copper	1.66	J	1	0.65	2.00	ug/L	05/29/25 10:11	06/09/25 19:12	200.8	
7439-92-1	Lead	0.33	J	1	0.27	1.00	ug/L	05/29/25 10:11	06/09/25 19:12	200.8	

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group3			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Kinderprep	Date Collected:	05/28/25
Project:	Kinderprep School Drinking Water 2025	Date Received:	05/28/25
Client Sample ID:	MAIN-SINK-B	SDG No.:	Q2145
Lab Sample ID:	Q2145-18	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-50-8	Copper	244		1	0.65	2.00	ug/L	06/11/25 11:40	06/11/25 20:16	200.8	
7439-92-1	Lead	0.66	J	1	0.27	1.00	ug/L	06/11/25 11:40	06/11/25 20:16	200.8	

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group3			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Kinderprep	Date Collected:	05/28/25
Project:	Kinderprep School Drinking Water 2025	Date Received:	05/28/25
Client Sample ID:	CLASSROOM-SINK-1-B	SDG No.:	Q2145
Lab Sample ID:	Q2145-19	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-50-8	Copper	156		1	0.65	2.00	ug/L	06/11/25 11:40	06/11/25 20:18	200.8	
7439-92-1	Lead	0.53	J	1	0.27	1.00	ug/L	06/11/25 11:40	06/11/25 20:18	200.8	

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group3			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Kinderprep	Date Collected:	05/28/25
Project:	Kinderprep School Drinking Water 2025	Date Received:	05/28/25
Client Sample ID:	CLASSROOM-SINK-2-B	SDG No.:	Q2145
Lab Sample ID:	Q2145-20	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-50-8	Copper	65.6		1	0.65	2.00	ug/L	06/11/25 11:40	06/11/25 20:21	200.8	
7439-92-1	Lead	0.40	J	1	0.27	1.00	ug/L	06/11/25 11:40	06/11/25 20:21	200.8	

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group3			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Kinderprep	Date Collected:	05/28/25
Project:	Kinderprep School Drinking Water 2025	Date Received:	05/28/25
Client Sample ID:	CLASSROOM-SINK-3-B	SDG No.:	Q2145
Lab Sample ID:	Q2145-21	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-50-8	Copper	116		1	0.65	2.00	ug/L	06/11/25 11:40	06/11/25 20:24	200.8	
7439-92-1	Lead	0.66	J	1	0.27	1.00	ug/L	06/11/25 11:40	06/11/25 20:24	200.8	

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group3			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Kinderprep	Date Collected:	05/28/25
Project:	Kinderprep School Drinking Water 2025	Date Received:	05/28/25
Client Sample ID:	BATHROOM-7-B	SDG No.:	Q2145
Lab Sample ID:	Q2145-22	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-50-8	Copper	210		1	0.65	2.00	ug/L	06/11/25 11:40	06/11/25 20:27	200.8	
7439-92-1	Lead	0.55	J	1	0.27	1.00	ug/L	06/11/25 11:40	06/11/25 20:27	200.8	

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group3			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Kinderprep	Date Collected:	05/28/25
Project:	Kinderprep School Drinking Water 2025	Date Received:	05/28/25
Client Sample ID:	CLASSROOM-5-B	SDG No.:	Q2145
Lab Sample ID:	Q2145-23	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-50-8	Copper	61.7		1	0.65	2.00	ug/L	06/11/25 11:40	06/11/25 20:30	200.8	
7439-92-1	Lead	0.27	J	1	0.27	1.00	ug/L	06/11/25 11:40	06/11/25 20:30	200.8	

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group3			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Kinderprep	Date Collected:	05/28/25
Project:	Kinderprep School Drinking Water 2025	Date Received:	05/28/25
Client Sample ID:	CLASSROOM-9-B	SDG No.:	Q2145
Lab Sample ID:	Q2145-24	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-50-8	Copper	128		1	0.65	2.00	ug/L	06/11/25 11:40	06/11/25 20:33	200.8	
7439-92-1	Lead	0.31	J	1	0.27	1.00	ug/L	06/11/25 11:40	06/11/25 20:33	200.8	

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group3			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Kinderprep	Date Collected:	05/28/25
Project:	Kinderprep School Drinking Water 2025	Date Received:	05/28/25
Client Sample ID:	BATHROOM-14-B	SDG No.:	Q2145
Lab Sample ID:	Q2145-25	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-50-8	Copper	324		1	0.65	2.00	ug/L	06/11/25 11:40	06/11/25 20:36	200.8	
7439-92-1	Lead	0.27	U	1	0.27	1.00	ug/L	06/11/25 11:40	06/11/25 20:36	200.8	

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group3			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Kinderprep	Date Collected:	05/28/25
Project:	Kinderprep School Drinking Water 2025	Date Received:	05/28/25
Client Sample ID:	CLASSROOM-12-BATHROOM-B	SDG No.:	Q2145
Lab Sample ID:	Q2145-26	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-50-8	Copper	411		1	0.65	2.00	ug/L	06/11/25 11:40	06/11/25 20:39	200.8	
7439-92-1	Lead	0.32	J	1	0.27	1.00	ug/L	06/11/25 11:40	06/11/25 20:39	200.8	

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group3			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Kinderprep	Date Collected:	05/28/25
Project:	Kinderprep School Drinking Water 2025	Date Received:	05/28/25
Client Sample ID:	CLASSROOM-12-SINK-B	SDG No.:	Q2145
Lab Sample ID:	Q2145-27	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-50-8	Copper	51.7		1	0.65	2.00	ug/L	06/11/25 11:40	06/11/25 20:47	200.8	
7439-92-1	Lead	0.33	J	1	0.27	1.00	ug/L	06/11/25 11:40	06/11/25 20:47	200.8	

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group3			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Kinderprep	Date Collected:	05/28/25
Project:	Kinderprep School Drinking Water 2025	Date Received:	05/28/25
Client Sample ID:	BASEMENT-CLASSROOM-FRONT-B	SDG No.:	Q2145
Lab Sample ID:	Q2145-28	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-50-8	Copper	56.4		1	0.65	2.00	ug/L	06/11/25 11:40	06/11/25 20:50	200.8	
7439-92-1	Lead	0.31	J	1	0.27	1.00	ug/L	06/11/25 11:40	06/11/25 20:50	200.8	

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group3			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Kinderprep	Date Collected:	05/28/25
Project:	Kinderprep School Drinking Water 2025	Date Received:	05/28/25
Client Sample ID:	BASEMENT-BATHROOM-A-B	SDG No.:	Q2145
Lab Sample ID:	Q2145-29	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-50-8	Copper	262		1	0.65	2.00	ug/L	06/11/25 11:40	06/11/25 20:53	200.8	
7439-92-1	Lead	0.60	J	1	0.27	1.00	ug/L	06/11/25 11:40	06/11/25 20:53	200.8	

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group3			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Kinderprep	Date Collected:	05/28/25
Project:	Kinderprep School Drinking Water 2025	Date Received:	05/28/25
Client Sample ID:	BASEMENT-BATHROOM-B-B	SDG No.:	Q2145
Lab Sample ID:	Q2145-30	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-50-8	Copper	29.4		1	0.65	2.00	ug/L	06/11/25 11:40	06/11/25 20:56	200.8	
7439-92-1	Lead	0.27	U	1	0.27	1.00	ug/L	06/11/25 11:40	06/11/25 20:56	200.8	

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group3			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Kinderprep	Date Collected:	05/28/25
Project:	Kinderprep School Drinking Water 2025	Date Received:	05/28/25
Client Sample ID:	CLASSROOM-SINK-16 -B	SDG No.:	Q2145
Lab Sample ID:	Q2145-31	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-50-8	Copper	126		1	0.65	2.00	ug/L	06/11/25 11:40	06/11/25 20:59	200.8	
7439-92-1	Lead	0.40	J	1	0.27	1.00	ug/L	06/11/25 11:40	06/11/25 20:59	200.8	

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group3			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

LAB CHRONICLE

OrderID:	Q2145	OrderDate:	5/28/2025 1:28:50 PM
Client:	Kinderprep	Project:	Kinderprep School Drinking Water 2025
Contact:	Jennifer Kelly	Location:	L31

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q2145-01	MAIN-SINK	Water			05/28/25			05/28/25
			Metals Group3	200.8		05/29/25	06/09/25	
Q2145-02	CLASSROOM-SINK-1	Water			05/28/25			05/28/25
			Metals Group3	200.8		05/29/25	06/09/25	
Q2145-03	CLASSROOM-SINK-2	Water			05/28/25			05/28/25
			Metals Group3	200.8		05/29/25	06/09/25	
Q2145-04	CLASSROOM-SINK-3	Water			05/28/25			05/28/25
			Metals Group3	200.8		05/29/25	06/09/25	
Q2145-05	BATHROOM-7	Water			05/28/25			05/28/25
			Metals Group3	200.8		05/29/25	06/09/25	
Q2145-06	CLASSROOM-5	Water			05/28/25			05/28/25
			Metals Group3	200.8		05/29/25	06/09/25	
Q2145-07	CLASSROOM-9	Water			05/28/25			05/28/25
			Metals Group3	200.8		05/29/25	06/09/25	
Q2145-08	BATHROOM-14	Water			05/28/25			05/28/25
			Metals Group3	200.8		05/29/25	06/09/25	
Q2145-09	CLASSROOM-12-BATH ROOM	Water			05/28/25			05/28/25
			Metals Group3	200.8		05/29/25	06/09/25	
Q2145-10	CLASSROOM-12-SINK	Water			05/28/25			05/28/25
			Metals Group3	200.8		05/29/25	06/09/25	
Q2145-11	BASEMENT-CLASSROO M-FRONT	Water			05/28/25			05/28/25
			Metals Group3	200.8		05/29/25	06/09/25	

LAB CHRONICLE

Q2145-12	BASEMENT-BATHROO M-A	Water			05/28/25		05/28/25
			Metals Group3	200.8		05/29/25	06/09/25
Q2145-13	BASEMENT-BATHROO M-B	Water			05/28/25		05/28/25
			Metals Group3	200.8		05/29/25	06/09/25
Q2145-14	CLASSROOM-SINK-16	Water			05/28/25		05/28/25
			Metals Group3	200.8		05/29/25	06/09/25
Q2145-15	FB-5-28-25	Water			05/29/25		05/28/25
			Metals Group3	200.8		05/29/25	06/09/25
Q2145-18	MAIN-SINK-B	Water			05/28/25		05/28/25
			Metals Group3	200.8		06/11/25	06/11/25
Q2145-19	CLASSROOM-SINK-1- B	Water			05/28/25		05/28/25
			Metals Group3	200.8		06/11/25	06/11/25
Q2145-20	CLASSROOM-SINK-2- B	Water			05/28/25		05/28/25
			Metals Group3	200.8		06/11/25	06/11/25
Q2145-21	CLASSROOM-SINK-3- B	Water			05/28/25		05/28/25
			Metals Group3	200.8		06/11/25	06/11/25
Q2145-22	BATHROOM-7-B	Water			05/28/25		05/28/25
			Metals Group3	200.8		06/11/25	06/11/25
Q2145-23	CLASSROOM-5-B	Water			05/28/25		05/28/25
			Metals Group3	200.8		06/11/25	06/11/25
Q2145-24	CLASSROOM-9-B	Water			05/28/25		05/28/25
			Metals Group3	200.8		06/11/25	06/11/25
Q2145-25	BATHROOM-14-B	Water			05/28/25		05/28/25
			Metals Group3	200.8		06/11/25	06/11/25
Q2145-26	CLASSROOM-12-BATH ROOM-B	Water			05/28/25		05/28/25

LAB CHRONICLE

			Metals Group3	200.8		06/11/25	06/11/25	
Q2145-27	CLASSROOM-12-SINK -B	Water			05/28/25			05/28/25
			Metals Group3	200.8		06/11/25	06/11/25	
Q2145-28	BASEMENT-CLASSROO M-FRONT-B	Water			05/28/25			05/28/25
			Metals Group3	200.8		06/11/25	06/11/25	
Q2145-29	BASEMENT-BATHROO M-A-B	Water			05/28/25			05/28/25
			Metals Group3	200.8		06/11/25	06/11/25	
Q2145-30	BASEMENT-BATHROO M-B-B	Water			05/28/25			05/28/25
			Metals Group3	200.8		06/11/25	06/11/25	
Q2145-31	CLASSROOM-SINK-16 -B	Water			05/28/25			05/28/25
			Metals Group3	200.8		06/11/25	06/11/25	