

DATA PACKAGE

GENERAL CHEMISTRY
METALS
SEMI-VOLATILE ORGANICS
VOLATILE ORGANICS

PROJECT NAME : WASTE CHARACTERIZATION

ARAMARK UNIFORMS

740 Frelinghuysen Ave.

Newark, NJ - 07114-

Phone No: 973-824-1101

ORDER ID : Q2149

ATTENTION : Jarrod Mills



Laboratory Certification ID # 20012



1) Signature Page	3
2) Case Narrative	4
2.1) TCLP VOA Group1- Case Narrative	4
2.2) TCLP BNA Group1- Case Narrative	6
2.3) Metals-TCLP- Case Narrative	8
2.4) Genchem- Case Narrative	9
3) Qualifier Page	10
4) QA Checklist	12
5) TCLP VOA Group1 Data	13
6) TCLP BNA Group1 Data	17
7) Metals-TCLP Data	26
8) Genchem Data	30
9) Shipping Document	33
9.1) CHAIN OF CUSTODY	34
9.2) Lab Certificate	35

1
2
3
4
5
6
7
8
9

Cover Page

Order ID : Q2149

Project ID : Waste Characterization

Client : Aramark Uniforms

Lab Sample Number

Q2149-01

Client Sample Number

FILTER-CAKE

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature :

APPROVED

By Nimisha Pandya, QA/QC Supervisor at 10:31 am, Jun 06, 2025

Date: 6/5/2025

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012

CASE NARRATIVE

Aramark Uniforms

Project Name: Waste Characterization

Project # N/A

Order ID # Q2149

Test Name: TCLP VOA Group1

A. Number of Samples and Date of Receipt:

1 Solid sample was received on 05/28/2025.

B. Parameters

According to the Chain of Custody document, the following analyses were requested: Corrosivity, Ignitability, RCRA CHARACTERISTICS, Reactive Cyanide, Reactive Sulfide, TCLP BNA Group1, TCLP Extraction, TCLP ICP Metals, TCLP Mercury, TCLP METALS, TCLP VOA Group1 and TCLP ZHE Extraction. This data package contains results for TCLP VOA Group1.

C. Analytical Techniques:

The analysis performed on instrument MSVOA_X were done using GC column DB-624UI 20m 0.18mm 1.0 um. Cat#121-1324UI The analysis of TCLP VOA Group1 was based on method 8260D and TCLP extraction method was 1311.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Surrogate recoveries met the acceptable criteria.

The Internal Standards Areas met the acceptable requirements.

The Retention Times were acceptable for all samples.

The RPD met criteria.

The Blank Spike met requirements for all samples.

The Blank Spike Duplicate met requirements for all samples.

The Blank analysis did not indicate the presence of lab contamination.

The Initial Calibration met the requirements.

The Continuous Calibration met the requirements.

The Tuning criteria met requirements.

Samples FILTER-CAKE was diluted due to sample being very turbid, not allowing straight run analysis.

E. Additional Comments:

Samples for MS/MSD for VOC analysis were not provided with this set of samples. The Blank Spike Duplicate is reported with the data.

Trip Blank was not provided with this set of samples.

Please use %D calculated based on Avg RF and CCRF for all compounds using Average Response Factor when the %RSD value for a compound is <20% for the Initial Calibration curve and use %D calculated based on Amount added and Calculated amount for all compounds using Linear Regression when the %RSD value for a compound is > 20% for the Initial Calibration curve for SW-846 analysis.

F. Manual Integration Comments:

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature_____

APPROVED

By Nimisha Pandya, QA/QC Supervisor at 10:31 am, Jun 06, 2025

CASE NARRATIVE

Aramark Uniforms

Project Name: Waste Characterization

Project # N/A

Order ID # Q2149

Test Name: TCLP BNA Group1

A. Number of Samples and Date of Receipt:

1 Solid sample was received on 05/28/2025.

B. Parameters

According to the Chain of Custody document, the following analyses were requested: Corrosivity, Ignitability, RCRA CHARACTERISTICS, Reactive Cyanide, Reactive Sulfide, TCLP BNA Group1, TCLP Extraction, TCLP ICP Metals, TCLP Mercury, TCLP METALS, TCLP VOA Group1 and TCLP ZHE Extraction. This data package contains results for TCLP BNA Group1.

C. Analytical Techniques:

The samples were analyzed on instrument BNA_F using GC Column DB-UI 8270D which is 20 meters, 0.18 mm ID, 0.36 um df. The analysis of TCLP BNA Group1 was based on method 8270E and extraction was done based on method 3510 and TCLP extraction method was 1311.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Surrogate recoveries met the acceptable criteria.

The Internal Standards Areas met the acceptable requirements.

The Retention Times were acceptable for all samples.

The MS recoveries met the requirements for all compounds.

The RPD met criteria.

The Blank Spike met requirements for all samples.

The Blank analysis did not indicate the presence of lab contamination.

The Initial Calibration met the requirements.

The Continuous Calibration met the requirements.

The Tuning criteria met requirements.

Sample FILTER-CAKE was diluted due to high concentration.

E. Additional Comments:

Please use %D calculated based on Avg RF and CCRF for all compounds using Average Response Factor when the %RSD value for a compound is <20% for the Initial Calibration curve and use %D calculated based on Amount added and Calculated amount

for all compounds using Linear Regression when the %RSD value for a compound is > 20% for the Initial Calibration curve for SW-846 analysis.

F. Manual Integration Comments:

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature_____

APPROVED

By Nimisha Pandya, QA/QC Supervisor at 10:32 am, Jun 06, 2025



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

CASE NARRATIVE

Aramark Uniforms

Project Name: Waste Characterization

Project # N/A

Order ID # Q2149

Test Name: TCLP ICP Metals, TCLP Mercury

A. Number of Samples and Date of Receipt:

1 Solid sample was received on 05/28/2025.

B. Parameters:

According to the Chain of Custody document, the following analyses were requested: Corrosivity, Ignitability, RCRA CHARACTERISTICS, Reactive Cyanide, Reactive Sulfide, TCLP BNA Group1, TCLP Extraction, TCLP ICP Metals, TCLP Mercury, TCLP METALS, TCLP VOA Group1 and TCLP ZHE Extraction. This data package contains results for TCLP ICP Metals, TCLP Mercury.

C. Analytical Techniques:

The analysis of TCLP ICP Metals was based on method 6010D, digestion based on method 3010 (waters). The analysis and digestion of TCLP Mercury was based on method 7470A and TCLP extraction method was 1311.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Blank Spike met requirements for all samples.

The Duplicate analysis met criteria for all samples.

The Matrix Spike analysis met criteria for all samples.

The Matrix Spike Duplicate analysis met criteria for all samples.

The Blank analysis did not indicate the presence of lab contamination.

The Calibration met the requirements.

The Serial Dilution met the acceptable requirements.

E. Additional Comments:

As per special requirement for this project form-1 and Hit summary are reported in mg/L.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature_____

APPROVED

By Nimisha Pandya, QA/QC Supervisor at 10:32 am, Jun 06, 2025



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

CASE NARRATIVE

Aramark Uniforms

Project Name: Waste Characterization

Project # N/A

Order ID # Q2149

Test Name: Corrosivity,Ignitability,Reactive Cyanide,Reactive Sulfide

A. Number of Samples and Date of Receipt:

1 Solid sample was received on 05/28/2025.

B. Parameters:

According to the Chain of Custody document, the following analyses were requested: Corrosivity, Ignitability, RCRA CHARACTERISTICS, Reactive Cyanide, Reactive Sulfide, TCLP BNA Group1, TCLP Extraction, TCLP ICP Metals, TCLP Mercury, TCLP METALS, TCLP VOA Group1 and TCLP ZHE Extraction. This data package contains results for Corrosivity,Ignitability,Reactive Cyanide,Reactive Sulfide.

C. Analytical Techniques:

The analysis of Ignitability was based on method 1030, The analysis of Reactive Cyanide was based on method 9012B, The analysis of Reactive Sulfide was based on method 9034 and The analysis of Corrosivity was based on method 9045D.

D. QA/ QC Samples:

The Holding Times were met for all samples except for FILTER-CAKE of Corrosivity, As sample was received out of holding time

The Duplicate analysis met criteria for all samples.

The Blank analysis did not indicate the presence of lab contamination.

The Calibration met the requirements.

E. Additional Comments:

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature _____

APPROVED

By Nimisha Pandya, QA/QC Supervisor at 10:32 am, Jun 06, 2025

DATA REPORTING QUALIFIERS- INORGANIC

For reporting results, the following “ Results Qualifiers” are used:

J	Indicates the reported value was obtained from a reading that was less than the Contract Required Detection Limit (CRDL), but greater than or equal to the Instrument Detection Limit (IDL).
U	Indicates the analyte was analyzed for, but not detected.
ND	Indicates the analyte was analyzed for, but not detected
E	Indicates the reported value is estimated because of the presence of interference
M	Indicates Duplicate injection precision not met.
N	Indicates the spiked sample recovery is not within control limits.
S	Indicates the reported value was determined by the Method of Standard Addition (MSA).
*	Indicates that the duplicate analysis is not within control limits.
+	Indicates the correlation coefficient for the MSA is less than 0.995.
D	Indicates the reported value is from a secondary analysis with a dilution factor. The original analysis exceeded the calibration range.
M	Method qualifiers “P” for ICP instrument “PM” for ICP when Microwave Digestion is used “CV” for Manual Cold Vapor AA “AV” for automated Cold Vapor AA “CA” for MIDI-Distillation Spectrophotometric “AS” for Semi -Automated Spectrophotometric “C” for Manual Spectrophotometric “T” for Titrimetric “NR” for analyte not required to be analyzed
OR	Indicates the analyte’s concentration exceeds the calibrated range of the instrument for that specific analysis.
Q	Indicates the LCS did not meet the control limits requirements
H	Sample Analysis Out Of Hold Time

DATA REPORTING QUALIFIERS- ORGANIC

For reporting results, the following “Results Qualifiers” are used:

Value	If the result is a value greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. “10 U”. This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
ND	Indicates the analyte was analyzed for, but not detected
J	Indicates an estimated value. This flag is used: <ul style="list-style-type: none"> (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3 ug/L was calculated report as 3 J. This flag is used when similar situation arise on any organic parameter i.e. Pest, PCB and others.
B	Indicates the analyte was found in the blank as well as the sample report as “12 B”.
E	Indicates the analyte ‘s concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide/PCB target analyte when there is >25% difference for detected concentrations between the two GC columns. The lower of the two values is reported on Form 1 and flagged with a “P”.
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
A	This flag indicates that a Tentatively Identified Compound is a suspected aldol-condensation product.
Q	Indicates the LCS did not meet the control limits requirements

APPENDIX A

QA REVIEW GENERAL DOCUMENTATION

Project #: Q2149

Completed

For thorough review, the report must have the following:

GENERAL:

Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)

✓

Check chain-of-custody for proper relinquish/return of samples

✓

Is the chain of custody signed and complete

✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

✓

Collect information for each project id from server. Were all requirements followed

✓

COVER PAGE:

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page

✓

Do lab numbers and client Ids on cover page agree with the Chain of Custody

✓

CHAIN OF CUSTODY:

Do requested analyses on Chain of Custody agree with form I results

✓

Do requested analyses on Chain of Custody agree with the log-in page

✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Custody

✓

Were the samples received within hold time

✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓

ANALYTICAL:

Was method requirement followed?

✓

Was client requirement followed?

✓

Does the case narrative summarize all QC failure?

✓

All runlogs and manual integration are reviewed for requirements

✓

All manual calculations and /or hand notations verified

✓

QA Review Signature: SOHIL JODHANI

Date: 06/05/2025

Hit Summary Sheet
SW-846

SDG No.: Q2149

Client: Aramark Uniforms

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
-----------	-----------	--------	-----------	---------------	---	-----	-----	-------

Client ID:

0

Total Voc :

Total Concentration:

A

B

C

D



SAMPLE DATA

Report of Analysis

Client:	Aramark Uniforms			Date Collected:	05/28/25		
Project:	Waste Characterization			Date Received:	05/28/25		
Client Sample ID:	FILTER-CAKE			SDG No.:	Q2149		
Lab Sample ID:	Q2149-01			Matrix:	TCLP		
Analytical Method:	8260D			% Solid:	0		
Sample Wt/Vol:	5	Units:	mL	Final Vol:	5000	uL	
Soil Aliquot Vol:			uL	Test:	TCLP VOA Group1		
GC Column:	DB-624UI	ID :	0.18	Level :	LOW		
Prep Method :	SW5035						

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX046418.D	50		05/30/25 13:52	VX053025

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-01-4	Vinyl Chloride	13.0	U	13.0	250	ug/L
75-35-4	1,1-Dichloroethene	11.5	U	11.5	250	ug/L
78-93-3	2-Butanone	49.0	U	49.0	1300	ug/L
56-23-5	Carbon Tetrachloride	12.5	U	12.5	250	ug/L
67-66-3	Chloroform	12.5	U	12.5	250	ug/L
71-43-2	Benzene	7.50	U	7.50	250	ug/L
107-06-2	1,2-Dichloroethane	11.0	U	11.0	250	ug/L
79-01-6	Trichloroethene	4.70	U	4.70	250	ug/L
127-18-4	Tetrachloroethene	11.5	U	11.5	250	ug/L
108-90-7	Chlorobenzene	6.00	U	6.00	250	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	54.9		74 - 125	110%	SPK: 50
1868-53-7	Dibromofluoromethane	51.9		75 - 124	104%	SPK: 50
2037-26-5	Toluene-d8	51.1		86 - 113	102%	SPK: 50
460-00-4	4-Bromofluorobenzene	51.3		77 - 121	103%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	62600	5.544			
540-36-3	1,4-Difluorobenzene	124000	6.757			
3114-55-4	Chlorobenzene-d5	116000	10.049			
3855-82-1	1,4-Dichlorobenzene-d4	52200	12.018			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

LAB CHRONICLE

OrderID:	Q2149	OrderDate:	5/28/2025 1:31:11 PM
Client:	Aramark Uniforms	Project:	Waste Characterization
Contact:	Jarrold Mills	Location:	L31

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q2149-01	FILTER-CAKE	TCLP	TCLP VOA Group1	8260D	05/28/25		05/30/25	05/28/25



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Hit Summary Sheet
SW-846

SDG No.: Q2149
Client: Aramark Uniforms

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID : FILTER-CAKE								
Q2149-01	FILTER-CAKE	TCLP	3+4-Methylphenols	1,200.000	E	11	100	ug/L
			Total Svoc :			1,200.00		
			Total Concentration:			1,200.00		
Client ID : FILTER-CAKEDL								
Q2149-01DL	FILTER-CAKEDL	TCLP	3+4-Methylphenols	1,700.000	D	55	500	ug/L
			Total Svoc :			1,700.00		
			Total Concentration:			1,700.00		



SAMPLE DATA

Report of Analysis

Client:	Aramark Uniforms	Date Collected:	05/30/25
Project:	Waste Characterization	Date Received:	05/30/25
Client Sample ID:	PB168190TB	SDG No.:	Q2149
Lab Sample ID:	PB168190TB	Matrix:	TCLP
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	100 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	TCLP BNA Group1
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3541		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF142593.D	1	05/30/25 09:52	06/02/25 12:57	PB168219

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
110-86-1	Pyridine	12.8	U	12.8	50.0	ug/L
106-46-7	1,4-Dichlorobenzene	5.30	U	5.30	50.0	ug/L
95-48-7	2-Methylphenol	11.2	U	11.2	50.0	ug/L
65794-96-9	3+4-Methylphenols	11.0	U	11.0	100	ug/L
67-72-1	Hexachloroethane	6.50	U	6.50	50.0	ug/L
98-95-3	Nitrobenzene	7.60	U	7.60	50.0	ug/L
87-68-3	Hexachlorobutadiene	5.40	U	5.40	50.0	ug/L
88-06-2	2,4,6-Trichlorophenol	5.10	U	5.10	50.0	ug/L
95-95-4	2,4,5-Trichlorophenol	6.20	U	6.20	50.0	ug/L
121-14-2	2,4-Dinitrotoluene	12.2	U	12.2	50.0	ug/L
118-74-1	Hexachlorobenzene	5.20	U	5.20	50.0	ug/L
87-86-5	Pentachlorophenol	15.8	U	15.8	100	ug/L
SURROGATES						
367-12-4	2-Fluorophenol	120		23 - 138	80%	SPK: 150
13127-88-3	Phenol-d6	121		10 - 134	81%	SPK: 150
4165-60-0	Nitrobenzene-d5	75.3		67 - 132	75%	SPK: 100
321-60-8	2-Fluorobiphenyl	71.7		52 - 132	72%	SPK: 100
118-79-6	2,4,6-Tribromophenol	124		44 - 137	83%	SPK: 150
1718-51-0	Terphenyl-d14	69.4		42 - 152	69%	SPK: 100
INTERNAL STANDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	125000	6.898			
1146-65-2	Naphthalene-d8	485000	8.181			
15067-26-2	Acenaphthene-d10	271000	9.939			
1517-22-2	Phenanthrene-d10	507000	11.427			
1719-03-5	Chrysene-d12	327000	14.068			
1520-96-3	Perylene-d12	265000	15.562			

Report of Analysis

Client:	Aramark Uniforms		Date Collected:	05/30/25
Project:	Waste Characterization		Date Received:	05/30/25
Client Sample ID:	PB168190TB		SDG No.:	Q2149
Lab Sample ID:	PB168190TB		Matrix:	TCLP
Analytical Method:	8270E		% Solid:	0
Sample Wt/Vol:	100	Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:		uL	Test:	TCLP BNA Group1
Extraction Type :		Decanted : N	Level :	LOW
Injection Volume :		GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3541			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF142593.D	1	05/30/25 09:52	06/02/25 12:57	PB168219

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	Aramark Uniforms	Date Collected:	05/28/25
Project:	Waste Characterization	Date Received:	05/28/25
Client Sample ID:	FILTER-CAKE	SDG No.:	Q2149
Lab Sample ID:	Q2149-01	Matrix:	TCLP
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	100 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	TCLP BNA Group1
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3541		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF142599.D	1	05/30/25 09:52	06/02/25 16:03	PB168219

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
110-86-1	Pyridine	12.8	U	12.8	50.0	ug/L
106-46-7	1,4-Dichlorobenzene	5.30	U	5.30	50.0	ug/L
95-48-7	2-Methylphenol	11.2	U	11.2	50.0	ug/L
65794-96-9	3+4-Methylphenols	1200	E	11.0	100	ug/L
67-72-1	Hexachloroethane	6.50	U	6.50	50.0	ug/L
98-95-3	Nitrobenzene	7.60	U	7.60	50.0	ug/L
87-68-3	Hexachlorobutadiene	5.40	U	5.40	50.0	ug/L
88-06-2	2,4,6-Trichlorophenol	5.10	U	5.10	50.0	ug/L
95-95-4	2,4,5-Trichlorophenol	6.20	U	6.20	50.0	ug/L
121-14-2	2,4-Dinitrotoluene	12.2	U	12.2	50.0	ug/L
118-74-1	Hexachlorobenzene	5.20	U	5.20	50.0	ug/L
87-86-5	Pentachlorophenol	15.8	U	15.8	100	ug/L
SURROGATES						
367-12-4	2-Fluorophenol	102		23 - 138	68%	SPK: 150
13127-88-3	Phenol-d6	91.2		10 - 134	61%	SPK: 150
4165-60-0	Nitrobenzene-d5	74.0		67 - 132	74%	SPK: 100
321-60-8	2-Fluorobiphenyl	73.4		52 - 132	73%	SPK: 100
118-79-6	2,4,6-Tribromophenol	97.1		44 - 137	65%	SPK: 150
1718-51-0	Terphenyl-d14	45.2		42 - 152	45%	SPK: 100
INTERNAL STANDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	125000	6.898			
1146-65-2	Naphthalene-d8	456000	8.18			
15067-26-2	Acenaphthene-d10	210000	9.939			
1517-22-2	Phenanthrene-d10	288000	11.427			
1719-03-5	Chrysene-d12	251000	14.074			
1520-96-3	Perylene-d12	269000	15.568			

Report of Analysis

Client:	Aramark Uniforms		Date Collected:	05/28/25
Project:	Waste Characterization		Date Received:	05/28/25
Client Sample ID:	FILTER-CAKE		SDG No.:	Q2149
Lab Sample ID:	Q2149-01		Matrix:	TCLP
Analytical Method:	8270E		% Solid:	0
Sample Wt/Vol:	100	Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:		uL	Test:	TCLP BNA Group1
Extraction Type :		Decanted : N	Level :	LOW
Injection Volume :		GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3541			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF142599.D	1	05/30/25 09:52	06/02/25 16:03	PB168219

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	Aramark Uniforms	Date Collected:	05/28/25
Project:	Waste Characterization	Date Received:	05/28/25
Client Sample ID:	FILTER-CAKEDL	SDG No.:	Q2149
Lab Sample ID:	Q2149-01DL	Matrix:	TCLP
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	100 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	TCLP BNA Group1
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3541		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF142600.D	5	05/30/25 09:52	06/02/25 17:11	PB168219

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
110-86-1	Pyridine	64.0	UD	64.0	250	ug/L
106-46-7	1,4-Dichlorobenzene	26.5	UD	26.5	250	ug/L
95-48-7	2-Methylphenol	56.0	UD	56.0	250	ug/L
65794-96-9	3+4-Methylphenols	1700	D	55.0	500	ug/L
67-72-1	Hexachloroethane	32.5	UD	32.5	250	ug/L
98-95-3	Nitrobenzene	38.0	UD	38.0	250	ug/L
87-68-3	Hexachlorobutadiene	27.0	UD	27.0	250	ug/L
88-06-2	2,4,6-Trichlorophenol	25.5	UD	25.5	250	ug/L
95-95-4	2,4,5-Trichlorophenol	31.0	UD	31.0	250	ug/L
121-14-2	2,4-Dinitrotoluene	61.0	UD	61.0	250	ug/L
118-74-1	Hexachlorobenzene	26.0	UD	26.0	250	ug/L
87-86-5	Pentachlorophenol	79.0	UD	79.0	500	ug/L
SURROGATES						
367-12-4	2-Fluorophenol	129		23 - 138	86%	SPK: 150
13127-88-3	Phenol-d6	118		10 - 134	78%	SPK: 150
4165-60-0	Nitrobenzene-d5	93.9		67 - 132	94%	SPK: 100
321-60-8	2-Fluorobiphenyl	95.0		52 - 132	95%	SPK: 100
118-79-6	2,4,6-Tribromophenol	122		44 - 137	81%	SPK: 150
1718-51-0	Terphenyl-d14	58.5		42 - 152	59%	SPK: 100
INTERNAL STANDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	108000	6.898			
1146-65-2	Naphthalene-d8	403000	8.181			
15067-26-2	Acenaphthene-d10	203000	9.939			
1517-22-2	Phenanthrene-d10	287000	11.427			
1719-03-5	Chrysene-d12	220000	14.068			
1520-96-3	Perylene-d12	244000	15.568			

Report of Analysis

Client:	Aramark Uniforms		Date Collected:	05/28/25
Project:	Waste Characterization		Date Received:	05/28/25
Client Sample ID:	FILTER-CAKEDL		SDG No.:	Q2149
Lab Sample ID:	Q2149-01DL		Matrix:	TCLP
Analytical Method:	8270E		% Solid:	0
Sample Wt/Vol:	100	Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:		uL	Test:	TCLP BNA Group1
Extraction Type :		Decanted : N	Level :	LOW
Injection Volume :		GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3541			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF142600.D	5	05/30/25 09:52	06/02/25 17:11	PB168219

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

LAB CHRONICLE

OrderID:	Q2149	OrderDate:	5/28/2025 1:31:11 PM
Client:	Aramark Uniforms	Project:	Waste Characterization
Contact:	Jarrod Mills	Location:	L31

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q2149-01	FILTER-CAKE	TCLP	TCLP BNA Group1	8270E	05/28/25	05/30/25	06/02/25	05/28/25
Q2149-01DL	FILTER-CAKEDL	TCLP	TCLP BNA Group1	8270E	05/28/25	05/30/25	06/02/25	05/28/25

Hit Summary Sheet
SW-846

SDG No.:	Q2149	Order ID:	Q2149
Client:	Aramark Uniforms	Project ID:	Waste Characterization

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID : FILTER-CAKE								
Q2149-01	FILTER-CAKE	TCLP	Barium	1.65		0.073	0.50	mg/L
Q2149-01	FILTER-CAKE	TCLP	Lead	0.018	J	0.012	0.060	mg/L



SAMPLE DATA

Report of Analysis

Client:	Aramark Uniforms	Date Collected:	05/28/25
Project:	Waste Characterization	Date Received:	05/28/25
Client Sample ID:	FILTER-CAKE	SDG No.:	Q2149
Lab Sample ID:	Q2149-01	Matrix:	TCLP
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-38-2	Arsenic	0.026	U	1	0.026	0.10	mg/L	05/30/25 12:30	06/02/25 15:37	6010D	SW3050
7440-39-3	Barium	1.65		1	0.073	0.50	mg/L	05/30/25 12:30	06/02/25 15:37	6010D	SW3050
7440-43-9	Cadmium	0.0025	U	1	0.0025	0.030	mg/L	05/30/25 12:30	06/02/25 15:37	6010D	SW3050
7440-47-3	Chromium	0.011	U	1	0.011	0.050	mg/L	05/30/25 12:30	06/02/25 15:37	6010D	SW3050
7439-92-1	Lead	0.018	J	1	0.012	0.060	mg/L	05/30/25 12:30	06/02/25 15:37	6010D	SW3050
7439-97-6	Mercury	0.00076	U	1	0.00076	0.0020	mg/L	06/02/25 08:35	06/02/25 12:26	7470A	
7782-49-2	Selenium	0.048	U	1	0.048	0.10	mg/L	05/30/25 12:30	06/02/25 15:37	6010D	SW3050
7440-22-4	Silver	0.0081	U	1	0.0081	0.050	mg/L	05/30/25 12:30	06/02/25 15:37	6010D	SW3050

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	TCLP METALS			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

LAB CHRONICLE

OrderID:	Q2149	OrderDate:	5/28/2025 1:31:11 PM
Client:	Aramark Uniforms	Project:	Waste Characterization
Contact:	Jarrold Mills	Location:	L31

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q2149-01	FILTER-CAKE	TCLP			05/28/25			05/28/25
			TCLP ICP Metals	6010D		05/30/25	06/02/25	
			TCLP Mercury	7470A		06/02/25	06/02/25	



SAMPLE DATA

Report of Analysis

Client:	Aramark Uniforms	Date Collected:	05/28/25 10:05
Project:	Waste Characterization	Date Received:	05/28/25
Client Sample ID:	FILTER-CAKE	SDG No.:	Q2149
Lab Sample ID:	Q2149-01	Matrix:	SOIL
		% Solid:	59.5

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Corrosivity	5.24	H	1	0	0	pH		05/29/25 14:50	9045D
Ignitability	NO		1	0	0	oC		05/28/25 16:15	1030
Reactive Cyanide	0.012	J	1	0.0083	0.049	mg/Kg	05/30/25 08:50	05/30/25 13:54	9012B
Reactive Sulfide	3.19	J	1	0.20	10.0	mg/Kg	05/30/25 14:35	05/30/25 16:45	9034

Comments: pH result reported at temperature 21.6 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

LAB CHRONICLE

OrderID:	Q2149	OrderDate:	5/28/2025 1:31:11 PM
Client:	Aramark Uniforms	Project:	Waste Characterization
Contact:	Jarrold Mills	Location:	L31

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q2149-01	FILTER-CAKE	SOIL			05/28/25 10:05			05/28/25
			Corrosivity	9045D			05/29/25 14:50	
			Ignitability	1030			05/28/25 16:15	
			Reactive Cyanide	9012B		05/30/25	05/30/25 13:54	
			Reactive Sulfide	9034		05/30/25	05/30/25 16:45	



SHIPPING DOCUMENTS

CLIENT INFORMATION

REPORT TO BE SENT TO:

COMPANY: Aramark uniforms
ADDRESS: 740 Frellinghuysen Ave
CITY Newark STATE: NJ ZIP: 07114
ATTENTION: Jarrod Mills
PHONE: 973-824-1101 FAX:

CLIENT PROJECT INFORMATION

PROJECT NAME: Monthly
PROJECT NO.: LOCATION:
PROJECT MANAGER:
e-mail:
PHONE: FAX:

CLIENT BILLING INFORMATION

BILL TO: PO#:
ADDRESS:
CITY STATE: ZIP:
ATTENTION: PHONE:

ANALYSIS

DATA TURNAROUND INFORMATION

FAX (RUSH) _____ DAYS*
HARDCOPY (DATA PACKAGE): _____ DAYS*
EDD: _____ DAYS*

*TO BE APPROVED BY CHEMTECH

STANDARD HARDCOPY TURNAROUND TIME IS 10 BUSINESS

DATA DELIVERABLE INFORMATION

☐ Level 1 (Results Only) ☐ Level 4 (QC + Full Raw Data)
☐ Level 2 (Results + QC) ☐ NJ Reduced ☐ US EPA CLP
☐ Level 3 (Results + QC) ☐ NYS ASP A ☐ NYS ASP B
+ Raw Data ☐ Other _____
☐ EDD FORMAT _____

1. TAP Interstitial 2. TAP Tap metals 3. TAP Tap metals 4. Corrosivity 5. Ignitability 6. Reactivity 7. Reactivity 8. TAP Vol Group 9. TAP PAH Group

PRESERVATIVES

COMMENTS

ALLIANCE SAMPLE ID	PROJECT SAMPLE IDENTIFICATION	SAMPLE MATRIX	SAMPLE TYPE		SAMPLE COLLECTION		# OF BOTTLES	PRESERVATIVES									COMMENTS
			COMP	GRAB	DATE	TIME		1	2	3	4	5	6	7	8	9	
1.	Filter Cake	S	✓	✓	5-28-25	1005	4	✓	✓	✓	✓	✓	✓	✓	✓	✓	← Specify Preservatives A-HCl D-NaOH B-HNO3 E-ICE C-H2SO4 F-OTHER
2.																	
3.																	
4.																	
5.																	
6.																	
7.																	
8.																	
9.																	
10.																	

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION INCLUDING COURIER DELIVERY

RELINQUISHED BY SAMPLER: 1. <u>[Signature]</u>	DATE/TIME: <u>100</u> <u>5-28-25</u>	RECEIVED BY: 1. <u>[Signature]</u>	DATE/TIME: <u>100</u> <u>5-28-25</u>	Conditions of bottles or coolers at receipt: <input type="checkbox"/> COMPLIANT <input type="checkbox"/> NON COMPLIANT <input type="checkbox"/> COOLER TEMP <u>3.0</u> °C
RELINQUISHED BY SAMPLER: 2. <u>[Signature]</u>	DATE/TIME:	RECEIVED BY: 2. <u>[Signature]</u>		Comments:
RELINQUISHED BY SAMPLER: 3. <u>[Signature]</u>	DATE/TIME: <u>133</u> <u>5-28-25</u>	RECEIVED BY: 3. <u>[Signature]</u>		Page ____ of CLIENT: <input type="checkbox"/> Hand Delivered <input type="checkbox"/> Other

Shipment Complete
☐ YES ☐ NO

Laboratory Certification

Certified By	License No.
CAS EPA CLP Contract	68HERH20D0011
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255424 Rev 1
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	T104704488