

Report of Analysis

Client:	CDM Smith	Date Collected:	05/27/25
Project:	South River WM Replacement	Date Received:	05/28/25
Client Sample ID:	TP-39	SDG No.:	Q2150
Lab Sample ID:	Q2150-03	Matrix:	SOIL
Analytical Method:	8260D	% Solid:	83.7
Sample Wt/Vol:	7.24 Units: g	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	RXI-624 ID : 0.25	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY022462.D	1		05/29/25 13:12	VY052925

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
75-71-8	Dichlorodifluoromethane	4.10	U	0.94	4.10	ug/Kg
74-87-3	Chloromethane	4.10	U	0.94	4.10	ug/Kg
75-01-4	Vinyl Chloride	4.10	U	0.65	4.10	ug/Kg
74-83-9	Bromomethane	4.10	U	0.88	4.10	ug/Kg
75-00-3	Chloroethane	4.10	U	1.00	4.10	ug/Kg
75-69-4	Trichlorofluoromethane	4.10	U	1.00	4.10	ug/Kg
76-13-1	1,1,2-Trichlorotrifluoroethane	4.10	U	0.87	4.10	ug/Kg
75-35-4	1,1-Dichloroethene	4.10	U	0.83	4.10	ug/Kg
67-64-1	Acetone	14.1	J	3.90	20.6	ug/Kg
75-15-0	Carbon Disulfide	4.10	U	0.87	4.10	ug/Kg
1634-04-4	Methyl tert-butyl Ether	4.10	U	0.60	4.10	ug/Kg
79-20-9	Methyl Acetate	4.10	U	1.30	4.10	ug/Kg
75-09-2	Methylene Chloride	8.30	U	2.90	8.30	ug/Kg
156-60-5	trans-1,2-Dichloroethene	4.10	U	0.71	4.10	ug/Kg
75-34-3	1,1-Dichloroethane	4.10	U	0.66	4.10	ug/Kg
110-82-7	Cyclohexane	4.10	U	0.65	4.10	ug/Kg
78-93-3	2-Butanone	20.6	U	5.40	20.6	ug/Kg
56-23-5	Carbon Tetrachloride	4.10	U	0.80	4.10	ug/Kg
156-59-2	cis-1,2-Dichloroethene	4.10	U	0.62	4.10	ug/Kg
74-97-5	Bromochloromethane	4.10	U	0.95	4.10	ug/Kg
67-66-3	Chloroform	4.10	U	0.69	4.10	ug/Kg
71-55-6	1,1,1-Trichloroethane	4.10	U	0.77	4.10	ug/Kg
108-87-2	Methylcyclohexane	4.10	U	0.75	4.10	ug/Kg
71-43-2	Benzene	7.20		0.65	4.10	ug/Kg
107-06-2	1,2-Dichloroethane	4.10	U	0.65	4.10	ug/Kg
79-01-6	Trichloroethene	4.10	U	0.67	4.10	ug/Kg
78-87-5	1,2-Dichloropropane	4.10	U	0.75	4.10	ug/Kg
75-27-4	Bromodichloromethane	4.10	U	0.64	4.10	ug/Kg
108-10-1	4-Methyl-2-Pentanone	20.6	U	3.00	20.6	ug/Kg
108-88-3	Toluene	4.10	U	0.64	4.10	ug/Kg

Report of Analysis

Client:	CDM Smith	Date Collected:	05/27/25
Project:	South River WM Replacement	Date Received:	05/28/25
Client Sample ID:	TP-39	SDG No.:	Q2150
Lab Sample ID:	Q2150-03	Matrix:	SOIL
Analytical Method:	8260D	% Solid:	83.7
Sample Wt/Vol:	7.24 Units: g	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	RXI-624 ID : 0.25	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY022462.D	1		05/29/25 13:12	VY052925

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
10061-02-6	t-1,3-Dichloropropene	4.10	U	0.54	4.10	ug/Kg
10061-01-5	cis-1,3-Dichloropropene	4.10	U	0.51	4.10	ug/Kg
79-00-5	1,1,2-Trichloroethane	4.10	U	0.76	4.10	ug/Kg
591-78-6	2-Hexanone	20.6	U	3.00	20.6	ug/Kg
124-48-1	Dibromochloromethane	4.10	U	0.72	4.10	ug/Kg
106-93-4	1,2-Dibromoethane	4.10	U	0.73	4.10	ug/Kg
127-18-4	Tetrachloroethene	4.10	U	0.87	4.10	ug/Kg
108-90-7	Chlorobenzene	4.10	U	0.75	4.10	ug/Kg
100-41-4	Ethyl Benzene	4.10	U	0.55	4.10	ug/Kg
179601-23-1	m/p-Xylenes	8.30	U	1.00	8.30	ug/Kg
95-47-6	o-Xylene	4.10	U	0.68	4.10	ug/Kg
100-42-5	Styrene	4.10	U	0.59	4.10	ug/Kg
75-25-2	Bromoform	4.10	U	0.71	4.10	ug/Kg
98-82-8	Isopropylbenzene	4.10	U	0.64	4.10	ug/Kg
79-34-5	1,1,2,2-Tetrachloroethane	4.10	U	1.00	4.10	ug/Kg
541-73-1	1,3-Dichlorobenzene	4.10	U	1.40	4.10	ug/Kg
106-46-7	1,4-Dichlorobenzene	4.10	U	1.30	4.10	ug/Kg
95-50-1	1,2-Dichlorobenzene	4.10	U	1.20	4.10	ug/Kg
96-12-8	1,2-Dibromo-3-Chloropropane	4.10	U	1.50	4.10	ug/Kg
120-82-1	1,2,4-Trichlorobenzene	4.10	U	2.50	4.10	ug/Kg
87-61-6	1,2,3-Trichlorobenzene	4.10	U	2.60	4.10	ug/Kg
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	48.3		63 - 155	97%	SPK: 50
1868-53-7	Dibromofluoromethane	49.9		70 - 134	100%	SPK: 50
2037-26-5	Toluene-d8	49.8		74 - 123	100%	SPK: 50
460-00-4	4-Bromofluorobenzene	37.8		17 - 146	76%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	305000	7.713			
540-36-3	1,4-Difluorobenzene	550000	8.622			
3114-55-4	Chlorobenzene-d5	413000	11.42			
3855-82-1	1,4-Dichlorobenzene-d4	137000	13.346			

Report of Analysis

Client:	CDM Smith	Date Collected:	05/27/25
Project:	South River WM Replacement	Date Received:	05/28/25
Client Sample ID:	TP-39	SDG No.:	Q2150
Lab Sample ID:	Q2150-03	Matrix:	SOIL
Analytical Method:	8260D	% Solid:	83.7
Sample Wt/Vol:	7.24	Units:	g
Soil Aliquot Vol:			uL
GC Column:	RXI-624	ID :	0.25
Prep Method :		Level :	LOW
		Final Vol:	5000
		Test:	VOC-TCLVOA-10

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY022462.D	1		05/29/25 13:12	VY052925

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products