

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP061025\
 Data File : BP024897.D
 Acq On : 10 Jun 2025 17:08
 Operator : RC/JU
 Sample : Q2176-06
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 TP-27

Quant Time: Jun 10 17:45:02 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP060625.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jun 06 16:20:27 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.608	152	231122	20.000	ng	0.00
21) Naphthalene-d8	10.378	136	960347	20.000	ng	0.00
39) Acenaphthene-d10	14.254	164	611548	20.000	ng	0.00
64) Phenanthrene-d10	17.060	188	1164370	20.000	ng	0.00
76) Chrysene-d12	21.489	240	1196927	20.000	ng	0.00
86) Perylene-d12	24.736	264	1458416	20.000	ng	0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.237	112	1693696	122.321	ng	0.00
7) Phenol-d6	6.814	99	2201449	120.166	ng	0.00
23) Nitrobenzene-d5	8.761	82	1346189	68.116	ng	0.00
42) 2,4,6-Tribromophenol	15.784	330	1058190	125.156	ng	0.00
45) 2-Fluorobiphenyl	12.854	172	3247438	71.535	ng	0.00
79) Terphenyl-d14	19.789	244	4887638	73.186	ng	0.00
Target Compounds						
						Qvalue
88) Benzo(b)fluoranthene	23.730	252	229524	2.750	ng	# 84
90) Benzo(a)pyrene	24.589	252	200911	2.465	ng	# 90
92) Benzo(g,h,i)perylene	29.595	276	238149	2.771	ng	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP061025\
Data File : BP024897.D
Acq On : 10 Jun 2025 17:08
Operator : RC/JU
Sample : Q2176-06
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TP-27

Quant Time: Jun 10 17:45:02 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP060625.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jun 06 16:20:27 2025
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.608 min Scan# 795
Delta R.T. -0.005 min
Lab File: BP024897.D
Acq: 10 Jun 2025 17:08




Instrument :
BNA_P
ClientSampleId :
TP-27


Tgt Ion:152 Resp: 231122
Ion Ratio Lower Upper
152 100
150 159.2 122.1 183.1
115 62.3 46.4 69.6



#5
2-Fluorophenol
Concen: 122.321 ng
RT: 5.237 min Scan# 391
Delta R.T. -0.006 min
Lab File: BP024897.D
Acq: 10 Jun 2025 17:08

Tgt Ion:112 Resp: 1693696
Ion Ratio Lower Upper
112 100
64 54.5 44.7 67.1
63 28.7 23.5 35.3









#7
Phenol-d6
Concen: 120.166 ng
RT: 6.814 min Scan# 61
Delta R.T. 0.000 min
Lab File: BP024897.D
Acq: 10 Jun 2025 17:08




Instrument :
BNA_P
ClientSampleId :
TP-27


Tgt Ion: 99 Resp: 2201449
Ion Ratio Lower Upper
99 100
42 15.9 13.4 20.2
71 34.5 27.6 41.4



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.378 min Scan# 1265
Delta R.T. 0.000 min
Lab File: BP024897.D
Acq: 10 Jun 2025 17:08

Tgt Ion: 136 Resp: 960347
Ion Ratio Lower Upper
136 100
137 10.8 8.9 13.3
54 6.8 6.1 9.1
68 5.9 4.6 7.0









#23
Nitrobenzene-d5
Concen: 68.116 ng
RT: 8.761 min Scan# 990
Delta R.T. 0.000 min
Lab File: BP024897.D
Acq: 10 Jun 2025 17:08




Instrument :
BNA_P
ClientSampleId :
TP-27


Tgt Ion: 82 Resp: 1346189
Ion Ratio Lower Upper
82 100
128 46.3 35.3 52.9
54 46.0 37.4 56.0



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.254 min Scan# 1924
Delta R.T. 0.006 min
Lab File: BP024897.D
Acq: 10 Jun 2025 17:08

Tgt Ion:164 Resp: 611548
Ion Ratio Lower Upper
164 100
162 100.0 81.6 122.4
160 43.8 36.2 54.2









#42
2,4,6-Tribromophenol
Concen: 125.156 ng
RT: 15.784 min Scan# 2184
Delta R.T. 0.000 min
Lab File: BP024897.D
Acq: 10 Jun 2025 17:08




Instrument :
BNA_P
ClientSampleId :
TP-27


Tgt Ion:330 Resp: 1058190
Ion Ratio Lower Upper
330 100
332 97.0 77.7 116.5
141 29.9 26.4 39.6



#45
2-Fluorobiphenyl
Concen: 71.535 ng
RT: 12.854 min Scan# 1686
Delta R.T. -0.006 min
Lab File: BP024897.D
Acq: 10 Jun 2025 17:08

Tgt Ion:172 Resp: 3247438
Ion Ratio Lower Upper
172 100
171 35.6 28.3 42.5
170 23.7 19.0 28.4









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.060 min Scan# 2401
Delta R.T. 0.000 min
Lab File: BP024897.D
Acq: 10 Jun 2025 17:08




Instrument :
BNA_P
ClientSampleId :
TP-27


Tgt Ion:188 Resp: 1164370
Ion Ratio Lower Upper
188 100
94 9.4 7.3 10.9
80 10.4 8.5 12.7



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.489 min Scan# 3154
Delta R.T. 0.006 min
Lab File: BP024897.D
Acq: 10 Jun 2025 17:08

Tgt Ion:240 Resp: 1196927
Ion Ratio Lower Upper
240 100
120 11.0 8.9 13.3
236 25.8 20.9 31.3









#79
 Terphenyl-d14
 Concen: 73.186 ng
 RT: 19.789 min Scan# 21
 Delta R.T. -0.006 min
 Lab File: BP024897.D
 Acq: 10 Jun 2025 17:08




Instrument :
 BNA_P
 ClientSampleId :
 TP-27


Tgt Ion:244 Resp: 4887638
 Ion Ratio Lower Upper
 244 100
 212 7.0 5.6 8.4
 122 9.5 7.7 11.5



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 24.736 min Scan# 3706
 Delta R.T. 0.018 min
 Lab File: BP024897.D
 Acq: 10 Jun 2025 17:08

Tgt Ion:264 Resp: 1458416
 Ion Ratio Lower Upper
 264 100
 260 24.5 19.0 28.4
 265 22.3 17.4 26.0









#88
Benzo(b)fluoranthene
Concen: 2.750 ng
RT: 23.730 min Scan# 31
Delta R.T. 0.018 min
Lab File: BP024897.D
Acq: 10 Jun 2025 17:08




Instrument :
BNA_P
ClientSampleId :
TP-27


Tgt Ion:252 Resp: 229524
Ion Ratio Lower Upper
252 100
253 25.1 17.6 26.4
125 22.9 7.1 10.7#



#90
Benzo(a)pyrene
Concen: 2.465 ng
RT: 24.589 min Scan# 3681
Delta R.T. 0.018 min
Lab File: BP024897.D
Acq: 10 Jun 2025 17:08

Tgt Ion:252 Resp: 200911
Ion Ratio Lower Upper
252 100
253 24.7 17.5 26.3
125 18.5 8.8 13.2#





#92

Benzo(g,h,i)perylene

Concen: 2.771 ng

RT: 29.595 min Scan# 4

Delta R.T. 0.035 min

Lab File: BP024897.D


Acq: 10 Jun 2025 17:08

Instrument :

BNA_P

ClientSampleId :

TP-27



Tgt Ion:276 Resp: 238149

Ion Ratio Lower Upper

276 100

277 26.5 19.1 28.7

138 20.4 15.4 23.2

