

SOP ID : M9012B-Total, Amenable and Reactive Cyanide-20

SDG No : N/A

Start Digest Date: 06/02/2025 Time : 12:25 Temp : N/A

Matrix : SOIL

End Digest Date: 06/02/2025 Time : 13:55 Temp : N/A

Pipette ID : N/A

Balance ID : WC SC-7

Hood ID : HOOD#1

Digestion tube ID : M5595

Block Thermometer ID : N/A

Block ID : MC-1,MC-2

Filter paper ID : N/A

Prep Technician Signature:

Weigh By : RM

pH Meter ID : N/A

Supervisor Signature:

Standard Name	MLS USED	STD REF. # FROM LOG
PBS003	50.0ML	W3112
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
0.25N NaOH	50.0ML	WP111294
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

LAB SAMPLE ID	CLIENT SAMPLE ID	Comment

Extraction Conformance/Non-Conformance Comments:

N/A

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
06/02/2025 14:10	RM (LWC)	RM (LWC)
	Preparation Group	Analysis Group

Lab Sample ID	Client Sample ID	Initial Weight (g)	Final Vol (ml)	pH	Sulfide	Oxidizing	Nitrate/Nitrite	Comment	Prep Pos
PB168226BL	PBS226	5.00	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2168-02DUP	SAN-A1-A3DUP	5.07	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2168-02	SAN-A1-A3	5.07	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2168-06	SAN-B1-B3	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2168-10	SAN-C1-C2	5.01	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2172-04	TP06-MHQ	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2173-06	OR-400-CF-402B-COMP-23	5.01	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2173-12	OR-400-CF-402B-COMP-24	5.05	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2173-18	OR-400-CF-402B-COMP-25	5.06	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2177-03	B-187-SB01	5.03	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2177-05	B-187-SB02	5.01	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2177-07	B-202-SB01	5.02	50	N/A	N/A	N/A	N/A	N/A	N/A