

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD061225AR\
 Data File : FD049462.D
 Signal(s) : FID2B.ch
 Acq On : 12 Jun 2025 15:44
 Operator : YP/AJ
 Sample : 20 PPM AROMATIC HC STD
 Misc :
 ALS Vial : 52 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :
 20 PPM AROMATIC HC STD

Integration File: autoint1.e
 Quant Time: Jun 13 04:14:41 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 052425.M
 Quant Title : GC Extractables
 QLast Update : Tue May 27 03:11:40 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.732	3032496	18.242 ug/ml
Spiked Amount 50.000		Recovery =	36.48%
6) S 2-Fluorobiphenyl (SURR)	8.597	2106706	18.416 ug/ml
Spiked Amount 50.000 Range 0 - 131		Recovery =	36.83%
11) S ortho-Terphenyl (SURR)	11.643	3522208	17.548 ug/ml
Spiked Amount 50.000		Recovery =	35.10%
Target Compounds			
1) T 1,2,3-Trimethylbenzen...	4.525	3096039	19.459 ug/ml
2) T Naphthalene (C11.7)	6.068	3352132	19.091 ug/ml
3) T 2-Methylnaphthalene (...)	7.122	3329545	18.638 ug/ml
5) T Acenaphthylene (C15.06)	8.401	3541575	18.283 ug/ml
7) T Acenaphthene (C15.5)	8.697	3465941	18.221 ug/ml
8) T Fluorene (C16.55)	9.478	3539635	18.104 ug/ml
9) T Phenanthrene (C19.36)	10.876	3482754	18.317 ug/ml
10) T Anthracene (C19.43)	10.950	3098644	17.725 ug/ml
12) T Fluoranthene (C21.85)	12.690	3516600	19.496 ug/ml
13) T Pyrene (C20.8)	12.988	3523772	19.743 ug/ml
14) T Benzo[a]anthracene (C...	14.860	3218405	21.175 ug/ml
15) T Chrysene (C27.41)	14.902	3246069	21.376 ug/ml
16) T benzo[b]fluoranthene ...	16.411	3210849	22.182 ug/ml
17) T Bnezo[k]fluoranthene ...	16.444	3160526	22.025 ug/ml
18) T Benzo[a]pyrene (C31.34)	16.790	3014633	22.180 ug/ml
19) T Indeno[1,2,3-cd]pyren...	18.154	2856042	22.360 ug/ml
20) T Dibenz[a,h]anthracene...	18.195	3105029	23.064 ug/ml
21) T Benzo[g,h,i]perylene ...	18.411	3042480	22.573 ug/ml

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD061225AR\
Data File : FD049462.D
Signal(s) : FID2B.ch
Acq On : 12 Jun 2025 15:44
Operator : YP/AJ
Sample : 20 PPM AROMATIC HC STD
Misc :
ALS Vial : 52 Sample Multiplier: 1

Instrument :
FID_D
ClientSampleId :
20 PPM AROMATIC HC STD

Integration File: autoint1.e
Quant Time: Jun 13 04:14:41 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 052425.M
Quant Title : GC Extractables
QLast Update : Tue May 27 03:11:40 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm

